

\$105 is a center for two Fibonacci multiples. \$105 divided by 3 gives the fixed-price low of \$35, while \$105 multiplied by 8 gives \$840, just \$10 off the all-time high. — May 10, 1982

The previous fourth wave of one lesser degree had a peak price at **\$197.50**, an orthodox peak at **\$179.50**, and a low at **\$103.05**. [This] defines the most likely range for the end of the current bear market, [with] \$105 (+ or - \$5) as a sensible expectation.

— March 7, 1983 and November 7, 1984

Wave IV in bullion began at the orthodox top of wave III in March 1974 at \$179.50 and ended in August 1976 at \$103.05. Until the wave structure indicates otherwise, those prices still mark reasonable minimum and maximum expectations for the ultimate bear market low. For this reason, I have continually reiterated that ultimately gold should fall **below \$200/oz.** — March 5, 1987

The Wave Principle indicates that gold will fall at minimum to below \$200/oz., the highest price within wave IV. Using the London fix as a basis, the peak was \$197.50 and the low was \$103.05. Fibonacci relationships *within* the bear market strongly support this area as a downside target. — February 1989

According to our long standing target, gold still ultimately needs to fall to below \$200/oz., probably close to \$100, in order to complete the Supercycle bear market that began in 1980.

— October 26, 1990

Elliott Wave price projections still call for an ultimate low under \$200/oz., with an ideal target near \$105.

— January 29, 1993

The target range of \$103.05 to \$197.50 was provided by the wave structure, as that range encompasses the action of the previous fourth wave, wave IV, as shown by the dashed lines in Figure 17-10. Now that wave X is near its end, does our downside target have any additional support?

Fibonacci relationships in the bear market for gold have all been created in arithmetic terms. Wave (B) of W equals waves (A) and (B) of X, which are each .618 as long as wave (A) of W; the net decline to the top of wave (B) of W is .618 of the drop from there to the top of wave (A) of X; wave (A) of X retraces .382 of wave W. All these relationships are indicated by the bar toward the left in Figure 17-9.