

wave B of (IV), **13** years marked the low of wave C of (IV), and **21** years (off by 1) marked the end of wave (IV), skipping the 5-year duration. If the Grand Supercycle reflects the same dynamic, then its first low might occur near 2000, **34** years after it started, while its final low might occur near 2055, **89** years after it started, skipping the 55-year duration, as shown in Figure 5-10. Past Fibonacci durations have sometimes been off by 1 year when the lengths are in the range of 8 to 21; the one length of 89 years was off by 2 years, expanding the range to 2053-2057. Add the observation that a Fibonacci **55** years after the projected low of 2003 is 2058, and we obtain a time window for a major low in the inflation-adjusted Dow in **2053-2058**. That time could mark the end of the Grand Supercycle corrective pattern if it is a flat. However, there is a fair probability that the final low in the actual Dow will occur a few decades later, as described below.

Time Forecasting for the End of the Bear Market Pattern

The last recorded Grand Supercycle bear market took place in the 1700s and lasted 64 years as measured by actual prices (it was 60-61 years in inflation-adjusted prices). While some limits do apply, there is no way to determine exactly how long the coming Grand Supercycle correction will last. It could be swift or prolonged. The wave (III) advance, for instance, which lasted 87 years, from 1842 to 1929, was corrected in just 3 short years, or 3.4% of the total time of the advance. On the other hand, the advance for wave III of (V), which lasted 24 years from 1942 to 1966, was corrected in 8 years, or 33% of the time. (By the interpretation shown in Figure 2-7, it took 16 years, totaling 50% of the time.) In each case, it should be noted, the downside price targets were *always* achieved, whether sooner or later. Since the Grand Supercycle uptrend has lasted 211 years, the corresponding corrective pattern will be commensurate in form and price extent, *regardless of duration*.

Despite this caveat, there are two main guides to a high probability conclusion in the current instance. Grand Supercycle wave Four is expected to be a *sideways* correction *and* remain inside the larger parallel trend channel (excepting perhaps the final low, for a brief period). Sideways corrections typically last longer than sharp corrections. In fact, they often last 1.618 times as long. As one prominent example, wave II, a sharp correction from 1937 to 1942, lasted