## ATM.CPP

```
#include<graphics.h>          // HEADER FILE FOR GRAPHICS FUNCTIONS
#include<dos.h>               // HEADER FILE FOR DELAY()
#include<conio.h>             // HEADER FILES FOR STANDARD IN/OUT
#include<stdio.h>
#include<stdlib.h>            // HEADER FILE FOR RANDOM()
int count=0,number=0;
void welcomenote();           // FUNCTION TO DISPLAY WELCOME NOTE
void layout();                // LAYOUT OF MACHINE
void getpin();                // FUNCTION TO SECRET PIN
void buttonpress();           // FUCTION FOR LOCATING BUTTON PRESSED
void transaction();           // FUNCTION FOR GOVERNING TRANSACTION PROCESS
void main()
{       int  gd=DETECT,gm;
        initgraph(&gd,&gm,"c:\\tc\\bgi");
// INITIALIZING GRAPHICS MODE
        settextstyle(8,0,1);
                printf("\n\n\n\n\n\n\n\n\n\n");
        layout();
        welcomenote();
        getpin();
        while(count<5)                  // LOOP FOR GETTING FIVE DIGIT PIN
        {   delay(1000);
            buttonpress();
            printf("*");
            count++;
        }
        delay(500);
        transaction();
          cleardevice();                // CLEARING SCREEN
        layout();
        delay(500);
        setcolor(2);
          outtextxy(220,60,"BYE  BYE");
// FINAL TEXT
        delay(500);
        setcolor(1);
        outtextxy(210,100,"HAVE A NICE" );
        delay(500);
        setcolor(1);
        outtextxy(240,140,"DAY");
        setcolor(BLACK);
         outtextxy(50,400,"DEVELOPED BY:-MEGHRAJ SINGH BENIWAL");
        setcolor(6);
        outtextxy(50,400,"PRESS ENTER TO EXIT");

     getch();
}
void welcomenote()
{     delay(2000);
      setcolor(2);
        outtextxy(220,70,"WELCOME"); delay(500);
        outtextxy(250,110,"TO");      delay(500);
                outtextxy(200,150,"ATM MACHINE");delay(500);
}
void layout()
{     setcolor(2);
        rectangle(0,0,635,475);         // BOUNDRY
      setcolor(5);
      rectangle(3,3,632,472);
      setcolor(6);
       rectangle(170,30,500,350);       // BODY
      line(390,30,390,350);
      line(390,130,500,130);
      line(390,240,500,240);
       rectangle(195,50,345,210);       // SCREEN
      rectangle(193,48,347,212);
      rectangle(225,220,315,340); // BUTTON PAD
              rectangle(230,225,250,245);  // BUTTON 1
        outtextxy(235,220,"1");
            rectangle(260,225,280,245);  // BUTTON 2
        outtextxy(265,220,"2");
            rectangle(290,225,310,245);  // BUTTON 3
        outtextxy(295,220,"3");
            rectangle(230,255,250,275);  // BUTTON 4
        outtextxy(235,250,"4");
            rectangle(260,255,280,275);  // BUTTON 5
        outtextxy(265,250,"5");
            rectangle(290,255,310,275);  // BUTTON 6
        outtextxy(295,250,"6");
            rectangle(230,285,250,305);  // BUTTON 7
        outtextxy(235,280,"7");
            rectangle(260,285,280,305);  // BUTTON 8
        outtextxy(265,280,"8");
            rectangle(290,285,310,305);  // BUTTON 9
        outtextxy(295,280,"9");
            rectangle(260,315,280,335);  // BUTTON 0
        outtextxy(265,310,"0");
            rectangle(410,100,460,110);  // RECEIPT BOX
        outtextxy(400,40,"RECEIPT");
            rectangle(410,190,460,200);  // INSERT CARD BOX
        circle(480,195,5);
        outtextxy(400,130,"ATM CARD");
        outtextxy(410,160,"HERE");
          rectangle(400,300,480,310);   // MONEY COLLECT
        outtextxy(410,260,"CASH");
         outtextxy(50,400,"DEVELOPED BY:-MEGHRAJ SINGH BENIWAL");
}
void getpin()
{     setcolor(BLACK);
        outtextxy(220,70,"WELCOME"); delay(500);
        outtextxy(250,110,"TO");      delay(500);
                outtextxy(200,150,"ATM MACHINE");delay(500);
      setcolor(2);
      outtextxy(220,70,"ENTER PIN");
      rectangle(230,120,290,150);
}
void buttonpress()
{       delay(1000);
        randomize();
        number=1+random(10);  // GETTING RANDOM BUTTON

          if(number==1)
          {  setcolor(5);
             rectangle(230,225,250,245);
             outtextxy(235,220,"1");
             delay(200);
             setcolor(6);
             rectangle(230,225,250,245);
             outtextxy(235,220,"1");
             delay(200);
          }
          else if(number==2)
          {  setcolor(5);
             rectangle(260,225,280,245);
             outtextxy(265,220,"2");
             delay(200);
             setcolor(6);
             rectangle(260,225,280,245);
             outtextxy(265,220,"2");
             delay(200);
          }
          else if(number==3)
          {  setcolor(5);
             rectangle(290,225,310,245);
             outtextxy(295,220,"3");
             delay(200);
             setcolor(6);
             rectangle(290,225,310,245);
             outtextxy(295,220,"3");
             delay(200);
          }
          else if(number==4)
          {  setcolor(5);
             rectangle(230,255,250,275);
             outtextxy(235,250,"4");
             delay(200);
             setcolor(6);
```


