

ps://chat.openai.com/auth/login on any modern browser to open the login page. It appears as in Fig. 1.

Since we haven't signed up yet, click on the 'Sign up' button. It opens the dialog, offering multiple ways to sign up.

In my case, I chose to continue with Google. After entering the Google credentials, it prompted for a name and phone number to initiate the verification process. Upon entering the received OTP, the ChatGPT opened up at the URL <https://chat.openai.com/chat>, as in Fig. 2.

The ChatGPT clearly states that the current version is just a free research preview. Its goal is to get external feedback in order to improve its systems and make them safer. It also cautions that the system may occasionally generate incorrect or misleading information and produce offensive or biased content, despite the safeguards that are in place.

Since ChatGPT conversations may be reviewed by AI trainers to improve the systems, we must not share any sensitive information in our conversations.

Let's play with ChatGPT

Programming is one of the areas in which ChatGPT proves to be a useful assistant. For instance, type the following question on the prompt and look at the response:

java command to compile a file

Apart from such simple questions, we can even ask ChatGPT to write code for us. How about getting some help in writing some Python code? I started a new conversation with the following prompt:

sort numbers using bubble sort in python

The assistant generated the following code:

```
def bubble_sort(numbers):
    n = len(numbers)
    for i in range(n):
        for j in range(0, n - i - 1):
            if numbers[j] > numbers[j + 1]:
                numbers[j], numbers[j + 1] = numbers[j + 1], numbers[j]

# test the function
numbers = [3, 4, 1, 2, 5]
bubble_sort(numbers)
print(numbers) # [1, 2, 3, 4, 5]
```

You can verify the code just by reviewing it in case you are a Python developer. Or copy the code into a source file, and try running it in a Python environment. It works!

But it doesn't just end there. We know that there is more than one way to write the code for bubble sort. ChatGPT agrees. I asked her to try again.

This time it generated the following code:

```
def bubble_sort(numbers):
    # Set the flag to True to start the sorting
```




Fig. 1: ChatGPT login page

```
flag = True

# Keep looping until the flag is False
while flag:
    # Set the flag to False
    flag = False

    # Loop through the numbers
    for i in range(len(numbers) - 1):
        # Check if the current number is greater than the
        # next number
        if numbers[i] > numbers[i + 1]:
            # If it is, swap the numbers
            numbers[i], numbers[i + 1] = numbers[i + 1],
            numbers[i]

        # Set the flag to True to indicate that a swap
        # has occurred
        flag = True

    # Return the sorted list
    return numbers

sorted_numbers = bubble_sort([3, 5, 2, 1, 4])
print(sorted_numbers) # Output: [1, 2, 3, 4, 5]
```

You can keep asking it to try any number of times. In my case, the following was suggested in the third iteration:

```
def bubble_sort(numbers):
    # We set swapped to True so the loop looks runs at least
    # once
    swapped = True
    while swapped:
        swapped = False
        for i in range(len(numbers) - 1):
            if numbers[i] > numbers[i + 1]:
                # Swap the elements
                numbers[i], numbers[i + 1] = numbers[i + 1],
                numbers[i]

            # Set the flag to True so we'll loop again
            swapped = True
```