

Ex No: 1 – PASSPORT AUTOMATION SYSTEM

NAME: HEMALAKSHMI H (192571049)


Use Case Diagram:




Class Diagram:




Activity Diagram:




Deploymenr Diagram:




SEQUENCE DIAGRAM:




COLLABORATION DIAGRAM:




STATE CHART DIAGRAM:




COMPONENT DIAGRAM:





PACKAGE DIAGRAM:




WEBPAGE FOR PASSPORT MANAGEMENT SYSTEM:






PassportEase
Features
Apply
Track Status
Documents
Start Application ↗
Demo application form
Use fictional information only. This page does not submit anything to a government service.
Full name (demo)
e.g. Asha Kumar
Application type
Select type
Email (demo only)
you@example.com
City
Enter city
Purpose of application
Choose purpose
I understand this is a college-project demo and not an official application.
Create Demo Application ID
No details are uploaded or sent to a server. Refreshing this page clears the demo state.
How it works
1
Fill in the form
Enter fictional details and choose an application type.
2
Review the checklist
Prepare the documents relevant to your situation.
3
Track progress
Use the generated demo ID in the tracking section.
Important: This is a front-end prototype for academic demonstration. It does not verify identity, store records, book appointments, or issue passports.



PassportEase
Features
Apply
Track Status
Documents
Start Application ↗
Track your demo application
Enter the demo ID generated above, or try PASS-DEMO-1234.
Demo application ID
PASS-DEMO-1234
Check Demo Status
Example status timeline
Application created
Demo form completed
Details review
Illustrative validation stage
3
Appointment / verification
Not connected to a real appointment
4
Final processing
Example future stage
Illustrative progress only — not a real government status.


PassportEase
Features
Apply
Track Status
Documents
Start Application ↗
24/7
Online demo access
3 Steps
Apply • Review • Track
One Place
Application overview
Everything in one simple portal
Designed to make the passport application process easier to understand.
Online Application
Enter basic sample details in a guided form and review them before submission.
Document Checklist
See a starter checklist of documents that may be needed for an application.
Status Tracking
Explore a sample status timeline using a demo reference number.
Demo application form

HTML:


File Edit Selection View Go Run Terminal Help
OOAD_1
Update
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
OOAD_1
index.html
Welcome
index.html
Chat
Sessions
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Passport Automation System</title>
<style>
* {
box-sizing: border-box;
margin: 0;
padding: 0;
}
body {
font-family: Arial, sans-serif;
background: #f3f6fb;
color: #203047;
line-height: 1.6;
}
header {
background: #102b4e;
color: white;
padding: 18px 7%;
display: flex;
justify-content: space-between;
align-items: center;
flex-wrap: wrap;
gap: 12px;
}
header h2 {
color: #f5b544;
}
nav a {
Outline
Timeline
Tip: Use /create-agent to scaffold a custom agent for your workflow.
Describe what to build
Agent
Models
Local
Default permissions


File Edit Selection View Go Run Terminal Help
OOAD_1
Update
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
OOAD_1
index.html
Welcome
index.html
Text Editor
Chat
Sessions
2 <html lang="en">
3 <head>
8 <style>
75 }
77 h2.section-title {
78 text-align: center;
79 color: #102b4e;
80 margin-bottom: 25px;
81 }
83 .features {
84 display: grid;
85 grid-template-columns: repeat(auto-fit, minmax(210px, 1fr));
86 gap: 20px;
87 }
89 .card {
90 background: white;
91 padding: 25px;
92 border-radius: 12px;
93 box-shadow: 0 4px 15px #00000010;
94 }
96 .card h3 {
97 color: #1769aa;
98 margin-bottom: 10px;
99 }
101 .form-container {
102 max-width: 650px;
103 margin: auto;
104 background: white;
105 padding: 30px;
106 border-radius: 12px;
107 box-shadow: 0 4px 15px #00000010;
108 }
Tip: Use /create-agent to scaffold a custom agent for your workflow.
index.html
Describe what to build
Agent Models
Local Default permissions
Outline
Timeline
Restricted Mode
Ln 419, Col 1 Spaces: 4 UTF-8 CRLF HTML Prettier


File Edit Selection View Go Run Terminal Help
OOAD_1
Update
Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More
Explorer
OOAD_1
index.html
Welcome
index.html
Text Editor
Chat
Sessions
2 <html lang="en">
3 <head>
8 <style>
123
124 input[type="checkbox"] {
125 width: auto;
126 margin-right: 8px;
127 }
129 .form-container button {
130 margin-top: 20px;
131 background: #1769aa;
132 color: white;
133 width: 100%;
134 }
136 .result {
137 display: none;
138 background: #e5f7ed;
139 border: 1px solid #a6dfbd;
140 padding: 18px;
141 margin-top: 20px;
142 border-radius: 8px;
143 overflow-wrap: anywhere;
144 }
146 footer {
147 background: #102b4e;
148 color: white;
149 text-align: center;
150 padding: 25px;
151 }
153 .small {
154 font-size: 13px;
155 color: #65758a;
Tip: Use /create-agent to scaffold a custom agent for your workflow.
index.html
Describe what to build
Agent Models
Local Default permissions
Outline
Timeline
Restricted Mode
Ln 419, Col 1 Spaces: 4 UTF-8 CRLF HTML Prettier