

Ex No: 14 – E-COMMERCE REGISTRATION SYSTEM

NAME: HEMALAKSHMI H (192571049)


CLASS DIAGRAM:




USE CASE DIAGRAM:




SEQUENCE DIAGRAM:




COLLABORATION DIAGRAM:




STATE DIAGRAM:




COMPONENT DIAGRAM:




DEPLOYMENT DIAGRAM:




PACKAGE DIAGRAM:





ACTIVITY DIAGRAM:





WEBPAGE FOR E-COMMERCE REGISTRATION SYSTEM





ShopSphere
Dashboard
Catalog
Register
Cart (0)
Orders & Returns
Browse and add products to your shopping cart.
Electronics
Wireless Headphones
₹2,499
Add to Cart
Electronics
Smart Watch
₹3,999
Add to Cart
Fashion
Running Shoes
₹1,899
Add to Cart
Accessories
Backpack
₹1,299
Add to Cart
Electronics
Digital Camera
₹12,999
Home
Desk Lamp
₹899
Home
Coffee Mug
₹449
Fashion
Sunglasses
₹999
Powered by Netlify


ShopSphere
Dashboard
Catalog
Register
Cart (0)
Orders & Returns
Customer Registration
Create a customer profile to place orders.
Full Name
Enter your full name
Email Address
name@example.com
Phone Number
10-digit mobile number
Delivery Address
Street, city, state
Register Customer
© 2026 ShopSphere • OOAD E-Commerce Registration System Demonstration
Powered by Netlify



ShopSphere
Dashboard
Catalog
Register
Cart (3)
Orders & Returns
Shopping Cart
PRODUCT
PRICE
QTY
SUBTOTAL
ACTION
Wireless Headphones
₹2,499
– 1 +
₹2,499
Remove
Coffee Mug
₹449
– 2 +
₹898
Remove
Total: ₹3,397
Place Order
© 2026 ShopSphere • OOAD E-Commerce Registration System Demonstration
Powered by Netlify



ShopSphere
Dashboard
Catalog
Register
Cart (3)
Orders & Returns
My Orders & Returns
Products can be returned within 7 days of purchase. Return requests are recorded for review.
ORDER
PRODUCT
ORDER DATE
AMOUNT
STATUS / ACTION
No orders found for the current customer.
© 2026 ShopSphere • OOAD E-Commerce Registration System Demonstration
Powered by Netlify

HTML:



MYSQL DATABASE:







```
    -> );
Query OK, 0 rows affected (0.13 sec)

mysql> CREATE TABLE order_items (
    ->     order_item_id INT PRIMARY KEY AUTO_INCREMENT,
    ->     order_id INT,
    ->     product_id INT,
    ->     quantity INT,
    ->     price DECIMAL(10,2),
    ->     FOREIGN KEY (order_id)
    ->     REFERENCES orders(order_id),
    ->     FOREIGN KEY (product_id)
    ->     REFERENCES product(product_id)
    -> );
Query OK, 0 rows affected (0.16 sec)

mysql> CREATE TABLE product_return (
    ->     return_id INT PRIMARY KEY AUTO_INCREMENT,
    ->     order_item_id INT,
    ->     return_date DATE,
    ->     return_reason VARCHAR(255),
    ->     return_status VARCHAR(30),
    ->     FOREIGN KEY (order_item_id)
    ->     REFERENCES order_items(order_item_id)
    -> );
Query OK, 0 rows affected (0.18 sec)

mysql> INSERT INTO customer
    -> (customer_name, email, phone, address)
    -> VALUES
    -> ('Arun', 'arun@gmail.com', '9876543210', 'Chennai'),
    -> ('Priya', 'priya@gmail.com', '9876543211', 'Bangalore'),
    -> ('Rahul', 'rahul@gmail.com', '9876543212', 'Hyderabad');
Query OK, 3 rows affected (0.10 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql> INSERT INTO product
    -> (product_name, category, price, stock_quantity)
    -> VALUES
    -> ('Laptop', 'Electronics', 55000.00, 20),
    -> ('Mobile Phone', 'Electronics', 25000.00, 30),
    -> ('Headphones', 'Accessories', 2000.00, 50),
    -> ('Smart Watch', 'Electronics', 5000.00, 25);
```





```
    -> VALUES
    -> (1, '2026-10-25', 55000.00, 'Delivered'),
    -> (2, '2026-10-26', 50000.00, 'Delivered'),
    -> (3, '2026-10-27', 2000.00, 'Pending');
Query OK, 3 rows affected (0.16 sec)
Records: 3  Duplicates: 0  Warnings: 0


mysql> INSERT INTO order_items
    -> (order_id, product_id, quantity, price)
    -> VALUES
    -> (1, 1, 1, 55000.00),
    -> (2, 2, 2, 25000.00),
    -> (3, 3, 1, 2000.00);
Query OK, 3 rows affected (0.02 sec)
Records: 3  Duplicates: 0  Warnings: 0


mysql> INSERT INTO product_return
    -> (order_item_id, return_date, return_reason, return_status)
    -> VALUES
    -> (1, '2026-10-28', 'Damaged product', 'Pending'),
    -> (2, '2026-10-29', 'Wrong product received', 'Approved');
Query OK, 2 rows affected (0.14 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM customer;
+-------------+---------------+-----------------+------------+-----------+
| customer_id | customer_name | email           | phone      | address   |
+-------------+---------------+-----------------+------------+-----------+
|           1 | Arun          | arun@gmail.com  | 9876543210 | Chennai   |
|           2 | Priya         | priya@gmail.com | 9876543211 | Bangalore |
|           3 | Rahul         | rahul@gmail.com | 9876543212 | Hyderabad |
+-------------+---------------+-----------------+------------+-----------+
3 rows in set (0.01 sec)

mysql>
mysql> SELECT * FROM product;
+------------+--------------+-------------+----------+----------------+
| product_id | product_name | category    | price    | stock_quantity |
+------------+--------------+-------------+----------+----------------+
|          1 | Laptop       | Electronics | 55000.00 |             20 |
|          2 | Mobile Phone | Electronics | 25000.00 |             30 |
|          3 | Headphones   | Accessories |  2000.00 |             50 |
|          4 | Smart Watch  | Electronics |  5000.00 |             25 |
```


MySQL 8.0 Command Line Cli
+------------+--------------+-------------+----------+----------------+
| product_id | product_name | category | price | stock_quantity |
+------------+--------------+-------------+----------+----------------+
1	Laptop	Electronics	55000.00	20
2	Mobile Phone	Electronics	25000.00	30
3	Headphones	Accessories	2000.00	50
4	Smart Watch	Electronics	5000.00	25
+------------+--------------+-------------+----------+----------------+
4 rows in set (0.00 sec)
mysql>
mysql> SELECT * FROM shopping_cart;
+---------+-------------+------------+----------+
| cart_id | customer_id | product_id | quantity |
+---------+-------------+------------+----------+
1	1	1	1
2	2	2	2
3	3	3	1
+---------+-------------+------------+----------+
3 rows in set (0.00 sec)
mysql>
mysql> SELECT * FROM orders;
+----------+-------------+------------+--------------+--------------+
| order_id | customer_id | order_date | total_amount | order_status |
+----------+-------------+------------+--------------+--------------+
1	1	2026-10-25	55000.00	Delivered
2	2	2026-10-26	50000.00	Delivered
3	3	2026-10-27	2000.00	Pending
+----------+-------------+------------+--------------+--------------+
3 rows in set (0.00 sec)
mysql>
mysql> SELECT * FROM order_items;
+---------------+----------+------------+----------+----------+
| order_item_id | order_id | product_id | quantity | price |
+---------------+----------+------------+----------+----------+
1	1	1	1	55000.00
2	2	2	2	25000.00
3	3	3	1	2000.00
+---------------+----------+------------+----------+----------+
3 rows in set (0.00 sec)


MySQL 8.0 Command Line Cli
+----------+--------------+-------------+--------------------------+---------------+
| 1 | 1 | 2026-10-28 | Damaged product | Pending |
| 2 | 2 | 2026-10-29 | Wrong product received | Approved |
+----------+--------------+-------------+--------------------------+---------------+
2 rows in set (0.00 sec)
mysql> UPDATE customer
    -> SET phone = '9999999999'
    -> WHERE customer_id = 1;
Query OK, 1 row affected (0.10 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> UPDATE product
    -> SET price = 52000.00
    -> WHERE product_id = 1;
Query OK, 1 row affected (0.10 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> UPDATE orders
    -> SET order_status = 'Delivered'
    -> WHERE order_id = 3;
Query OK, 1 row affected (0.04 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> UPDATE product_return
    -> SET return_status = 'Approved'
    -> WHERE return_id = 1;
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> DELETE FROM shopping_cart
    -> WHERE cart_id = 1;
Query OK, 1 row affected (0.14 sec)
mysql> SELECT
    ->   c.customer_name,
    ->   o.order_id,
    ->   p.product_name,
    ->   oi.quantity,
    ->   oi.price,
    ->   o.total_amount,
    ->   o.order_status
    -> FROM orders o




```
MySQL 8.0 Command Line Cli

    -> JOIN product p
    -> ON oi.product_id = p.product_id;
+---------------+----------+--------------+----------+----------+--------------+--------------+
| customer_name | order_id | product_name | quantity | price    | total_amount | order_status |
+---------------+----------+--------------+----------+----------+--------------+--------------+
| Arun          |        1 | Laptop       |        1 | 55000.00 |     55000.00 | Delivered    |
| Priya         |        2 | Mobile Phone |        2 | 25000.00 |     50000.00 | Delivered    |
| Rahul         |        3 | Headphones   |        1 |  2000.00 |      2000.00 | Delivered    |
+---------------+----------+--------------+----------+----------+--------------+--------------+
3 rows in set (0.03 sec)

mysql> SELECT
    ->     c.customer_name,
    ->     p.product_name,
    ->     sc.quantity,
    ->     p.price,
    ->     (sc.quantity * p.price) AS total_price
    -> FROM shopping_cart sc
    -> JOIN customer c
    -> ON sc.customer_id = c.customer_id
    -> JOIN product p
    -> ON sc.product_id = p.product_id;
+---------------+--------------+----------+----------+-------------+
| customer_name | product_name | quantity | price    | total_price |
+---------------+--------------+----------+----------+-------------+
| Priya         | Mobile Phone |        2 | 25000.00 |    50000.00 |
| Rahul         | Headphones   |        1 |  2000.00 |     2000.00 |
+---------------+--------------+----------+----------+-------------+
2 rows in set (0.03 sec)

mysql> SELECT
    ->     o.order_id,
    ->     c.customer_name,
    ->     p.product_name,
    ->     o.order_date,
    ->     DATE_ADD(o.order_date, INTERVAL 7 DAY) AS return_deadline,
    ->     CASE
    ->         WHEN CURDATE() BETWEEN o.order_date
    ->              AND DATE_ADD(o.order_date, INTERVAL 7 DAY)
    ->         THEN 'Eligible for Return'
    ->         ELSE 'Return Period Expired'
    ->     END AS return_eligibility
    -> FROM orders o
```



```
MySQL 8.0 Command Line Cli

    -> JOIN customer c
    -> ON o.customer_id = c.customer_id
    -> JOIN order_items oi
    -> ON o.order_id = oi.order_id
    -> JOIN product p
    -> ON oi.product_id = p.product_id;
+----------+---------------+--------------+------------+-----------------+---------------------+
| order_id | customer_name | product_name | order_date | return_deadline | return_eligibility  |
+----------+---------------+--------------+------------+-----------------+---------------------+
|        1 | Arun          | Laptop       | 2026-10-25 | 2026-11-01      | Eligible for Return |
|        2 | Priya         | Mobile Phone | 2026-10-26 | 2026-11-02      | Eligible for Return |
|        3 | Rahul         | Headphones   | 2026-10-27 | 2026-11-03      | Eligible for Return |
+----------+---------------+--------------+------------+-----------------+---------------------+
3 rows in set (0.07 sec)

mysql> SELECT COUNT(*) AS total_customers
    -> FROM customer;
+-----------------+
| total_customers |
+-----------------+
|               3 |
+-----------------+
1 row in set (0.05 sec)

mysql> SELECT COUNT(*) AS total_orders
    -> FROM orders;
+--------------+
| total_orders |
+--------------+
|            3 |
+--------------+
1 row in set (0.00 sec)

mysql> SELECT COUNT(*) AS pending_returns
    -> FROM product_return
    -> WHERE return_status = 'Pending';
+-----------------+
| pending_returns |
+-----------------+
|               0 |
+-----------------+
1 row in set (0.04 sec)
```