

Ex No: 6 - E – TICKETING

NAME: HEMALAKSHMI H (192571049)


USE CASE DIAGRAM:




CLASS DIAGRAM:




SEQUENCE DIAGRAM:




COLLABORATION:




STATE CHART DIAGRAM:




COMPONENT DIAGRAM:




DEPLOYMENT DIAGRAM:




PACKAGE DIAGRAM:



WEB PAGE FOR E-TICKETING





Sports

National Stadium

Experience the excitement of a live sports match.

1 Nov 2026 · 8 Nov 2026

From ₹599

Book Ticket

Comedy

Laugh House

Spend an evening with live comedy and laughter.

30 Oct 2026 · 13 Nov 2026

From ₹399

Book Ticket

Exhibition

Community Gallery

Explore artwork, crafts, and creative exhibits.

10 Nov 2026 · 11 Nov 2026

From ₹199

Book Ticket

Book Your E-Ticket

Full name *

Enter your name

Email address *

you@example.com

Phone number

Optional

Choose event *

Select an event

Event date *

Select date

Ticket type *

Standard

Number of tickets *

1 ticket

Demo payment method *

Select method

This is a student demo. No real payment is taken and no ticket is sent by email.

Confirm Booking & Generate Ticket

Booking Summary

Selected event

No event selected

Ticket type

Standard

Quantity

1

Estimated total

₹0

Premium tickets cost more than Standard tickets. Final total is shown before you confirm.

Choose event *

Live Music Night — Concert

Event date *

6 Nov 2026

Ticket type *

Premium

Number of tickets *

3 tickets

Demo payment method *

UPI (demo)

This is a student demo. No real payment is taken and no ticket is sent by email.

Confirm Booking & Generate Ticket

₹4,497

Premium tickets cost more than Standard tickets. Final total is shown before you confirm.

My E-Ticket

Generate a ticket by completing a booking.

QUICKTICKET · E-TICKET

QT94768252

Live Music Night

City Arena

ATTENDEE	EVENT DATE	TICKET TYPE
Hemalakshmi H	**6 Nov 2026**	**Premium**
NUMBER OF TICKETS	BOOKING STATUS	TOTAL AMOUNT
3	**CONFIRMED**	**₹4,497**


Payment method: UPI (demo)


Demo ticket — verify details with the event organizer.


Print / Save PDF


Download ticket text

MYSQL DATABSE:






MySQL 8.0 Command Line Cli
-> (2, 'Card', 450, 'Paid'),
->
-> (3, 'Pay at Venue', 1497, 'Pending');
Query OK, 3 rows affected (0.06 sec)
Records: 3 Duplicates: 0 Warnings: 0
mysql> SELECT * FROM customers;
customer_id	customer_name	email	phone
1	Arun Kumar	arun@gmail.com	9876543210
2	Priya Sharma	priya@gmail.com	9876543211
3	Rahul Raj	rahul@gmail.com	9876543212
3 rows in set (0.00 sec)
mysql> SELECT * FROM events;
event_id	event_name	event_type	venue	event_date	standard_price	premium_price
1	Live Music Night	Concert	City Arena	2026-11-06	799.00	1499.00
2	Movie Premiere	Movie	Grand Cinema	2026-10-25	250.00	450.00
3	Coding Bootcamp	Workshop	Tech Hub	2026-11-14	499.00	899.00
4	Championship Match	Sports	National Stadium	2026-11-01	599.00	1299.00
5	Stand-up Comedy Show	Comedy	Laugh House	2026-10-30	399.00	699.00
5 rows in set (0.00 sec)
mysql> SELECT * FROM bookings;
booking_id	customer_id	event_id	ticket_type	quantity	total_amount	booking_date	booking_status
1	1	1	Standard	2	1598.00	2026-10-15 14:13:32	Confirmed
2	2	2	Premium	1	450.00	2026-10-15 14:13:32	Confirmed
3	3	3	Standard	3	1497.00	2026-10-15 14:13:32	Confirmed
3 rows in set (0.00 sec)
mysql> SELECT * FROM payments;
payment_id	booking_id	payment_method	amount	payment_status	payment_date
1	1	UPI	1598.00	Paid	2026-10-15 14:13:35


MySQL 8.0 Command Line Cli
event_id	event_name	event_type	venue	event_date	standard_price	premium_price
1	Live Music Night	Concert	City Arena	2026-11-06	799.00	1499.00
2	Movie Premiere	Movie	Grand Cinema	2026-10-25	250.00	450.00
3	Coding Bootcamp	Workshop	Tech Hub	2026-11-14	499.00	899.00
4	Championship Match	Sports	National Stadium	2026-11-01	599.00	1299.00
5	Stand-up Comedy Show	Comedy	Laugh House	2026-10-30	399.00	699.00
5 rows in set (0.00 sec)
mysql> SELECT * FROM bookings;
booking_id	customer_id	event_id	ticket_type	quantity	total_amount	booking_date	booking_status
1	1	1	Standard	2	1598.00	2026-10-15 14:13:32	Confirmed
2	2	2	Premium	1	450.00	2026-10-15 14:13:32	Confirmed
3	3	3	Standard	3	1497.00	2026-10-15 14:13:32	Confirmed
3 rows in set (0.00 sec)
mysql> SELECT * FROM payments;
payment_id	booking_id	payment_method	amount	payment_status	payment_date
1	1	UPI	1598.00	Paid	2026-10-15 14:13:35
2	2	Card	450.00	Paid	2026-10-15 14:13:35
3	3	Pay at Venue	1497.00	Pending	2026-10-15 14:13:35
3 rows in set (0.00 sec)
mysql>

HTML CODE:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>QuickTicket - E-Ticket Booking System</title>

<style>
* {
  box-sizing: border-box;
}

body {
  margin: 0;
  font-family: Arial, sans-serif;
  background: #f4f7fb;
  color: #1f2937;
}

header {
  background: linear-gradient(120deg, #142d4e, #2563eb);
  color: white;
  padding: 25px 15px;
  text-align: center;
}

header h1 {
  margin: 0;
```

```
  font-size: 30px;
}

nav {
  background: white;
  padding: 15px;
  text-align: center;
}

nav a {
  color: #142d4e;
  text-decoration: none;
  font-weight: bold;
  margin: 0 12px;
}

main {
  max-width: 1100px;
  margin: auto;
  padding: 20px;
}

.hero {
  padding: 25px;
  background: linear-gradient(120deg, #e0eaff, #f2eaff);
  border-radius: 15px;
  margin-bottom: 25px;
}

.hero h2 {
  color: #142d4e;
```

```
    font-size: 30px;
}

.filters {
    display: grid;
    grid-template-columns: 2fr 1fr;
    gap: 12px;
    margin: 15px 0;
}

.events {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 18px;
}

.event-card, .panel, .ticket {
    background: white;
    border: 1px solid #e2e8f0;
    border-radius: 12px;
    padding: 18px;
    box-shadow: 0 4px 12px #00000008;
}

.event-card {
    display: flex;
    flex-direction: column;
}

.event-card h3 {
    color: #142d4e;
```

```
}

.event-card p {
  color: #64748b;
  font-size: 14px;
}

.event-icon {
  font-size: 35px;
}

.tag {
  display: inline-block;
  background: #eff6ff;
  color: #1d4ed8;
  border-radius: 20px;
  padding: 5px 9px;
  font-size: 12px;
}

.price {
  color: #142d4e;
  font-size: 22px;
  font-weight: bold;
  margin: 10px 0;
}

button, input, select {
  width: 100%;
  padding: 11px;
  margin: 5px 0;
```

```
  border-radius: 7px;
  font: inherit;
}

input, select {
  border: 1px solid #cbd5e1;
  background: white;
}

button {
  border: none;
  background: #2563eb;
  color: white;
  font-weight: bold;
  cursor: pointer;
}

button:hover {
  background: #17467f;
}

button.secondary {
  background: #64748b;
}

button.danger {
  background: #b91c1c;
}

label {
  display: block;
```

```
  font-size: 13px;
  font-weight: bold;
  margin-top: 8px;
}

.booking-grid {
  display: grid;
  grid-template-columns: 1.2fr 0.8fr;
  gap: 20px;
  margin-top: 25px;
  align-items: start;
}

.form-grid {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 10px;
}

.full {
  grid-column: 1 / -1;
}

h2 {
  color: #142d4e;
}

.summary .total {
  color: #2563eb;
  font-size: 28px;
  font-weight: bold;
```

```
}

.message {
   display: none;
   background: #dcfce7;
   color: #166534;
   padding: 12px;
   border-radius: 8px;
   margin-bottom: 12px;
}

.ticket {
   border: 2px dashed #93a4bc;
   margin-top: 15px;
}

.ticket-header {
   border-bottom: 1px dashed #cbd5e1;
   padding-bottom: 12px;
}

.ticket-header h3 {
   color: #142d4e;
}

.ticket-details {
   display: grid;
   grid-template-columns: repeat(3, 1fr);
   gap: 15px;
   padding: 15px 0;
}
```

```
.detail-label {
  color: #64748b;
  font-size: 11px;
  text-transform: uppercase;
}

.detail-value {
  font-weight: bold;
  margin-top: 5px;
  overflow-wrap: anywhere;
}

.ticket-footer {
  border-top: 1px dashed #cbd5e1;
  padding-top: 12px;
}

.table-wrap {
  overflow-x: auto;
}

table {
  width: 100%;
  min-width: 700px;
  border-collapse: collapse;
  margin-top: 12px;
}

th, td {
  padding: 12px;
```

```
    text-align: left;
    border-bottom: 1px solid #e2e8f0;
    font-size: 14px;
}

th {
    background: #edf3fa;
}

.status {
    color: #166534;
    background: #dcfce7;
    padding: 5px 8px;
    border-radius: 15px;
}

.note {
    color: #64748b;
    font-size: 13px;
}

footer {
    text-align: center;
    padding: 25px;
    color: #64748b;
}

@media(max-width: 800px) {
    .events {
        grid-template-columns: repeat(2, 1fr);
    }
```

```
  .booking-grid {
    grid-template-columns: 1fr;
  }
}

@media(max-width: 550px) {
  .events, .filters, .form-grid {
    grid-template-columns: 1fr;
  }

  .full {
    grid-column: auto;
  }

  .ticket-details {
    grid-template-columns: 1fr 1fr;
  }

  nav a {
    display: inline-block;
    margin: 6px;
  }
}

@media print {
  header, nav, .hero, #eventsSection,
  #bookingSection, footer, .ticket-actions,
  .ticket-section-title {
    display: none !important;
  }
```

```
  body {
    background: white;
  }

  main {
    padding: 0;
  }

  .ticket {
    box-shadow: none;
    margin: 20px auto;
  }
}
</style>
</head>

<body>

<header>
  <h1>🎟️ QuickTicket</h1>
  <p>E-Ticket Booking System</p>
  <p>Discover events, book your seat, and carry your ticket digitally.</p>
</header>

<nav>
  <a href="#eventsSection">Events</a>
  <a href="#bookingSection">Book Ticket</a>
  <a href="#myTicket">My E-Ticket</a>
</nav>
```

```
<main>

<section class="hero">
  <h2>Your Next Experience Starts Here!</h2>
  <p>Book tickets for concerts, movies, workshops, sports events,
    comedy shows, and exhibitions.</p>
  <span class="tag">Simple • Fast • Digital</span>
</section>

<section id="eventsSection">
  <h2>Upcoming Events</h2>

  <div class="filters">
    <div>
      <label for="search">Search Events</label>
      <input id="search" placeholder="Search event or venue">
    </div>

    <div>
      <label for="eventType">Event Type</label>
      <select id="eventType">
        <option value="">All Types</option>
        <option>Concert</option>
        <option>Movie</option>
        <option>Workshop</option>
        <option>Sports</option>
        <option>Comedy</option>
        <option>Exhibition</option>
      </select>
    </div>
  </div>
```

```
    <p id="eventCount" class="note">6 events available</p>
    <div class="events" id="eventGrid"></div>
</section>

<section class="booking-grid" id="bookingSection">

    <div class="panel">
        <h2>Book Your E-Ticket</h2>

        <div class="message" id="message" role="status"></div>

        <form id="bookingForm">
            <div class="form-grid">

                <div class="full">
                    <label for="fullName">Full Name *</label>
                    <input id="fullName" required maxlength="80"
                        placeholder="Enter your name">
                </div>

                <div>
                    <label for="email">Email Address *</label>
                    <input id="email" type="email" required
                        placeholder="you@example.com">
                </div>

                <div>
                    <label for="phone">Phone Number</label>
                    <input id="phone" type="tel"
                        placeholder="Optional">
```

```
</div>

<div class="full">
  <label for="eventSelect">Choose Event *</label>
  <select id="eventSelect" required>
    <option value="">Select an event</option>
  </select>
</div>

<div>
  <label for="eventDate">Event Date *</label>
  <select id="eventDate" required>
    <option value="">Select date</option>
  </select>
</div>

<div>
  <label for="ticketType">Ticket Type *</label>
  <select id="ticketType" required>
    <option value="Standard">Standard</option>
    <option value="Premium">Premium</option>
  </select>
</div>

<div>
  <label for="quantity">Number of Tickets *</label>
  <select id="quantity" required>
    <option value="1">1 Ticket</option>
    <option value="2">2 Tickets</option>
    <option value="3">3 Tickets</option>
    <option value="4">4 Tickets</option>
```

```
            <option value="5">5 Tickets</option>
          </select>
        </div>

        <div>
          <label for="payment">Payment Method *</label>
          <select id="payment" required>
            <option value="">Select method</option>
            <option>Pay at Venue</option>
            <option>UPI (Demo)</option>
            <option>Card (Demo)</option>
          </select>
        </div>
      </div>

      <p class="note">
        Demonstration only. No real payment is processed.
      </p>

      <button type="submit">
        Confirm Booking & Generate Ticket
      </button>
    </form>
  </div>

  <aside class="panel summary">
    <h2>Booking Summary</h2>

    <p class="note">Selected Event</p>
    <p id="summaryEvent">No event selected</p>
```

```
      <p class="note">Ticket Type</p>
      <p id="summaryType">Standard</p>

      <p class="note">Quantity</p>
      <p id="summaryQty">1</p>

      <hr>

      <p class="note">Estimated Total</p>
      <p class="total" id="summaryTotal">₹0</p>

      <p class="note">
        Select an event and ticket type to calculate your total.
      </p>
    </aside>

</section>

<section id="myTicket" style="margin-top:25px">
    <div class="ticket-section-title">
      <h2>My E-Ticket</h2>
      <p class="note">Your ticket appears here after a successful booking.</p>
    </div>

    <div id="ticketOutput" class="panel">
      No ticket generated yet. Please book an event first.
    </div>
</section>

<section class="panel" style="margin-top:25px">
    <h2>Booking Records</h2>
```

```
  <p class="note">The latest booking is shown below.</p>

  <div class="table-wrap">
    <table>
      <thead>
        <tr>
          <th>Booking ID</th>
          <th>Customer</th>
          <th>Event</th>
          <th>Date</th>
          <th>Tickets</th>
          <th>Total</th>
          <th>Status</th>
        </tr>
      </thead>
      <tbody id="bookingTable">
        <tr><td colspan="7">No bookings yet.</td></tr>
      </tbody>
    </table>
  </div>
</section>

</main>

<footer>
  QuickTicket | E-Ticket Booking System
  <br>College Project Demonstration
</footer>

<script>
const events = [
```

```
{
  id: "music",
  name: "Live Music Night",
  type: "Concert",
  venue: "City Arena",
  icon: "🎵",
  dates: ["2026-11-06", "2026-11-07"],
  standard: 799,
  premium: 1499,
  description: "Enjoy an evening of live music and performances."
},
{
  id: "movie",
  name: "Movie Premiere",
  type: "Movie",
  venue: "Grand Cinema",
  icon: "🎬",
  dates: ["2026-10-25", "2026-10-26"],
  standard: 250,
  premium: 450,
  description: "Watch a special big-screen movie premiere."
},
{
  id: "coding",
  name: "Coding Bootcamp",
  type: "Workshop",
  venue: "Tech Learning Hub",
  icon: "💻",
  dates: ["2026-11-14", "2026-11-21"],
  standard: 499,
```

```
    premium: 899,
    description: "Practice programming and build a small project."
  },
  {
    id: "football",
    name: "Championship Match",
    type: "Sports",
    venue: "National Stadium",
    icon: "⚽",
    dates: ["2026-11-01", "2026-11-08"],
    standard: 599,
    premium: 1299,
    description: "Experience the excitement of live sports."
  },
  {
    id: "comedy",
    name: "Stand-up Comedy Show",
    type: "Comedy",
    venue: "Laugh House",
    icon: "🎤",
    dates: ["2026-10-30", "2026-11-13"],
    standard: 399,
    premium: 699,
    description: "Enjoy an evening of live comedy."
  },
  {
    id: "art",
    name: "Creative Arts Expo",
    type: "Exhibition",
    venue: "Community Gallery",
```

```
    icon: "🖼️",
    dates: ["2026-11-10", "2026-11-11"],
    standard: 199,
    premium: 349,
    description: "Explore artwork, crafts, and creative exhibits."
  }
];

let bookings = [];
let currentTicket = null;

const $ = id => document.getElementById(id);

function escapeHTML(value) {
  return String(value).replace(/[&<>"']/g, c => ({
    "&": "&amp;",
    "<": "&lt;",
    ">": "&gt;",
    '"': "&quot;",
    "'": "&#39;"
  }[c]));
}

function money(amount) {
  return "₹" + Number(amount).toLocaleString("en-IN");
}

function formatDate(value) {
  if (!value) return "—";

  return new Date(value + "T12:00:00").toLocaleDateString(
```

```
    "en-IN",
    { day: "numeric", month: "short", year: "numeric" }
  );
}

function renderEvents() {
  const query = $("search").value.toLowerCase().trim();
  const type = $("eventType").value;

  const filtered = events.filter(event => {
    const matchesSearch =
      (event.name + " " + event.venue + " " + event.description)
      .toLowerCase().includes(query);

    return matchesSearch &&
      (!type || event.type === type);
  });

  $("eventCount").textContent =
    filtered.length + " events available";

  $("eventGrid").innerHTML = filtered.length
    ? filtered.map(event => `
      <article class="event-card">
        <div class="event-icon">${event.icon}</div>
        <h3>${escapeHTML(event.name)}</h3>
        <span class="tag">${escapeHTML(event.type)}</span>
        <p>📍 ${escapeHTML(event.venue)}</p>
        <p>${escapeHTML(event.description)}</p>
        <p>🗓️ ${event.dates.map(formatDate).join(" · ")}</p>
        <div class="price">From ${money(event.standard)}</div>
```

```
            <button type="button"
              onclick="selectEvent('${event.id}')">
              Book Ticket
            </button>
          </article>
        `).join("")
        : "<p>No events match your search.</p>";
}

function fillEvents() {
  $("eventSelect").innerHTML =
    '<option value="">Select an event</option>' +
    events.map(event => `
      <option value="${event.id}">
        ${escapeHTML(event.name)} - ${event.type}
      </option>
    `).join("");
}

function selectEvent(id) {
  $("eventSelect").value = id;
  fillDates();
  $("bookingSection").scrollIntoView({behavior: "smooth"});
}

function fillDates() {
  const event = events.find(
    item => item.id === $("eventSelect").value
  );

  $("eventDate").innerHTML =
```

```
      '<option value="">Select date</option>' +
      (event ? event.dates.map(date => `
        <option value="${date}">${formatDate(date)}</option>
      `).join("") : "");

  updateSummary();
}

function getPrice() {
  const event = events.find(
    item => item.id === $("eventSelect").value
  );

  if (!event) return 0;

  const price = $("ticketType").value === "Premium"
    ? event.premium
    : event.standard;

  return price * Number($("quantity").value || 1);
}

function updateSummary() {
  const event = events.find(
    item => item.id === $("eventSelect").value
  );

  $("summaryEvent").textContent =
    event ? event.name : "No event selected";

  $("summaryType").textContent = $("ticketType").value;
```

```
  $("summaryQty").textContent = $("quantity").value;
  $("summaryTotal").textContent = money(getPrice());
}

function showMessage(text) {
  $("message").textContent = text;
  $("message").style.display = "block";
}

$("eventSelect").addEventListener("change", fillDates);

["ticketType", "quantity", "eventDate"].forEach(id => {
  $(id).addEventListener("change", updateSummary);
});

$("search").addEventListener("input", renderEvents);
$("eventType").addEventListener("change", renderEvents);

$("bookingForm").addEventListener("submit", function(event) {
  event.preventDefault();

  const selectedEvent = events.find(
    item => item.id === $("eventSelect").value
  );

  if (!selectedEvent || !$("eventDate").value) {
    showMessage("Please select an event and date.");
    return;
  }

  const booking = {
```

```
    id: "QT" + Date.now().toString().slice(-8),
    name: $("fullName").value.trim(),
    email: $("email").value.trim(),
    phone: $("phone").value.trim(),
    event: selectedEvent.name,
    venue: selectedEvent.venue,
    icon: selectedEvent.icon,
    date: $("eventDate").value,
    type: $("ticketType").value,
    quantity: Number($("quantity").value),
    total: getPrice(),
    payment: $("payment").value,
    status: "Confirmed"
  };

  bookings.unshift(booking);
  currentTicket = booking;

  renderTicket();
  renderBookings();

  showMessage(
    "Booking successful! Your ticket ID is " + booking.id
  );

  $("myTicket").scrollIntoView({behavior: "smooth"});
});

function renderTicket() {
  const t = currentTicket;
```

```
if (!t) return;

$("ticketOutput").className = "ticket";

$("ticketOutput").innerHTML = `
  <div class="ticket-header">
    <p class="note">QUICKTICKET · DIGITAL E-TICKET</p>
    <h3>${t.icon} ${escapeHTML(t.event)}</h3>
    <p>${escapeHTML(t.venue)}</p>
    <strong>Booking ID: ${escapeHTML(t.id)}</strong>
  </div>

  <div class="ticket-details">
    <div>
      <div class="detail-label">Attendee</div>
      <div class="detail-value">${escapeHTML(t.name)}</div>
    </div>
    <div>
      <div class="detail-label">Event Date</div>
      <div class="detail-value">${formatDate(t.date)}</div>
    </div>
    <div>
      <div class="detail-label">Ticket Type</div>
      <div class="detail-value">${escapeHTML(t.type)}</div>
    </div>
    <div>
      <div class="detail-label">Quantity</div>
      <div class="detail-value">${t.quantity}</div>
    </div>
    <div>
      <div class="detail-label">Status</div>
```

```
            <div class="detail-value" style="color:#15803d">
              CONFIRMED
            </div>
          </div>
          <div>
            <div class="detail-label">Total Amount</div>
            <div class="detail-value">${money(t.total)}</div>
          </div>
        </div>

        <div class="ticket-footer">
          <p class="note">Payment method: ${escapeHTML(t.payment)}</p>
          <p class="note">Demo ticket only. Confirm entry requirements with the organizer.</p>
          <div class="ticket-actions">
            <button type="button" onclick="window.print()">
              Print / Save as PDF
            </button>
            <button type="button" class="secondary"
              onclick="downloadTicket()">
              Download Ticket Text
            </button>
          </div>
        </div>
      `;
}

function renderBookings() {
  $("bookingTable").innerHTML = bookings.length
    ? bookings.map(booking => `
      <tr>
```

```
            <td>${escapeHTML(booking.id)}</td>
            <td>${escapeHTML(booking.name)}</td>
            <td>${escapeHTML(booking.event)}</td>
            <td>${formatDate(booking.date)}</td>
            <td>${booking.quantity}</td>
            <td>${money(booking.total)}</td>
            <td><span class="status">${booking.status}</span></td>
          </tr>
        `).join("")
      : '<tr><td colspan="7">No bookings yet.</td></tr>';
}

function downloadTicket() {
  if (!currentTicket) return;

  const t = currentTicket;

  const text = `
QUICKTICKET - E-TICKET
Booking ID: ${t.id}
Event: ${t.event}
Venue: ${t.venue}
Attendee: ${t.name}
Date: ${formatDate(t.date)}
Ticket Type: ${t.type}
Quantity: ${t.quantity}
Total: ${money(t.total)}
Status: CONFIRMED

This is a demonstration ticket.
`;
```

```
  const blob = new Blob([text], {
    type: "text/plain;charset=utf-8"
  });

  const url = URL.createObjectURL(blob);
  const link = document.createElement("a");

  link.href = url;
  link.download = t.id + "_ticket.txt";
  link.click();

  URL.revokeObjectURL(url);
}

fillEvents();
renderEvents();
updateSummary();
renderBookings();
</script>

</body>
</html>
```