

# **Experiment 2**

Student Name: Hemant Narain Jha UID: 23BCS10022

Branch: B.E.CSE Section/Group: 23BCS-KRG-2B Date of Performance:28-07-25

Subject Name: ADBMS Subject Code:23CSP-333

#### **1.Aim**:

a) You are a Database Engineer at TalentTree Inc., an enterprise HR analytics platform that stores employee data, including their reporting relationships. The company maintains a centralized Employee relation that holds:

Each employee's ID, name, department, and manager ID (who is also an employee in the same table).

Your task is to generate a report that maps employees to their respective managers, showing:

The employee's name and department

Their manager's name and department (if applicable)

This will help the HR department visualize the internal reporting hierarchy.

b)You are a Data Engineer at FinSight Corp, a company that models Net Present Value (NPV) projections for investment decisions. Your system maintains two key datasets:

Year\_tbl: Actual recorded NPV's of various financial instruments over different years:

ID: Unique Financial instrument identifier.

YEAR: Year of record

NPV: Net Present Value in that year

Queries\_tbl: A list of instrument-year pairs for which stakeholders are requesting NPV values:

ID: Financial instrument identifier

YEAR: Year of interest.

Find the NPV of each query from the Queries table. Return the output order by ID and Year in the sorted form.

However, not all ID-YEAR combinations in the Queries table are present in the Year\_tbl. If an NPV is missing for a requested combination, assume it to be 0 to maintain a consistent financial report.

### 2. Objective:

- To understand how to use JOINS in SQL.
- To understand the basic SQL Queries.
- To generate hierarchical reports from self-referencing tables.

# 3.DBMS script and output:

```
a)
CREATE TABLE Employee (
  Employee ID INT PRIMARY KEY,
  Name VARCHAR(100),
  Department VARCHAR(100),
  Manager ID INT,
 FOREIGN KEY (Manager ID) REFERENCES Employee(Employee ID) ON
 DELETE SET NULL
);
INSERT INTO Employee (Employee ID, Name, Department, Manager ID)
 VALUES
(1, 'Amit Kumar', 'HR', NULL),
(2, 'Priya Sharma', 'Finance', 1),
(3, 'Ravi Patel', 'IT', 1),
(4, 'Neha Gupta', 'Marketing', 2),
(5, 'Vikas Reddy', 'IT', 3);
SELECT
  e.Name AS Employee Name,
  e.Department AS Employee Department,
  m. Name AS Manager Name,
  m.Department AS Manager Department
```

```
FROM
Employee e

LEFT JOIN
Employee m ON e.Manager_ID = m.Employee_ID
```

e.Employee ID;

**ORDER BY** 

### 

```
b)

CREATE TABLE Year_tbl (
    ID INT,
    YEAR INT,
    NPV DECIMAL(15, 2),
    PRIMARY KEY (ID, YEAR)
);
INSERT INTO Year_tbl (ID, YEAR, NPV) VALUES (101, 2020, 5000.00),
(102, 2021, 7000.00),
(103, 2020, 4500.00);
CREATE TABLE Queries_tbl (
```

```
Discover. Learn. Empower.
  ID INT,
   YEAR INT,
  PRIMARY KEY (ID, YEAR)
);
INSERT INTO Queries_tbl (ID, YEAR) VALUES
(101, 2021),
(102, 2021),
(103, 2020),
(101, 2020),
(104, 2020);
SELECT
   q.ID,
  q.YEAR,
   COALESCE(y.NPV, 0) AS NPV
FROM
   Queries tbl q
LEFT JOIN
   Year tbl y ON q.ID = y.ID AND q.YEAR = y.YEAR
ORDER BY
   q.ID, q.YEAR;
```



Output:

ID	YEAR	NPV	
	101	2020	5000.00
	101	2021	.00
	102	2021	7000.00
	103	2020	4500.00
	104	2020	.00

# 4. Learning outcomes:

- You will be able to write basic SQL queries.
- You will learn to perform JOINS in SQL.
- You will understand how to implement foreign keys.