Release Notes

CADP internal QA build release notes — generated from OpenProject. Not the in-app Release Notes feature used by tenants.

1. Release Overview

Field	Details
Product Name	**CADP Workspace**
Release Version	**Release 1.0.0 (20)**
Release Date	**September 25, 2026**
Release Type	**Feature & Bug Fix Release**
Prepared By	**Development Team**
Approved By	**Ganagavathy**
Environment	**QA**

2. Release Summary

This release of CADP Workspace Version 1.0.0 (20) delivers 189 bug fixes, 26 new features, and 23 enhancements across the platform. Highlights include Feature Design Lock (concurrent design safety), Stepper – Role-Based Access per Step, and Workflow – Approval Gate Node. It also includes a required configuration change (see Configuration Changes) and API changes (see API Changes). Refer to the Known Issues section for current limitations.

3. New Features

Feature ID	Feature Name	Description	Impact
	Feature Design Lock (concurrent design safety)	Only one user can open a feature in the Builder at a time. A second designer opening the same feature sees it read-only with a "being designed by <user>" message. The lock is released when the first designer leaves, or taken over after about 90 seconds of inactivity.	Prevents two designers overwriting each other's changes.
	Stepper – Role-Based Access per Step	Each stepper step can be restricted to specific roles ("Who can access this step"). A later-step role sees earlier steps as read-only for context. Each step has an override: Stepper default / Show disabled / Hide / Editable.	Supports approval-chain style forms (requester → reviewer → approver).
	Workflow – Approval Gate Node	New workflow node that maps the buttons of a linked feature's stepper to step routing, so a button click moves the record to the configured step.	Stepper approvals can be driven from the Workflow Builder.
	Workflow – Approval Request "By Field" Approver	Approval Request / Chat Approval nodes gain a third approver mode, "By field": the approver is taken from a field on the record, alongside Specific users/roles and Reporting hierarchy.	Dynamic approvers without a separate workflow per approver.
	Workflow – Trigger on Bulk Import (onUpload)	A workflow can now be bound to the onUpload trigger of a feature. Importing records (Import modal, any import mode) fires the workflow once per batch, and Upsert / Create Record nodes process every imported row. Large imports are processed in chunks.	Imports can update related masters (e.g. stock) automatically.

Feature ID	Feature Name	Description	Impact
	Workflow – Filter, Match Combine and Table Row Mapping on Record Nodes	Upsert / Update / Create Record nodes get a Filter section (AND/OR conditions) that decides whether the node runs. Upsert adds a Match Combine AND/OR toggle when two or more Match Key fields are tagged, and Table Row Mapping can append a new table row or find and update an existing row by Match Key.	More precise record updates from workflows.
	Scheduler – DB-Sync Schedule Mode	The Task modal's Schedule Mode now offers DB-Sync (next to Expression Builder / Integrations / Workflow). Pick a Module and Feature to schedule its Database Sync.	Database Sync can run on a schedule.
	Database Sync – Query Variables and Group By	The query builder's Feature fields reference picker can add multiple reference rows and feed the picked values into the query as named variables (including IN-lists). Field mapping's Group By merges source rows that share the grouped column into one record.	Parameterised sync queries and line-item grouping.
	External Database – Amazon Redshift	Amazon Redshift is available as a database engine for integrations, alongside MySQL/MariaDB/PostgreSQL/MS SQL/Oracle.	
	Role Management – Data Sources Tab	Role Edit has a new Data Sources tab to choose which external data sources a role may use and to add row rules (e.g. Region = <value>, picked from a value list). Dashboards and explorers only return rows allowed by the rule.	Row-level access control on external databases.

Feature ID	Feature Name	Description	Impact
	Dashboard – Filters, Refresh and Period Comparison	The Date and Filters buttons now work on dashboards whose widgets use an external database. Each dashboard tab has a real hard refresh. KPI cards gain a "Same period last year" comparison. Fourteen new financial and calendar period presets (e.g. Q1–Q4, H1/H2, FY, last year) are available in all filter surfaces.	
	Date / Datetime Picker – Default Date	Advanced → Datepicker / Datetimepicker (and date columns in tables) has a Default Date block, so a field can open with a date already selected.	
	Dropdown – "With States" (State Transitions)	A manual-options dropdown can enable With States and define State Transitions, so the options offered depend on the field's current value.	Status fields that only allow valid next states.
	Radio Button – Show as Chips	Radio / radio-group fields have a "Show as" option: Default (radio list) or Chips (selectable pills).	
	Formula – sortBy(), limit(), DATE_DIFF weeks, Textarea display	The formula builder offers sortBy() and limit() after a .where() lookup to pick one record when several match. DATE_DIFF supports "weeks" (it previously returned days). Formula fields gain a third Show As mode, Textarea.	
	Table – Show Column Label on Hover	Table Settings → Column Header has a "Show Column Label on Hover" toggle for data, report and transaction tables.	

Feature ID	Feature Name	Description	Impact
	Listing – Group Cards by Field with Variant Chips	Listing Data Source can group records by any field and show attribute chips (e.g. size, shape). Only combinations that exist can be selected (others are disabled), card fields show the selected variant's values, and the cart saves the chosen SKU. "Groups to show" and Variant Fields are configurable.	
	Listing – Offers, Pricing and Stock	Offer values (badge, savings) can be mapped into listing card fields, with a per-listing offer Behaviour section. Pricing supports batch-wise prices, per-UOM prices and price revisions (e.g. increase by %). An out-of-stock item can be replaced by an in-stock equivalent (Transaction Settings → Replace Out-of-Stock Products), and stock shows a UOM breakdown.	Configured through Transaction Settings.
	Workspace Hierarchy Engine	Sales / Geo / Product hierarchies can be configured per workspace. The Product mapping can use the Product Level Master to show level names next to level codes.	
	Login – Login Param, Login Identifiers and Password Policy	Users can log in with the value of a chosen workspace feature field (Login Param, e.g. Employee ID). A tenant setting LOGIN_IDENTIFIERS restricts login to User ID / Mobile / Email / Any, with a specific error message. Password history and maximum password age are enforced, and change-password-at-login follows the tenant's setting.	

Feature ID	Feature Name	Description	Impact
	Auto Gen ID – Financial Year [YYYY]	The Auto Gen ID field's Advanced → Financial Year dropdown offers Financial Year[YYYY] (e.g. PAY-2026-0001). Workflow Create / Upsert Record nodes support it too.	
	Chat – Calling Improvements	Refreshing the browser during a call reconnects instead of ending the call for everyone. Group/community calls respect a call permission and show a "call in progress" banner.	
	Data Management – Backup Count and Safety Backups	The Backup page's Total Backups card shows the real total. Automatic pre-restore backups carry a purple "Safety" badge. "Go to Schedules" opens the Scheduler tab and the create form when there are no schedules.	
	Erudite Documents – AI Search Status	Documentation cards show an AI-search status badge (AI ready / Indexing… / PDF only / Not indexed + Retry) that updates on its own. Uploading a non-PDF shows a warning.	
	Release Notes (in-app) – Scan Workspace and Templates	Scan Workspace lets you pick modules, features and workflows before scanning, and clicking a detected change opens its field-level version history. New default templates, including QA Build Release Notes and Complete Release Outline, are in Browse Templates. The Release Notes card is replaced by a Documentation Hub (Release Note Generator / User Manual Generator / SOP Management), shown per role permission.	

Feature ID	Feature Name	Description	Impact
	Workflow – OCR Extract Tesseract Provider	The OCR Extract node has an OCR Provider option, Tesseract (runs locally, no API key).	

4. Enhancements / Improvements

Enhancement ID	Module	Description	Benefit
	AI Assistant	Create and Ask tabs explain what each does. Create asks clarifying questions (answerable with chips) instead of building an app from a greeting such as "hi", and offers "Ask this in Ask mode" for questions. The assistant warns when AI can't be reached. Controls follow the role's AI Builder / AI Ask Create/Edit/Delete permissions. Build with AI runs on the server, so a page reload no longer abandons a build. (Blocked in this build — see Known Issues.)	Users know which tab to use, don't create unwanted applications by accident, and can only do what their role allows. Long builds survive a page refresh.
	Forms / Records	Unique Key is enforced when editing a record too. "Duplication Allowed" no longer forces uniqueness. A duplicate value shows a clear message instead of a raw database error.	Duplicate data can't slip in through editing, and users see an error they can understand and act on.

Enhancement ID	Module	Description	Benefit
	Forms / Records	Opening a saved record no longer recalculates its formulas until a value is actually changed.	Figures on saved records stay as they were saved and aren't silently replaced with values from today's master data.
	Import	The Import button is in the modal footer. File type and size are checked up front, and the size limit is now 100 MB. Every failure in a row is listed, not just the first. The sample template's transaction-table sheet offers the referred feature's values, and create-mode imports are much faster.	Large files can be imported. Users see every problem with a row in one go and can fix the file in one pass. Imports finish much faster.
	Builder	Dropping a component into a column-grid column no longer scrolls the canvas to the bottom. The ⋮ menu on module and feature cards no longer flickers and closes on outside click. The OCR Scanner component has the Duplicate / Delete toolbar.	Designers keep their place on long forms and card menus behave predictably, which makes form design faster and less error-prone.
	Builder	The Publish button and the feature card / Transaction Management header now show the same publish status (e.g. for cloned features).	Everyone sees the same, correct publish status, and a feature that is ready can actually be published.

Enhancement ID	Module	Description	Benefit
	Listing / Carousel	Data Source Module / Feature / grouping field pickers are searchable dropdowns and now list nested features.	Features are quicker to find in large workspaces, and nested features are no longer missing from the list.
	Dashboard	The Financial Year dropdown lists the years the data actually covers. The dashboard runtime is responsive (2 widgets per row on tablet, 1 on mobile), and data tables use the chart-tile style.	Users only see financial years that have data. Dashboards are usable on tablets and phones, and tables look consistent with charts.
	Definition / Transaction Table	A Number or Formula field whose label contains "qty"/"quantity" is no longer turned into a +/- stepper. Read-only columns are not editable in preview. Deleting one row no longer clears the others. Formula columns can be overridden Excel-style, and label-mode cells are click-to-edit.	Tables show the component the designer configured. Read-only data stays protected, and deleting one row can't wipe out the other rows' data.

Enhancement ID	Module	Description	Benefit
	Formula Builder	It opens and searches fields without freezing. The Cheat Sheet can copy the syntax line. Tab headers are no longer offered as fields. The Aggregate Wizard builds COUNT_RECORDS correctly. The table column Decimals setting is honoured. Filter conditions support {Field} == null / != null. The Template Library search returns results. Label-mode values follow the field's text colour and gain a Value Sign option.	Formulas are faster and easier to build, and more formulas give correct results without workarounds.
	Formula Builder	Squaring a negative value (e.g. {x} ^ 2 with x = -5) returns a positive result, and table lookups are faster.	Calculations match standard maths and Excel behaviour, and tables with lookups load faster.
	Data Grid	Submitting a data-grid config field saves one record with child rows instead of one duplicate record per grid row.	No duplicated header records. Each submission is one clean record, which keeps reports and record counts accurate.

Enhancement ID	Module	Description	Benefit
	Workflow – Upsert / Update / Create Record	Field Mappings use a two-column Target / Source layout, and the panel is resizable. Auto-Map is a toggle. The Update operation offers Set / + / - / * and is shown only for number fields. Tagging a Match Key that isn't a Unique Key shows a warning with a "map on both sides" note.	Field mappings are easier to read and set up, and the new warnings help avoid mistakes such as matching on a non-unique field.
	Workflow – AI	AI workflow generation shows a clear message when the AI cannot read workspace data.	Users understand why AI workflow generation failed instead of seeing a technical error.
	Role Management	Saved role permissions apply immediately without a page reload. Menu Access Control has a single scrollbar, and its heading stays in place.	Permission changes apply straight away without a re-login or page reload, and large permission trees are easier to navigate.
	Erudite Management	Add / Edit / Delete buttons on Documentation, FAQs and Tutorial Videos follow the role's permissions.	Users only see actions they are allowed to perform, so there are no surprise permission errors.

Enhancement ID	Module	Description	Benefit
	Credential Manager	Users added through bulk import now get RBAC logins, and newly created users trigger the user-creation email.	Users created through bulk import can log in straight away and receive their login email, the same as users created one by one.
	Print Templates	The New Print Template modal has Mode and Paper Size dropdowns (A3 / A4 / A5 / Letter / Custom, plus thermal receipt sizes). A template can be renamed from the editor header.	Templates can be set up for any paper size, including thermal receipt printers, and renamed without leaving the editor.
	Transaction Preview	The ⋮ menu (Import / Hold / Recall) shows only for transaction features, and the duplicate "Back to Builder" button is removed.	A cleaner toolbar that only shows actions relevant to the feature type.
	Footer / Number Format / Templates	The footer shows the logo and brand name together. The phone format's Default Country dropdown shows readable flags and dial codes. Templates can use the organization.loginUrl variable.	Branding and phone numbers display correctly, and emails can link users straight to their login page.

Enhancement ID	Module	Description	Benefit
	Performance / Network	Fewer and smaller requests. The feature list response no longer duplicates field data. The formula picker makes two requests (feature list + selected feature's fields). Field lists a user can't read are not re-requested for 60 s. Formula batch / evaluate-table payloads carry only what each formula needs. Table formula lookups fetch only matching records instead of scanning the referenced feature. One fewer metadata request per local formula.	Pages and the formula builder load faster, with less data sent over the network.
	Performance / Caching	A row rule saved on a role takes effect immediately (it could take up to 24 hours because of a stale cache). Database Sync Test Query previews are capped to a small number of rows when the query has no LIMIT. Create-mode imports insert a chunk at once instead of row by row.	Access rule changes apply immediately. Test queries return quickly, and big imports finish faster.
	Security (Network tab)	Database passwords and payment secret keys no longer appear in any browser response. External-DB widgets send only the data source id.	Sensitive credentials can no longer be seen in the browser, which reduces the risk of data leaks.

5. Bug Fixes

Bug ID	Description
623	Components --> Quantity→ Number Stepper properties (value, min, max, and step) are not reflected in the form field when custom values are set.
700	In-App Notification → OnClick Trigger-->In-app notifications are not received when triggered via onClick event.
785	Components-->We added Few tabs in the Tab View and assigned a specific feature for each tab. After filling the form in each tab and submitting it, no data is shown in the index table list.
835	Required Field Indicator Component → Text field value saves successfully but cannot be edited in preview mode.
859	Signature field is received as encrypted/base64 text in email instead of displaying the actual signature image.
870	Component → Stepper View → When trying to add a stepper, the stepper properties overlap with each other and become misaligned.
889	Taskscheduler--> In the Task Scheduler review page, the displayed details are not shown properly.
920	Audio Player component loses its configured audio source and player controls in Builder mode after Preview/Publish navigation.
929	Video Player displays generic "Network Error" message when uploading oversized video files instead of showing proper file size validation.
947	Existing Task Scheduler does not pick up updated Scheduler time changes.
1019	Feature→ Report Template →Report Template allows input fields, resulting in data errors after publishing.
1064	Components → Dropdown → Feature Data as Option→ Unwanted "Others" option is displayed in Feature Data as Option.
1066	Components → Dropdown → Field Properties → Select Value Source → Import (Excel/CSV/JSON) →Uploaded file name is not retained after reopening the feature.

Bug ID	Description
1141	Data Table → When the user clicks the View action, no data is displayed.
1150	Components → Radio Button Group→ Radio Button Group naming is unclear for single-selection behavior.
1162	Bullet List and Numbered List actions remove selected text instead of applying formatting.
1171	Database list is not loaded after selecting a Database Integration.
1173	Components → Color Picker → Color Picker Properties→ Configured palette colors are not reflected on the Create page.
1178	Components → Data Table → Data Table Properties → File Upload (Excel/CSV)→ System shows Create page instead of imported file data after publishing.
1197	Components → Charts → Chart Properties → Scatter Chart→ Scatter chart selection tools are missing and non-functional.
1201	Create Page → After creating a field and deleting it, refreshing the Create page causes the previously deleted field to be displayed repeatedly.
1209	Component → Container → After configuring fields inside the Container component, the fields overlap with each other.
1210	Erudite Management → Documentation : File type validation is missing for Document and Thumbnail uploads.
1211	Erudite Management → Tutorial Videos : Video upload fails for files well below the configured 50 MB limit.
1221	Default Landing Page preference is not applied after selection.
1233	Data Table → Third-Party Integration: Data is not fetched in the development environment. In the production environment, data is fetched, but it is not displayed after the record is submitted.
1238	Components → Table → Data Table Properties → Data Source → Platform Feature→ Current feature is listed in Platform Feature selection.

Bug ID	Description
1255	Components → Table → Data Table Properties → Data Source → Platform Feature→ Rows Per Page count is incorrect on the Create page.
1257	Components → Table → Data Table Properties → Data Source → File Upload→ Apply Filter button disappears after adding multiple filters.
1283	Components-->Users Can Proceed to Payment Without Filling the Product Name Field. The payment gateway without displaying any validation message.
1287	Workflow → Create Record Node →country Code is not populated in the created record
1292	Component → Text Input → When the Text Input component is dragged onto the Design page, the label text should appear in a dark color and the placeholder text should appear in a lighter color. However, both are displayed with the same style.
1294	Component → Accordion → When the Accordion component is dragged onto the Design page and configured with two columns, the hover effect overlaps with the adjacent column.
1299	Component → Accordion → The phone number dropdown icon overlaps with the country code field.
1300	Component → Accordion → The phone number field is misaligned.
1301	Component → Accordion → After configuring the components on the Design page and saving successfully, the information icon is displayed for every field on the Create page.
1302	Component → Accordion → After configuring the components on the Design page and saving successfully, the Preview page is displayed after submitting data on the Create page.
1305	Components → Data Table → Data Table Properties→ Selected Data Table theme colors are not reflected on the Create page.
1307	Component → Tab View → On the Preview page, when entering data into the fields, one field displays the text in bold, while another field displays the text in a lighter font style,

Bug ID	Description
1310	Components → Data Table → Data Table Properties→ Grand Total Row Style colors are not reflected on the Create page.
1315	Feature--> Unable to save the form after adding components. The Feature page initially displays no components, and after adding the required components, clicking Save results in an error
1319	Component → Progress Bar → Properties panel is empty on the Design page
1320	Components → Data Table → Data Table Properties → Table Type → Pivot Table → Data Source→ Static Data (Manual) option does not allow data creation in Pivot Table.
1322	Component → Design Page → The list of components overlaps with other components on the Design page.
1323	Components → Data Table → Data Table Properties → Table Type → Pivot Table→ Question mark icon is displayed instead of a cancel/remove icon for Pivot Table filter fields.
1325	Components → Data Table → Data Table Properties → Table Type → Pivot Table→ Previous filter fields are retained after changing the Pivot Table data source.
1327	Component → Comment Thread → Comment Thread component is displayed twice in the Components list
1328	Components → Data Table → Data Table Properties → Table Type → Pivot Table→ Sort dropdown is displayed incorrectly, and Subtotal fields overlap in Pivot Table.
1329	Component → Comment Thread → Reply limit restriction is not enforced
1330	Components → Data Table → Data Table Properties → Table Type → Pivot Table→ Pivot Table color settings are not reflected on the Create page.
1331	Component → Comment Thread → User profile changes after posting a comment
1332	Component → Comment Thread → The Send Comment button overlaps with the AI logo.

Bug ID	Description
1334	Component → Comment Thread → Upon refreshing the tab, the profile picture changes automatically.
1337	Components → Stepper View → Stepper Properties→ Selected Stepper icon is not displayed on the Create page.
1338	Component → Comment Thread → After selecting one emoji while replying to a comment, the emoji picker is disabled, preventing the user from selecting another emoji.
1342	Components → Stepper View → Stepper Properties→ View mode allows editing in Step 1 of the Stepper View.
1343	Components → Stepper View → Stepper Properties→ Stepper View saves only Step 1 data, Step 2 data is missing in Table View.
1344	Component → Comment Thread → Toolbar icons are not highlighted when selected Description:
1345	Components → Stepper View → Stepper Properties→ Content not linked" message is displayed for Step 1 with manual fields.
1348	Dashboard-->On the Data Entry page, selecting a value from the Dropdown or Date Picker causes the lower half of the page to become blank (white space). The content is displayed only after scrolling.
1349	Component → Comment Thread → The maximum comment length is configured to 100 characters, but the system accepts comments exceeding the configured limit.
1350	Components → Stepper View → Stepper Properties→ Newly added Step 3 overlaps with existing steps in Stepper View.
1351	Component → Comment Thread → Comments cannot be deleted after they are created.
1355	Print Template-->The Report Table displays only the linked feature column headers, but the corresponding feature data is not loaded and the table rows remain empty.

Bug ID	Description
1358	Task Scheduler-->Users created during the email server outage remain in Pending status and do not receive the invitation email after the server is restored. Only newly created users receive the email.
1368	Component → Document Viewer → Uploaded document is not displayed in Preview after Publish, and maximum file size limit is not specified in properties
1401	Changing a feature template from Page Template to Masters Template is not applied after saving.
1406	Component → List → Import Button Colour Is Not Updating on the Design Page
1418	Task Scheduler-->The notification email is received successfully, but the attached PDF/file is not included. Instead, the email displays [object Object] instead of the actual attachment.
1422	Workflow modifications are not reflected in the Publish Workspace changes list.
1434	Auto-generated ID is duplicated for new records.
1452	Components-->The Quick Layout, Grid, and Columns properties are not displayed in the Components section.
1497	Components → Text Block → Text Block Properties → Text Block content is not visible until the feature is reopened.
1498	Components → Text Block → Text Block Properties → Content Format→ Content Format changes are not applied in the Text Block component.
1499	Components-->When Duplication Allowed is enabled, clicking the Add Duplicate button on the data entry page creates a duplicate row where the Remove button overlaps with other UI elements.
1500	Components → Text Block→ Submitted Text Block data is not displayed in the Table List.
1501	Components-->Unable to save a newly added component in an existing unpublished feature. Clicking Save displays the error "Error saving component: Object Object."
1504	Components → Text Block → Text Block Properties → Font Weight→ Font Weight options do not apply distinct styles in the Text Block component.

Bug ID	Description
1506	Component → Image Viewer → After changing the label name, the configured label is displayed in a lighter font instead of bold.
1509	Component → Number Input → OTP field accepts more than the configured digit limit and converts the input to a decimal value.
1511	Component → Tab View → Feature Data configuration does not redirect to the configured page in Preview mode after publishing.
1516	User Management → Login fails with "Invalid Credentials" after creating the same email ID in more than 10 different workspaces and using the latest password.
1524	Component → Form Page → The dropdown icons in the configured required fields are overlapping.
1527	Components → Divider → Divider Properties → Orientation→ Vertical divider is not displayed on the Design and Create/View pages.
1528	Component → Tags Input → The Copy and Clear All options are missing from the right corner of the Tags Input field.
1530	Components → Divider → Divider Properties→ Dashed divider style is not reflected on the Create/View page.
1531	Component → Tags Input → Configured tag color is not retained on the Create page
1532	Component → Tags Input → The minimum tag limit is configured, but the system allows fewer tags than the configured minimum.
1534	Configuration-->The Show/Hide Password (eye) icon for the Firebase Server Key (Secret) field is misaligned and displayed at the edge of the input field.
1538	Components → Data Grid Config → Data Grid Config Properties→ Select Feature dropdown overlaps with other UI elements in Data Grid Config.
1540	Component → Phone Number → The phone number field is configured to accept 10 digits, but it accepts a 9-digit number without displaying a validation message.

Bug ID	Description
1541	Component → Phone Number → When searching for a country code, the search field becomes hidden.
1542	Components → Data Grid Config → Data Grid Config Properties→ Data is not displayed after clicking Generate in Data Grid Config.
1543	Component → Password → The password field is configured to require a minimum of 8 characters, but it accepts a 7-character password.
1547	Components → Section → Section Properties→ Submit and Cancel buttons are displayed when loading a feature into a Section.
1549	Components → Section → Section Properties→ Background image overlaps text input fields in the Section component.
1550	User Preferences → Miscellaneous →Save Interval Value(seconds) Is Not Persisted After Saving User Preferences.
1551	Components → Section → Section Properties → Icon Set→ Discount icon overlaps with other icons in the Material icon set.
1552	Components → Section → Section Properties → Icon Set→ Custom icon URL is not rendered in the Section component.
1553	Component →DateTime Picker calendar is hidden on the Create page.
1555	Component → Section → The fields configured in the Section component on the Form Page are overlapping.
1558	Selected Default Workspace Is Not Automatically Loaded After User Logs Back Into the Application
1564	Components → Calculator→ Duplicate and Delete buttons are missing in the Calculator component.
1565	Component → Tab View → The field configured on the Form Page is saved successfully, but after publishing, the field data is missing.
1566	Components → Calculator → Calculator Properties→ Calculator mode changes are not applied immediately on the Design page.

Bug ID	Description
1569	Components → Calculator→ Submitted Calculator data is not displayed in the Table View.
1570	Components → Calendar → Calendar Properties → Default View→ Selected Default View is not reflected in the Calendar component.
1571	Components → Calendar → Calendar Properties→ Calendar property settings are not reflected after Save and Publish.
1573	Components → Calendar → Advanced → Layout → Display→ Duplicate Gap (Spacing) option is displayed when Flex layout is selected.
1574	Components → Tagging System→ Tagging System Properties section is missing.
1575	Component → Lookup → Filter → Advanced Filter Properties → The selected field is overlapping.
1576	Components → List Block → List Block Properties→ Text Color option overlaps with other UI elements in List Block Properties.
1580	Components → List Block → List Block Properties→ Divider color is not reflected or retained in the List Block component.
1587	Component → Dropdown → Select Value Fields → Organization field properties are missing
1593	Component → Drawer → Placeholders display incorrect characters (â†).
1594	Components → Modal→ Modal does not provide scrolling when content exceeds the visible area.
1595	Component → Drawer → Component properties are not working as expected
1597	Components → Modal → Modal Properties→ Modal title is not retained in Modal Properties after reopening the feature.
1598	Erudite Management → Tutorial Videos → Tutorial Videos action menu is clipped, hiding Edit and Delete options after adding a video
1599	Erudite Management → Documentation→ Clicking a DOCX document downloads the file automatically instead of opening or previewing the document.

Bug ID	Description
1600	Components → Modal → Modal Properties → Icon Set→ Discount icon overlaps with other icons in the Material icon set.
1601	Erudite Management → Tutorial Videos → Video upload allows MP3 audio files instead of restricting uploads to supported video formats
1634	Components → Footer → Footer Properties → Brand→ Logo overlaps and hides the Brand Name in the Footer component.
1642	Feature Management → Transaction Settings : Validation message is displayed in an alert popup on Save Settings.
1644	Notification & Alerts → Task Scheduler→ Deleting a Task Scheduler displays the browser's default confirmation dialog instead of the application's custom confirmation modal
1645	Components → Number → Number Format → Format Type → Phone→ Country dialing codes display special characters in the Default Country dropdown.
1651	Components → Currency → Advanced → Currency Properties → Decimal Separator→ Currency component ignores the configured decimal separator and formats the value incorrectly.
1654	Components → Address → Address Properties→ Address component allows form submission without validating required fields.
1655	Components → Address→ PIN Code field accepts invalid characters and exceeds the allowed length.
1664	Components → DateTime Picker→ Create page→ Month dropdown arrow overlaps in the DateTime Picker.
1665	Create Page → Actions → View→ Data fields are editable on the View page without clicking Edit.
1667	Components → Color Picker → Advanced → Advanced Color Properties→ Color Picker does not support RGB and other color formats in the Palette field.
1671	Components → Text Block → Text Block Properties→ Copy button overlaps with other elements in the Text Block.

Bug ID	Description
1674	Components → Text Block→ Text Block border overlaps with other elements on the Create page.
1678	Vertical Template → Created Public and Private templates are not displayed in the "Choose Vertical Template" list
1680	Preview-->The Preview shows "No component is found in this feature" for E-commerce components before publishing. The components appear only after publishing and reopening the Design page.
1685	Non-default dashboard template is displayed as the landing page.
1688	Removed default dashboard is still used as the landing page.
1689	Dashboard displays Role ID instead of Role Name.
1690	Unpublished features are promoted to Production during environment publish.
1693	Components → Icon → Icon Properties → Icon Set→ Feather, Font Awesome, and Custom (URL) icon sets are not working.
1696	Components → Link → Link Properties → Icon Size→ Icon Size dropdown displays corrupted characters in Link Properties.
1697	Workspace Management → Templates Library→ No Success Validation Message Displayed After Deleting Templates from Templates Library (SMS, Email, WhatsApp, In-App, and Push)
1698	Components → Link→ Link color and functionality are not reflected on the Create page.
1699	Components → Tooltip→ Tooltip is not working on the Create page.
1701	Components → Tooltip → Field Properties → Text→ Tooltip text field allows unlimited character input.
1728	Task Scheduler-->Email template rendering fails with a "Missing helper: 'Emp'" error when the Submit (onClick) event triggers the email notification.
1730	Components → Spacer→ Spacer field accepts invalid input values.

Bug ID	Description
1738	Components → Footer → Footer Properties → Social Links→ Social Links dropdown icon overlaps with UI elements.
1743	Components → Multi Select Dropdown→ Multi Select Dropdown options are hidden below the screen.
1753	Component → Container → The fields in the Container component do not work as expected. Data entered on the Create page is not saved or displayed.
1771	Component → Periodic Feature → When I change the label name, only the first letter of the second word is displayed, while the remaining text is hidden.
1776	Components → Image Viewer → Image Properties→ Uploaded image is not displayed on the Create page.
1777	Components → Image Upload→ Uploaded image is not displayed on the Create page and Table View.
1782	Components → Hyperlink → Field Properties→ Hyperlink field shows a required field validation message after valid data is entered.
1789	Component → List → After configuring the data in the feature, it does not redirect to the Design Page and displays a 403 error.
1791	Component → List → Listing Properties → Filter → The Field Properties dropdown button icon is overlapping.
1792	Component → List → Layout → Horizontal and Carousel have the same functionality.
1793	Component → List → Listing Properties → Layout → The field buttons are overlapping.
1799	Component → List → Fields → The configured dropdown field data is not displayed correctly, especially the Rating field.
1804	List Component : Applied card template is not visually indicated as selected.
1806	List Component : Hover Background color is not applied to the complete List card. On hover, the configured color is visible only along the card border/bottom edge while the card content area remains unchanged.

Bug ID	Description
1808	Table View → Record count is displayed twice in Table View.
1809	List Component : Saved outbound API integration is not available in the List component's API Integration dropdown.
1810	Components → Navbar → Logo Properties→ Logo Radius option is not working in the Navbar.
1814	List Component – Data Source / DB Integration : Saved database integration is not available in the List component's DB Connection dropdown.
1816	Components → Navbar → Logo Properties→ Desktop, Tablet, and Mobile options are displayed twice.
1818	Components → Navbar → Buttons Properties→ Navbar buttons overlap when more than two buttons are added.
1820	Components → Navbar → Buttons Properties → Add New Button → Shape→ Pill and Circle shape options perform the same function.
1823	Components → Navbar → Buttons Properties → Add New Button → Icon Color→ Configured button icon is not displayed properly.
1825	Components → Navbar → Links Style → Normal→ Navbar link Text Color option is not working and Padding option is duplicated in Normal and Hover link styles.
1826	Form Builder-->Transaction Template buttons overlap when mapped to the Add Cart address-filling option.
1828	Components → Navbar → Links Style → Hover→ Hover properties are not working.
1830	Components → Navbar → Links Style → Active→ Padding option is duplicated in Active link style.
1839	Components → Navbar→ Sticky Navbar option is duplicated in Navbar Properties.
1848	Metadata→ User Management & Security →Visibility Value “Tenant Only” Is Improperly Wrapped in User Management & Security Variables

Bug ID	Description
1850	Bulk Import allows a new user to be imported with a mobile number that is already registered to another user in the portal.
1852	Components → Time Picker→ Time Picker options are hidden on the Create page.
1861	Components → Dropdown → Field Properties → Select Value Source → Feature Data as Options→ Disabled Others option is still displayed in the Dropdown.
1863	Components → Dropdown → Field Properties → Select Value Source → Feature Data as Options→ Unexpected options are displayed in Feature Data Dropdown configuration.
1864	Components → Dropdown → Field Properties → Select Value Source →Others option is displayed for User and Roles dropdowns.
1865	Components→ Radio Button component name changes to Radio group.
1869	Components → Multi-Select Dropdown → Field Properties → Select Value Source → Feature Data as Options→ Disabled Others option is still displayed in Multi-Select Dropdown.
1874	Workspace Search Does Not Provide Filter Options for Workspace Type.
1883	Components → Dynamic Field→ Dynamic Field Properties are missing.
1890	DMS LITE-->The Edit, Clone, and View options are not working in Offline mode.
1900	Component → Number Input → Advanced → Validation→ Invalid number value is submitted despite minimum value validation.
1913	DMS Lite → The mobile app displays both the Column Grid Name and Column Count, while the website displays only the configured Component Name.
1915	DMS Lite → Unidentified symbols are displayed on the form-filling page in the mobile app.

6. Configuration Changes

Configuration	Description	Impact
AI credentials → Vault	AI App Builder / AI Assistant / AI Ask credentials moved from environment variables to Vault.	Values are not yet fetched from Vault, so AI features are down (see Known Issues).
RBAC route map / menu seed	New and re-registered routes: AI Builder and AI Ask as separately licensable submenus (Build-with-AI card, ai-chat/status), design-lock, backups/count, role data-sources, WhatsApp media upload.	Run the RBAC seeder on the environment. Roles may need AI Builder / AI Ask and the new routes granted and re-saved, otherwise the UI shows 403.
Component properties seed	New builder properties: Auto Gen ID Financial Year[YYYY], Stepper Properties section, Dropdown With States / State Transitions.	Run the component-properties seeder, otherwise these options do not appear in the Builder.
LOGIN_IDENTIFIERS (tenant variable)	Group "Tenant Security & Authentication": USER_ID / MOBILE_NUMBER / EMAIL_ID / ANY (default ANY).	Restricts which identifier users log in with.

Configuration	Description	Impact
FEATURE_DESIGN_LOCK_TTL_MS (master)	Default 90000 (90 s).	How long a design lock survives without a heartbeat before another designer can take over.
EXTDB_REJECT_CREDENTIALS = true (master)	External-DB requests carrying raw connection credentials are rejected.	Widgets must use saved data sources.
EXTDB_CUSTOM_COLUMNS_ENABLED (master)	Off by default.	/external-db/select returns 501 until enabled.
ONUPLOAD_EVENT_MAX_ROWS (master)	Now the chunk size for the onUpload import trigger (it used to skip larger imports).	Large imports fire the workflow in chunks.
VITE_IMPORT_MAX_FILE_MB = 100 (frontend)	Import file size limit raised from 5 MB to 100 MB.	
METADATA_SERVICE_URL (client ws)	Required for the in-app Release Notes per-version change rows.	Without it the version expansion does nothing.
AI_BUILDER_* (workflow, UAT)	AI workflow generation settings added to UAT.	Subject to the Vault issue above.

Configuration	Description	Impact
Transaction Settings	offerTypeMap removed from Transaction Settings (it is now derived automatically). Order to Billing pricing uses product code + batch code.	
Frontend build (UAT / Production)	Debug console logs are stripped from UAT and Production builds, and sensitive values are removed from error logs.	The browser console no longer shows app debug logs; use network requests for verification.
Formula engine version 1.1.0	Text values are no longer read as numbers. The mobile app carries the same engine version.	

7. API Changes

API Name	Type	Description
GET /master/ai-chat/status	New	Returns { available: true|false }. Called when the AI assistant opens, to show a warning if AI can't be reached.
GET / DELETE /master/ai-chat/jobs/:jobId	Changed	AI job status and cancel now work only for the user who started the job. Other users are refused.
POST · GET · DELETE /master/builder/features/:featureId/design-lock, POST …/design-lock/heartbeat	New	Feature design lock: acquire, read, release and keep-alive while the Builder is open. Returns 409 (designLockConflict + lock holder) when another user holds the lock.

API Name	Type	Description
DELETE /master/feature-data/:featureId/data/delete-all	New	Delete All — permanently deletes all records of a feature (hard delete, not restorable, unlike single/bulk delete).
GET /master/features/:id/components/authoring	New	Returns every stepper step (no role filtering), for configuring the Approval Gate node in the Workflow Builder.
GET /master/features, feature and module list APIs	Changed	Feature list no longer returns the field registry twice (much smaller response). Feature list returns a single effective isOfflineSupport flag; module list returns isOffline.
Publish / Unpublish feature	Changed	Unpublishing now takes the live version offline.
GET /master/extraction/:featureId/fields	Changed	ownOnly=true also returns summary rows, list columns and cascading levels, and keeps feature-backed dropdowns. New includeReferenceFields=true. Tab headers are no longer returned as fields.
POST /master/extraction/:featureId	Changed	Optional pricingContext / inventoryContext / productContext return price, pricing (basePrice, rateCardPrice, revisionPrice, byUom), stock with UOM breakdown and offers.* on each item. Grouped items carry the real attribute combinations. Extracting the wrong feature returns an explicit error instead of an empty result.
/master/external-db/explore, /query, /aggregate, /export, /bulkdataFetch, /test-query	Changed	Requests name a saved data source by integrationId (+ database, schema, table). Requests carrying host / username / password / connection string are rejected. Role data-source grants and row rules are applied.
POST /master/external-db/test-connection	New	Tests a saved data source's connection on the server.

API Name	Type	Description
GET /master/external-db/distinct-values	New	Value list for the row-rule editor in Role → Data Sources (administrators only).
POST /master/external-db/select	New	Custom-column SQL select. Disabled by default: returns 501 until EXTDB_CUSTOM_COLUMNS_ENABLED is set.
GET getconfigIntegrationsList/:id (integration details)	Changed	No longer returns decrypted database credentials. Payment gateway reads return hasPaymentSecretKey (true/false) instead of the secret key; saving with a blank secret keeps the existing one.
GET /rbac/client/ws/role/data-sources (+ related)	New	Role Edit → Data Sources tab: read and save a role's allowed data sources and row rules.
POST /master/database-sync/run/:featureId	Changed	The method is now POST (it was registered as GET).
/master/formula/validate, /formula/evaluate-form-batch, /formula/evaluate-table	Changed	Stricter request contract: fields the formula can't use are rejected with 400. Requests are slimmer: evaluate-table no longer sends context, and batches send only what each formula needs.
POST /master/hierarchy-engine/resolve	New	Resolves the Sales / Geo / Product hierarchy chain for a code, including levelName.
GET /master/transaction-settings/parameter-metadata; PUT /:featureId/closed-config	Changed	Metadata now returns dynamicFields and the property/type registry. Saving Transaction Parameters now writes rows the pricing/stock engines use.
GET /backup-service/backups/count	New	Total number of backups for the workspace (Backup page stat card).

API Name	Type	Description
GET /client/ws/release/workspace-tree	New	Module / feature / workflow tree for the in-app Release Notes Scan Workspace picker.
Erudite document create / update / delete	Changed	Documents are synced to the AI search index in the background. Records carry ragIngestStatus (drives the AI ready / Indexing… badge). Ask is scoped to the workspace.
GET /bulk-ops/export?type=users	Changed	New optional filters: status, roleIds, q (username search).
Login	Changed	A login blocked by the tenant's LOGIN_IDENTIFIERS setting returns the error code LOGIN_IDENTIFIER_MISMATCH with a specific message. When a password change is required or the password has expired, login returns no full session until the password is changed.
POST /workflows/ai-generate	Changed	Returns a clear message instead of the raw "Unauthorized token sent" when AI cannot read workspace data.

8. Known Issues

Issue ID	Description	Workaround
	Role Management Change Effect	Because some menu structures have changed, certain features may return a 403 status code. To resolve this, edit the role, select the platform feature, and save the role again.
	Scheduler with Workflow Not Working	Use the conventional feature-wise approach wherever workflow scheduling is required.

Issue ID	Description	Workaround
	Formula Builder UI – Field Insertion Through Typing	This works in current fields. For external feature fields, it won't work, as there could be fields with same names from multiple features.
	Formula Builder – AI-Based Formula Writing/Editing Not Implemented	Use manual formula entry instead.
364	Organization Details → Basic Info: Website URL accepts invalid URL formats without validation.	Expected: Validate the URL format and show an error message for invalid values, such as www.example or example@123.www.example
	Builder Tool Not Available on Mobile Web	The builder tool is not supported on mobile web. This is implemented as expected — builder functionality is restricted to desktop browsers by design. It should be available on Tab though.
	Mobile – Formula Field Not Working in Tables & Charts	Formula fields are not evaluated correctly when used inside Tables and Charts on mobile. This is under review.
	AI App Builder, AI Assistant (Create — application / module / feature) and AI Ask FAQ are not working. The AI credentials were moved from environment variables to Vault, but the values are not yet being fetched from Vault.	None at present — AI Create and AI Ask flows cannot be tested in this build. Fix in progress; retest once the Vault credential fetch is resolved.
	Newly uploaded Erudite documents are not immediately answerable by AI Ask	The badge shows "Indexing…" until the document is ready; wait for "AI ready" before asking about it.

9. What to Test

- Login – Login, Sign In with Google (have to be configured in external providers in Tenants of metadata), Sign In with Microsoft (have to be configured in external providers in Tenants of metadata)
- **Create Application**
    1. Start from Scratch
    2. Choose/Create Vertical Template

- **AI-Assisted Creation & Ask FAQ** (Cavin's AI assistant — the AI launcher icon)
  Note: in this build AI Create and AI Ask are blocked by a known issue (see Known Issues — AI credentials not loading from Vault). Run these flows once that is resolved.

  1. **AI App Creation**
     a. From the workspace (any page other than Modules Management / Features Management / Builder Tool), open Cavin's AI and select the **Create** tab.
     b. Verify the helper line reads "Create builds a new application from your description".
     c. Describe the application to build and send. Verify creation progress is shown and "Application created from AI." appears on completion.
     d. Verify the generated application, its modules and features are listed and can be opened in the workspace.
     e. If the AI asks clarifying questions, answer them and verify creation continues (no success message is shown until something is actually created).
  2. **AI Module Creation**
     a. Open an application's **Modules Management** page, open Cavin's AI and select the **Create** tab.
     b. Verify the helper line reads "Create builds a new module here".
     c. Describe the module to build and send. Verify "Created N module(s) from AI." appears and the module list refreshes with the new module(s).
     d. Open the created module and verify it can be edited further.
  3. **AI Feature Creation**
     a. Open a module's **Features Management** page (or the Builder Tool), open Cavin's AI and select the **Create** tab.
     b. Verify the helper line reads "Create builds a new feature here".
     c. Describe the feature to build and send. Verify "Created N feature(s) from AI." appears and the feature list refreshes.
     d. From the Builder Tool, verify you are taken to the first created feature in the builder.
     e. Verify the generated form has appropriate components/fields, then publish it and verify records can be created, viewed and edited.
  4. **Create / Ask mode behaviour**
     a. In the Create tab, type a question instead of a build request. Verify nothing is created and an "Ask this in Ask mode" suggestion is offered; clicking it moves the question to the Ask tab.
     b. With a user who has only AI Builder or only AI Ask access, verify only that tab is available; with no create access, verify past conversations are read-only.
     c. Verify conversation history can be searched and reopened for each mode.

5. **AI Ask FAQ**

   Scope: AI Ask FAQ is trained only on the following platform documentation. Questions must be asked on these topics only:

   - CADP User Login Guide
   - CADP Functional Specifications
   - CADP Erudite Management Complete
   - CADP Workspace Guide
   - CADP User Preferences Guide
   - CADP Role Management
   - AI FAQ Guide Transactions Runtime
   - CADP Login Complete
   - CADP Erudite Management Complete Guide
   - CADP Features Guide
   - CADP Modules Guide
   - CADP Platform Architecture Report
   - CADP Templates Integrations Workflows Basics Guide
   - CADP Features And Submodules Guide
   - CADP Organization Guide
   - CADP Builder Tool Guide

   a. Open Cavin's AI, select the **Ask** tab and ask a question about platform configuration on one of the trained topics above.

   b. Verify a relevant and accurate answer is returned.

   c. Ask a follow-up or ambiguous question and verify it is handled gracefully.

   d. Ask a question outside the trained topics and verify AI Ask FAQ declines or returns an appropriate out-of-scope fallback rather than a fabricated answer.

   e. Verify Ask mode changes nothing in the workspace (it only answers).

- **User Management**
    1. Create/Manage Users
    2. Create/Manage Groups
    3. Import/Export Users
    4. Archive/Unarchive Users
    5. Locked Users
    6. Waiting Approval
    7. Please update existing users in each workspace.
    8. In the Users tab, when creating a new user, the Approval Type default is No Approval.
- **User Preferences**
    1. Profile update – first name, last name updating, profile picture updating.
    2. Change password
    3. Locale and Date-time updating
    4. Interface
        i. Theme change, color change. Color change here will override the brand color for that specific user of that workspace only.
        ii. Records per page is reflecting.
        iii. Language (currently only English accepted)
    5. Customization – module and features are visible based on visibility setting, quick access for that enabled feature is redirecting to feature transactions (records) page.
    6. Privacy & Security
    7. Miscellaneous – Default landing page, preferred currency, auto-save drafts, save interval
    8. Preferred user workspace
    9. Reset Preferences
- **Groups**
    1. Archive/Unarchive

- **Roles**
    1. Platform Roles
    2. Archive/Unarchive
    3. Workspace Role
    4. Feature Access Level
    5. Data Access Level
    6. User or Group Role Mapping
- **Workspace Management**
    1. Create Workspace
    2. Clone Workspace
    3. Archive Workspace
    4. Workspace Settings
- **Organization Management**
    1. Organization Details
    2. Organization Address
    3. Branding Details
- **Module/Feature Management**
    1. Create/Manage Module
    2. Create/Manage Features
    3. Design components for features
    4. Features and Modules can be published
    5. Audit Logs (Platform & Workspace)
    6. Version Logs (Workspace & Workflow)
    7. Staging
    8. Feature Card and Module Card Customization
- **Notification & Alerts**
    1. Email Notification & Templates – Create template and use template to send notification
    2. SMS Notification & Templates – Create template and use template to send notification
    3. WhatsApp Notification & Templates – Create template and use template to send notification
    4. In-App Notification & Templates – Create template and use template to send notification
    5. Push Notification & Templates – Create template and use template to send notification

- **Erudite Management**
  1. **Configuration (prerequisite)**
     a. Enable Erudite Management in Role Management before testing.
     b. Verify users without the role cannot access the Erudite Management module.
  2. **FAQs**
     a. Create a new FAQ with a question, answer, and category (Account, Billing, General, Technical).
     b. Verify the FAQ appears in the FAQ list after saving.
     c. Enable "Display this on the dashboard" and verify the FAQ is visible on the dashboard.
     d. Edit an existing FAQ and verify changes are saved correctly.
     e. Delete a FAQ and verify it is removed from the list.
     f. Search for a FAQ by keyword and verify correct results are returned.
  3. **Documentation**
     a. Upload a document (PDF or DOC, max 5 MB) with a name, description, and category.
     b. Verify the document appears in the Documentation list after saving.
     c. Attempt to upload a file exceeding 5 MB and verify a validation error is shown.
     d. Attempt to upload an unsupported file format and verify it is rejected.
     e. Enable "Display this on the dashboard" and verify the document is visible on the dashboard.
     f. Edit document details and verify changes are saved correctly.
     g. Delete a document and verify it is removed from the list.
  4. **Tutorial Videos**
     a. Upload a video (MP4, MOV, or MKV, max 50 MB) with a name, description, and category.
     b. Verify the video appears in the Tutorial Videos list after saving.
     c. Attempt to upload a file exceeding 50 MB and verify a validation error is shown.
     d. Attempt to upload an unsupported file format and verify it is rejected.
     e. Enable "Display this on the dashboard" and verify the video is visible on the dashboard.
     f. Edit video details and verify changes are saved correctly.
     g. Delete a video and verify it is removed from the list.

5. **End User Access**
    a. Verify end users can browse and read FAQs, documentation, and tutorial videos.
    b. Verify items marked "Display on dashboard" appear on the user's dashboard.
    c. Verify items not marked for dashboard display do not appear on the dashboard.

- **Components**
    1. Layouts
        1. Column
        2. Section (various nested scenarios)
    2. Data Management (API Integration, Device Integration)
    3. Input Components (Phone Number, Password, Dropdown with Feature as Field Value)
    4. Specialized Input & Display
    5. Display and Interaction
    6. Media and Files
    7. Forms and Validation
    8. Utility Components
    9. Data Config Component
    10. Hyper Link Component
    11. Favorite Component
    12. OCR Component
        a. Add the OCR component to a feature form and upload an image or document.
        b. General text extraction → verify the text is extracted from the uploaded image/document and displayed within the selected output textarea
        c. Verify the extracted text is saved correctly with the record and is visible on View/Edit.
    13. Analytics & Report Components
        1. Chart Component
        2. Gantt Chart Component
        3. KPI Card Component
    14. Form UI
        1. Table component and Table level formulas, Summary row formulas
    15. Reusable Component

- **Page Builder**
    1. Create a new page and verify it is saved and listed.
    2. Drag-and-drop layouts (columns, sections) and reusable components onto the page canvas.
    3. Configure component properties and verify changes reflect on the page.
    4. Reorder, move, and delete components on the canvas.
    5. Edit an existing page and verify changes are persisted.
    6. Delete a page and verify it is removed from the list.
    7. Publish the page and verify it renders correctly at runtime.
    8. Verify the page is responsive across mobile, tablet, and desktop.
    9. Verify role-based access — only authorized users can build/edit pages.
- **Workflow Management**
    1. Visual canvas for creating workflows
    2. Drag-and-drop node placement
    3. Node connection with visual links
    4. Canvas zoom and pan controls
    5. Grid snap for alignment
    6. Create new workflows
    7. Edit existing workflows
    8. Delete workflows
    9. List/view all workflows
- **Workflow Nodes – Control Flow**
    1. Start Node (workflow trigger point)
    2. End Node (workflow termination)
    3. Condition/Decision Node (if-else logic)
- **Workflow Nodes – Communication**
    1. Email Notification Node
    2. SMS Notification Node
    3. User Task/Approval Node
    4. System Notification Node

- **Workflow Monitoring**
    1. Execution history logs
    2. Workflow instance status tracking
    3. Node-level execution details
    4. Error logs and stack traces
    5. Approval node changes for user selection
    6. Added SLA and escalation reminder for approvals
    7. Added parallel workflow approval node
- **Printing Templates**
    1. QR Code – Generate and Print
    2. Barcode – Generate and Print
    3. Invoice – Generate and Print
- **Role-Based Dashboards**
    1. Role-based dashboard template creation
    2. Dashboard rendering based on created template
- **Scheduler & Task Scheduler**
    1. Create and use Schedule
    2. Create and use Task Schedule
    3. Event-based task schedule
    4. Schedule-based task schedule
    5. Schedule a notification
    6. SMS
    7. Mail
    8. WhatsApp
    9. Push
    10. In-App
    11. Schedule a report send (PDF) through mail from a configured email template.

- **Formula Builder Functionality**
    1. Same Feature
        a. Arithmetic
        b. Logical
        c. Comparison
        d. Text
        e. Math
        f. Date
        g. Conditional
        h. Miscellaneous
        i. Aggregate → with filter conditions and without filter conditions.
    2. Cross Feature
        a. Arithmetic
        b. Logical
        c. Comparison
        d. Text
        e. Math
        f. Date
        g. Conditional
        h. Miscellaneous
        i. Aggregate → with filter conditions and without filter conditions.
    3. Incompatible datatype operations, for example, arithmetic on a text input field, should show a validation error.
    4. Unrecognized fields, functions, or operators should show a validation error.
    5. If external fields are called without where() conditions, it should show MULTIPLE RECORDS FOUND ERROR in preview for non-aggregate functions/operations.
    6. Variables are not working. Review which variables should be displayed in the modal.

- **Formula Builder UI**
    1. On clicking a feature from the feature list, fields in the selected feature should be displayed, except for the current field, to prevent self-call loops.
    2. On selecting external feature fields, where() should appear in the modal.
    3. On selecting where(), the modal should automatically switch to the Feature and Fields tab.
    4. On hovering over a field, field information such as module name and feature name should be displayed.
    5. The Clear button or backspace should work as follows:
        i. First click of clear/backspace will select the token.
        ii. Next click of clear/backspace will clear that token.
    6. Empty formulas should not be saved.
    7. Formulas should not be saved without validation.

- **Formula Builder – Helper Tools**
  1. **Cheat Sheet** (**?** icon)
     a. Open the Cheat Sheet and verify functions are grouped by category (Lookup, Nested Lookup, Aggregation, Conditional, Math, String, Date).
     b. Search for a function and verify the list filters correctly.
     c. Click the copy icon on an example and verify it is copied to the clipboard.
     d. Press Esc and verify the modal closes.
  2. **Examples**
     a. Open the Examples drawer and verify 50 scenarios across all categories are listed.
     b. Filter by a category and search; verify results update.
     c. Click "Use This Pattern" and verify the formula is inserted into the editor.
  3. **Test Formula (Playground)**
     a. For a current-feature calculation (e.g. *{number_field} * 5*), open Test Formula, verify a type-aware input appears per field (number/date/true-false/text), enter values, run, and verify the correct result, type, and (where relevant) matched-record count.
     b. For a lookup formula (uses *.where()* / external feature fields), verify NO value-input form is shown and a "Lookup formula – test against a real record" message appears instead.
     c. For an aggregate formula (SUM/COUNT/AVG/MIN/MAX of records), verify the "Aggregate formula – test against a real record" message is shown and the form is not available.
     d. Verify the Test Formula button is disabled when the formula is empty.
  4. **Template Library**
     a. Open the Template Library and verify the **Most Used** tab lists the 20 platform built-in templates (e.g. GST, TDS, net salary, lookups, aggregations).
     b. Search and filter by category; verify results update.
     c. Click "Use This Template" and verify the formula is inserted into the editor.
     d. With a formula in the editor, click "Save current formula as template", fill title/category/description, save, and verify it appears under **My Templates**.
     e. Delete a saved (non built-in) template and verify it is removed. Verify built-in templates cannot be deleted.

5. **Formula Wizard**
    a. **Lookup mode:** choose "Lookup a value", select a source feature, select the field to return, add a match condition (verify the "Right side is a field reference" option shows a dropdown of the current feature's fields), check the live preview, and Insert.
    b. **Aggregate mode:** choose "Aggregate records", select feature/field, optionally add one filter condition, choose the function (SUM/COUNT/AVG/MIN/MAX), and Insert.
    c. Verify the formula preview only appears after a return field is chosen, and that going Back keeps your previous selections.
    d. After inserting, hover over the tokens in the editor and verify the correct Module name and Feature name are shown for each (including the source feature for the looked-up field).
6. **Smart Validation Messages**
    a. Enter an invalid formula (e.g. unknown function, missing where(), wrong argument count) and click Validate Expression; verify the error includes a helpful suggestion and an example, not just a generic message.

- **Integrations**
    1. Step 1: Go to the Integration Type field and select "Third-Party Software".
       Expected Result: A new dropdown field called Select Type should appear.
    2. Step 2: Check the options inside the Select Type dropdown.
       Expected Result: It should contain options including "Third-Party API" and "Google Drive".
    3. Step 3: Choose "Third-Party API" from the dropdown.
       Expected Result: The configuration fields specific to the Third-Party API should be displayed.
    4. Step 4: Change the selection to "Google Drive".
       Expected Result: The system should dynamically display the Google Drive configuration fields: Client ID, Client Secret, and Refresh Token.

This build — additional test focus:

- Feature Design Lock — open the same feature in the Builder as two users; verify the second is read-only with the "being designed by" message and can take over after the first leaves.
- Stepper per-step access — configure role-restricted steps; verify each role sees only its steps, earlier steps read-only, and each override (Show disabled / Hide / Editable).
- Approval Gate & "By field" approver — build a workflow with both and verify routing and approver selection.

- Import → workflow (onUpload) — bind a workflow to onUpload, import a file with several rows (including a large file), and verify every row is processed.
- Workflow record nodes — Filter conditions, Match Combine AND/OR, Table Row Mapping append/update, and the Set/+/-/* operators.
- Import modal — footer Import button, 100 MB limit, wrong file type rejected, and all errors per row listed.
- Unique Key — verify duplicates are blocked on create and edit with a readable message, and that Duplication Allowed permits duplicates.
- Login — Login Param, LOGIN_IDENTIFIERS restriction message, password history and expiry, and change password at login.
- Role Management Data Sources tab — grant/deny a data source and add a row rule; verify dashboards show only allowed rows.
- Holding two roles over the same module — verify feature permissions from both roles apply.
- Dashboard — Date/Filters on external-DB widgets, per-tab refresh, KPI "Same period last year", new period presets, and tablet/mobile layout.
- Form components — Default Date, Dropdown With States, Radio as Chips, Formula sortBy()/limit(), DATE_DIFF weeks, Textarea Show As, and the table formula Decimals setting.
- Listing — grouped cards with variant chips (unavailable combinations disabled, cart saves the chosen SKU), offers, pricing and out-of-stock replacement.
- Publish status — the builder Publish button, feature card and Transaction Management header agree (including cloned features).
- Transaction preview ⋮ menu — shown only for transaction features, with no duplicate Back to Builder button.
- Chat calling — refresh mid-call reconnects; group call permission and banner.
- Backup — Total Backups count, Safety badge on pre-restore backups, and Go to Schedules.

10. What to Test on Mobile

- Login – Normal Login
- Login – SSO (Sign In with Google, Sign In with Microsoft)
- Workspace Switch
- Module List
- Feature List
- Components
- Feature Data – Create, View, Edit, Clone, Delete
- Dashboard
- Integration – Weighing Machine, Third-Party API (Budgie, SAP), and Payment Gateways (Stripe, Razorpay, and PayU)
- Theme
- Push Notification
- Workflow – Approve and Reject
- Charts – Feature Data
- Data Table – Feature Data
- Security – Prevent copy, paste, cut, and text selection