Release Notes

CADP internal QA build release notes — generated from OpenProject. Not the in-app Release Notes feature used by tenants.

1. Release Overview

Field	Details
Product Name	**CADP Workspace**
Release Version	**Release 1.0.0 (21)**
Release Date	**October 13, 2026**
Release Type	**Feature & Bug Fix Release**
Prepared By	**Development Team**
Approved By	**Ganagavathy**
Environment	**QA**

2. Release Summary

This release of CADP Workspace Version 1.0.0 (21) delivers 31 bug fixes, 19 new features, and 16 enhancements across the platform. Highlights include Login – Multi-Factor Authentication (MFA), Workspace Switch – Password + OTP, and Session Params (Workspace Management → Session Params). It also includes a required configuration change (see Configuration Changes) and API changes (see API Changes). Refer to the Known Issues section for current limitations.

3. New Features

Feature ID	Feature Name	Description	Impact
	Login – Multi-Factor Authentication (MFA)	Organisation Details (Metadata Console → Organisation) has a new "Multi-Factor Authentication (MFA)" toggle. When it is on, a correct email/mobile + password login shows a "Verify it's you" step: choose Email or Mobile (SMS) — each shown partly hidden — click Send OTP, enter the 6-digit code and click Verify & Sign In. Resend is available after 30 seconds; the code is valid for 5 minutes and 5 wrong codes end the attempt (log in again). Applies to web and mobile. SSO logins are not asked for an OTP.	Stronger sign-in security, switched on per organisation.
	Workspace Switch – Password + OTP	When the organisation's auth policy is "Workspace" and MFA is on, switching workspace from the header asks for the target workspace's password and then a one-time code (Email or Mobile). With the tenant variable ALLOW_ADMIN_SWITCH_PASSWORD = true, Administrators must do the same; when false (default) Administrators switch as before.	
	Session Params (Workspace Management → Session Params)	A new Workspace Management tile where an admin picks the Login Param feature and the values to capture when a user logs in — from a field, a lookup, a linked feature, or a matching record in another feature — with a live preview for a sample login value. "Use session params in other features" maps a session key to a field of any feature (Equals / Starts with / Contains), so users only see that feature's matching records. Role → Data Access Control conditions can also use a session key (listed as sessionParams.<key>), and match both plain and lookup fields.	Record-level visibility per user (e.g. a sub-distributor sees only their distributor's data) without one rule per role.

Feature ID	Feature Name	Description	Impact
	Unique Combinations	Feature Information (below Corner Style) lets you define one or more Unique Combinations — a set of fields joined by AND. A record is rejected only when every field of a combination matches an existing record, with the message "Duplicate combination for fields … This combination must be unique."	Business keys such as Code + Branch + Year can be kept unique.
	Table View – Column Filter and Column Search	Transaction Settings has new Column Filter and Column Search cards. Each ticked field gets a funnel (and/or 🔍) button in its column header on the landing page's table view. The funnel offers a pick list (with value counts) for dropdown-type fields, text contains, number range or date range; active filters show as removable chips with "Clear column filters", are remembered per browser, and are honoured by Export. Fields that cannot be filtered are listed disabled with the reason.	
	Formula – Evaluation Logic	A new Evaluation Logic card in Transaction Settings (shown only on features with formulas) chooses whether formulas recalculate when a page opens in Create, Edit or View mode (defaults: Create on, Edit off, View off). A fourth option, "Wait for all referenced fields", keeps a formula blank until every field it reads has a value (zero counts as a value).	Saved figures stay as saved, and formulas don't show answers calculated from blank fields.
	Print – Download as Word	Records whose print template can be shown in Word get a Download Word action beside Download PDF (⋮ actions in list, grid, table and card views, and on Kanban cards). It uses the same published template and record data as the PDF.	

Feature ID	Feature Name	Description	Impact
	Print – Row Filter and Default Font Size	A print report table can print only matching rows (Row Filter: column, condition, value) — the canvas preview applies the same rule. The template settings modal offers the designer's 8 fonts and a new Default Font Size (8–72 px); new templates default to Arial 12 px, and the defaults also apply in the designer canvas.	Documents such as a sales-return credit note list only the relevant lines.
	Open Document on Record Click	View Settings (Transaction Settings → Views & Fields) has a per-view option "Open document when a record is clicked" for Grid, List, Table, Kanban and Card, with What opens: Published document else print preview (default), Published document only, or Print preview always.	
	Publish to Erudite	New Workflow node "Publish to Erudite" publishes an approved record's print document to Erudite Management (opens, is searchable by AI and is deleted like a manual upload). Transaction Settings → Publish to Erudite decides per feature: Publish automatically / Always ask / Don't publish. With Always ask, the record shows an amber "Awaiting publish" chip and users with modify permission get a publish button in the record actions.	Approved SOP-style records reach Erudite without a manual upload.
	Workflow – In-App Notification Node	New Communication node that sends a bell/inbox notification to selected users or roles, with custom title/body (@mentions) or a published In-App template, plus type, priority, display style, expiry and dismissible settings. "When Clicked" can open a chosen feature (list, new entry or the triggering record), a custom URL, or do nothing.	

Feature ID	Feature Name	Description	Impact
	Workflow – Line-Item (Table Row) Processing	Create Record has a Table Row Mapping section (writes all source table rows into ONE created record's Data Table) and a Records Field (creates one record per item). Switch/Case can route each table row by its own value (Match Table Rows). Update Record updates one record per row when its match value is a table column. Upsert can expand nested child rows ("Expand nested line items") and has a new "Update only" option that never creates a record.	Header + line-item flows (Order → Invoice, Loadout → Delivery → Inventory) work without one record per product row by mistake.
	Task Scheduler – Task Groups, Today Conditions and Record Actions	The Task Group tab lists the workspace's groups (name, description, task count) with + New Task Group, Edit and Delete. Date conditions in the Task modal can use Specific date / Today / Now with a ± days offset (e.g. Expiry Date ≤ Today). Tasks can run Record Actions (Update / Upsert records) on schedule, and a new Schedule Query Builder task type targets up to 2 features.	Expiry-style automation (e.g. move expired stock to an Unsellable line) without code.
	Inventory – Committed and On-Route Stock	Stock held by confirmed orders (Committed) and dispatched orders (On Route) is now deducted from available stock when those quantity fields are wired in the inventory settings.	Available stock no longer double-counts stock already promised or in transit.
	Listing – Formulas from Any Feature and Simple Details Layout	Listing card values are authored in Display Fields → + Add Formula, and a formula can use fields from any feature (e.g. a margin % looked up by Product Code). Listing → Details Page → Default template has a new Layout option: Standard or Simple (white page, thumbnails beside the image, lighter info column).	

Feature ID	Feature Name	Description	Impact
	Table Columns – Maximum Limit, Read-only and Set-value Conditions	Numeric table columns can set "Maximum from another column" (optionally summing sibling unit columns with conversion factors) and either show an error or reject the edit, optionally opening a Modal. A column's Read-only and Set-value conditions, and a feature-sourced dropdown column's Advanced Filters, are now applied at runtime.	e.g. Sales Return can no longer accept more returned stock than was invoiced.
	Label – Insert a Field with @	In a Label's Content Text, typing @ opens a field picker (table columns included) that inserts the field as a {Field Name} token; Enter/Tab insert, arrows move, Escape closes.	
	Auto-populate Chains	A field that fills from another field now also works when that parent was itself auto-filled — e.g. on Sales Return, picking an invoice fills Distributor, which then fills the distributor's address, city, state and GSTIN. Clearing the invoice clears the whole chain.	
	Chat – Audio Call Layout and Meeting Task List	Audio calls open in the dark gallery layout automatically, with a floating toolbar and no white bars. Meetings have a checkable task list (hosts add/remove, any participant ticks), and extra participant thumbnails collapse into an overflow cluster.	

4. Enhancements / Improvements

Enhancement ID	Module	Description	Benefit
	Login – Lockout	Login uses the tenant's current MAX_LOGIN_ATTEMPTS. When the limit is reached the user is told the account is locked and to try again in N minute(s), and an automatic lock lasts the tenant's RESET_UNLOCK_EVERY (unlocking is checked every minute).	Users know why they cannot log in and when to retry, and the lock matches what the tenant configured.
	Login – Password Reset and Change	Forgot password gives the same response whether or not the account exists, an OTP is invalidated after 5 wrong tries, and OTPs are no longer written to logs. The reset confirmation email now carries the user's details. With LOGIN TIME CHANGE PASSWORD on, the change-password screen keeps appearing until the password is actually changed.	Accounts can't be discovered or brute-forced through password reset, and the forced change can't be skipped.
	Security – File Links	Uploaded file links (logos, portal and feature files) now carry their own read-only access for that one file instead of a key to the whole storage container.	A leaked file link can no longer be used to read, change or delete other files.
	Credential Manager	Users created by Credential Manager get workspace roles from the record's Roles field, or a feature-level default. Administrator and inactive roles are never assigned this way.	No more assigning roles one by one in User Management after users are created.

Enhancement ID	Module	Description	Benefit
	Dashboard	Setting a dashboard's Status to Inactive (Templates Library → Dashboard → Edit) now hides it from every user's landing page and dashboard switcher. Admins can still open, edit and re-activate it.	A dashboard can be taken out of use without deleting it.
	Landing Page – Badge Colors	A field with Badge Colors applied (Transaction Settings → Badge Colors) is always shown as a coloured column on the landing page for every user, even if the field is Hidden or role-restricted on the form.	Status colours stay visible in the list for everyone.
	Data Tables – Child Rows	Data Tables with nested Child Rows keep each row's child rows when the record is saved and reopened, including tables filled by workflows.	Invoice rows keep their product lines (e.g. Loadout → Delivery) instead of losing them on save.
	Transaction Table – Performance	Picking a product and adding it to a transaction table returns in about 1.7 seconds instead of stalling for up to 30 seconds; lookup formula columns fill a moment later. Listings with simple projection formulas no longer load entire features first.	Faster order entry and listings; visible as much shorter requests in the Network tab.
	Formula Columns – Show As	Formula table columns follow their Show As setting: Label shows the formatted value and switches to the editor on click, Text area gives a multi-line cell (now for every column type), Input is unchanged.	Columns look and behave the way the designer configured them.

Enhancement ID	Module	Description	Benefit
	Builder – Duplicate Table	Duplicating a table gives every column in the copy a fresh identity and rebinds the copy's own formulas and conditions to it.	Formulas and rules on the copy no longer act on the original table.
	Field Pickers	Field pickers (e.g. Template Library variables) now list fields that sit inside role-restricted stepper steps.	Stepper-based features show all their fields when building templates.
	Print Templates	Each Printing card has a ⚙ Template settings button to edit name, description, category, mode, paper size, orientation, font and language after creation. Double-clicking a card opens it in design mode. Selected Modules and Features are kept when a template is reopened, and both pickers are searchable. Saved templates print blocks exactly where they are drawn.	Templates are easier to manage, and printouts match the design.
	Print – PDF Speed	Print View / Download reuse an already generated PDF when nothing in the record or template has changed, instead of rendering it again.	Faster PDF view/download and no duplicate stored documents.
	Workflow – Linked Features	The Linked Features picker on Create, Upsert, Communication and Utility nodes browses modules independently of the node's target module.	Picking a feature to @-mention no longer changes which feature the node writes to.

Enhancement ID	Module	Description	Benefit
	Workflow – Bulk Import	When a bulk import uploads header records that each carry line items, If Condition and Upsert nodes process each line (header + line fields). Upsert also reads table rows added after the workflow started (e.g. at a later approval step).	Imports and approvals create/update one record per line as expected.
	Approvals – Notifications	Approval in-app notifications show real field values (e.g. the RCF ID) instead of raw {{…}} tokens, in custom text and templates.	Approvers can see which record a notification is about.

5. Bug Fixes

Bug ID	Description
1075	Formula field-->NOW() date operator does not display the correct current time, even though the organization's time zone is set to Indian Standard Time (IST).
1441	Formula field---> The formula field output is not displayed in the list data when the same feature variable is used. It only works when a different feature variable is mapped. This issue occurs only in the Aggregate field.
1556	Formula Field-->The calculated output value of the Formula Field is not displayed in the form after the record is submitted. However, the calculated value is correctly displayed in the List/Table View.
1557	Formula Field-->After updating and resubmitting a record, the Formula Field does not recalculate the value. It continues to display the previously calculated value instead of the updated calculation.
1596	Formula-->The ENDWITH() formula field does not display any output when the case-sensitive parameter (TRUE) is used, even after entering a valid value in the mapped City field.
1602	Formula-->The CONTAINS() formula field does not display any output when the case-sensitive (TRUE) parameter is used.

Bug ID	Description
1623	Formula-->The SUM_OF_RECORDS() formula field does not calculate or display the total sum of records when used with & without filter conditions. Instead, it displays 0.00 even though valid numeric records are available.
1624	Formula-->The COUNT_RECORDS() formula returns 0.00 instead of the correct record count when valid records are available and no filter conditions are applied.
1628	Formula-->The AVG_OF_RECORDS() formula returns 0.00 instead of the correct average value, both with and without applying filter conditions, even when valid numeric records are available.
1632	Formula-->The MIN_OF_RECORDS() formula returns 0.00 instead of the correct minimum value, both with and without applying filter conditions, even when valid numeric records are available.
1636	Formula-->The MAX_OF_RECORDS() formula returns 0.00 instead of the correct maximum value, both with and without applying filter conditions, even when valid numeric records are available.
1638	Formula-->The UNIQUE() formula field returns a blank output even when the mapped Department field contains valid values.
1652	Formula-->Cross-feature formula using where() returns an empty value even when the matching records and filter condition are valid.
1668	Formula-->YEAR() function returns the year with decimal places (e.g., 2026.00) instead of an integer.
1670	Formula--> DATEFORMAT() formula field does not display any output after entering a valid date in the mapped date field.
1672	Formula-->TIME_DIFF() formula accepts a Text field as an argument and incorrectly validates the expression as valid.
1677	Design Page → After saving a component on the Design Page, the Close button on the JSON page overlaps with the AI icon.
1720	AI Feature Generation Fails Due to Missing AI Builder Credentials Instead of Creating the Requested Feature.
1722	Ask AI Displays Raw API Error Response Instead of User-Friendly Validation Message.

Bug ID	Description
1724	Cavin's AI->Unable to Delete Existing Chat Thread – "Chat Thread Not Found" Error Displayed.
1726	Chat history is not displayed after switching from "Create" to "Ask" tab until manually refreshed. Ask AI panel displays empty conversation after switching from Create tab.
1740	AI Ask FAQ icon does not display tooltip on mouse hover.
1764	Build with AI fails to create an application and displays "Looks like something interrupted the process".
1795	Formula-->Temp variable formula does not calculate the expected value in the Final Order Amount field.
1796	Formula-->UI issue in the Scoped Variable dialog: Feature & Fields, Operators & Functions, and Variables lists are displayed in a very small area, making the options difficult to read and select.
1953	User Management actions are not recorded in the Audit Log
1955	Change Password did not show the password policy rules
1956	No admin 'Reset Password' option for a user
1957	Non-admin user cannot change own password (403 Access denied)
1958	User list shows only the first 20 users; count is wrong
1959	Forced first-login password change can be skipped by logging in again

6. Configuration Changes

Configuration	Description	Impact
Multi-Factor Authentication (MFA)	New organisation setting in Metadata Console → Organisation, off by default. Email OTP uses the SMTP config; Mobile (SMS) OTP needs a default SMS gateway in the workspace.	Turn on per organisation to require an OTP at login (and on workspace switch with auth policy "Workspace").
ALLOW_ADMIN_SWITCH_PASSWORD (tenant variable)	Default false.	When true, Administrators must enter the workspace password (and OTP with MFA) when switching workspace.
MAX_LOGIN_ATTEMPTS, RESET_UNLOCK_EVERY, LOGIN_LOCK_DURATION_MINUTES	Login now reads MAX_LOGIN_ATTEMPTS live; automatic locks last RESET_UNLOCK_EVERY when auto-unlock is on, otherwise LOGIN_LOCK_DURATION_MINUTES (default 15).	Check these values on the test tenant before testing lockout.
AZURE_BLOB_ACCOUNT_KEY, AZURE_BLOB_READ_SAS_TTL_HOURS (master)	With the account key set, file URLs get per-file read-only access (default lifetime 8760 hours). Without it the old behaviour continues with a [SECURITY] warning in the logs.	Run the URL migration (resignBlobUrls.js --apply) to rewrite already-saved file URLs.

Configuration	Description	Impact
RBAC menu seed	New routes: Task Scheduler task groups (View/Create/Edit/Delete) and the Workspace → Session Params submenu (a migration grants it to existing roles).	Run the RBAC menu seeder and flush the Redis menu cache on the environment, otherwise these screens return 403.
Transaction Settings – Publish to Erudite	New parameter: Publish automatically (default) / Always ask / Don't publish.	Set per feature that uses the Publish to Erudite node.
Chat rate limits	All chat routes 400 requests/min per user (was 200); create meeting 20/min (was 10); join meeting 40/min (was 20).	Normal call testing no longer hits "Too many requests".
Print templates – layout	Templates saved or published from the designer are stamped with the paper-edge layout, so blocks print where they are drawn.	Older templates keep their current print positions until re-saved in the designer.

7. API Changes

API Name	Type	Description
POST /public/users/login	Changed	When the organisation has MFA on, a correct password returns { mfaRequired: true, challengeId, methods[], otpLength } instead of a session. Too many failed attempts return 423 with "Your account is locked … try again in N minute(s)".

API Name	Type	Description
POST /public/users/login/mfa/send-otp, POST /public/users/login/mfa/verify-otp	New	Send the login OTP to the chosen method; verify it and return the normal login response. An expired or over-used challenge returns code MFA_CHALLENGE_EXPIRED.
POST /users/workspace-switch/verify-password, POST /users/workspace-switch/mfa/send-otp, POST /users/workspace-switch/mfa/verify-otp	New	Workspace switch: check the target workspace password (returns isValid, mfaRequired, challengeId, methods), then send and verify the OTP.
Forgot password / verify OTP / reset (public)	Changed	Always answers 200 "If an account exists…, an OTP has been sent"; an unknown account behaves like an expired OTP; 5 wrong OTPs invalidate it. Rate limits (per IP / per account): login 30 per 5 min / 10 per 15 min; forgot-password and resend-OTP 10 / 3 per 15 min; OTP verify and reset 20 per 15 min per IP.
PUT /tenant/tenantPage, GET /tenant/:tenantId/basicinfo	Changed	Carry the organisation's mfaEnabled setting.
GET /public/domain, file upload responses	Changed	File URLs carry a read-only access token for that one file (no container-wide token).
GET / PUT /master/features/:id/session-params	New	Read / save a feature's session params and "find the user's record by" field ({ sessionParams, matchField }).
POST /session-params/preview	New	Preview the session-param values a given login value would produce (read-only).
Login / refresh / workspace switch (access token)	Changed	The access token carries the user's sessionParams; Data Access Control rules using $$SESSION_PARAM:<key>$$ are resolved from it.

API Name	Type	Description
POST /master/feature-data/:featureId/data/search, export, POST /master/extraction/:featureId	Changed	New filter operators: in ("is any of", array value), greaterThanOrEqual, lessThanOrEqual — used by Column Filter. Column Filter pick lists use extraction facet counts.
POST /master/extraction/:featureId	Changed	Accepts lookups[] (up to 20) so listing card values can come from another feature's fields.
GET /master/extraction/:featureId/fields	Changed	Also lists fields inside role-restricted stepper steps.
POST /master/feature-data/:featureId/data/auto-id/preview	Changed	Accepts tableId and count for Auto Gen ID table columns and returns previewValues.
GET / POST /notification/scheduler/task-groups, PUT / DELETE /notification/scheduler/task-groups/:id	New	Task Group CRUD (list includes taskCount). 409 for a duplicate name or deleting a group still used by a task.
POST /template-service/templates/print-templates/:id/generate-docx	New	Download a record's print document as Word.
POST /template-service/templates/print-templates/:id/generate-pdf	Changed	Returns the stored PDF when nothing that shapes the document has changed, instead of rendering again.
Feature record save / read	Changed	Nested Child Rows tables store and return each row's child rows (under the table's Child Rows key).
Runtime dashboard / dashboards by role	Changed	Inactive dashboards are excluded.
POST /master/feature-data/:featureId/inter-service/record-operations	New (internal)	Scheduler-only endpoint for scheduled Update / Upsert record actions; user tokens get 401.

API Name	Type	Description
POST /internal/print-links (master), POST /internal/erudite/documents/publish (rbac)	New (internal)	Used by the Publish to Erudite workflow node to save the record's PDF and create the Erudite document.

8. Known Issues

Issue ID	Description	Workaround
	Role Management Change Effect	Because some menu structures have changed, certain features may return a 403 status code. To resolve this, edit the role, select the platform feature, and save the role again.
	Scheduler with Workflow Not Working	Use the conventional feature-wise approach wherever workflow scheduling is required.
	Formula Builder UI – Field Insertion Through Typing	This works in current fields. For external feature fields, it won't work, as there could be fields with same names from multiple features.
	Formula Builder – AI-Based Formula Writing/Editing Not Implemented	Use manual formula entry instead.
364	Organization Details → Basic Info: Website URL accepts invalid URL formats without validation.	Expected: Validate the URL format and show an error message for invalid values, such as www.example or example@123.www.example
	Builder Tool Not Available on Mobile Web	The builder tool is not supported on mobile web. This is implemented as expected — builder functionality is restricted to desktop browsers by design. It should be available on Tab though.
	Mobile – Formula Field Not Working in Tables & Charts	Formula fields are not evaluated correctly when used inside Tables and Charts on mobile. This is under review.

Issue ID	Description	Workaround
	Newly uploaded Erudite documents are not immediately answerable by AI Ask	The badge shows "Indexing…" until the document is ready; wait for "AI ready" before asking about it.
	MFA by Mobile (SMS) needs an SMS gateway	Mobile is offered only when the user has a mobile number and the workspace has a default SMS gateway configured; otherwise use Email.
	New login and password-reset rate limits can block repeated test attempts	Forgot-password / resend-OTP allow 3 requests per account per 15 minutes and login 10 per account per 15 minutes. Wait for the window to pass or use another test account.

9. What to Test

- Login – Login, Sign In with Google (have to be configured in external providers in Tenants of metadata), Sign In with Microsoft (have to be configured in external providers in Tenants of metadata)
- **Create Application**
  1. Start from Scratch
  2. Choose/Create Vertical Template

- **AI-Assisted Creation & Ask FAQ** (Cavin's AI assistant — the AI launcher icon)
    1. **AI App Creation**
        a. From the workspace (any page other than Modules Management / Features Management / Builder Tool), open Cavin's AI and select the **Create** tab.
        b. Verify the helper line reads "Create builds a new application from your description".
        c. Describe the application to build and send. Verify creation progress is shown and "Application created from AI." appears on completion.
        d. Verify the generated application, its modules and features are listed and can be opened in the workspace.
        e. If the AI asks clarifying questions, answer them and verify creation continues (no success message is shown until something is actually created).
    2. **AI Module Creation**
        a. Open an application's **Modules Management** page, open Cavin's AI and select the **Create** tab.
        b. Verify the helper line reads "Create builds a new module here".
        c. Describe the module to build and send. Verify "Created N module(s) from AI." appears and the module list refreshes with the new module(s).
        d. Open the created module and verify it can be edited further.
    3. **AI Feature Creation**
        a. Open a module's **Features Management** page (or the Builder Tool), open Cavin's AI and select the **Create** tab.
        b. Verify the helper line reads "Create builds a new feature here".
        c. Describe the feature to build and send. Verify "Created N feature(s) from AI." appears and the feature list refreshes.
        d. From the Builder Tool, verify you are taken to the first created feature in the builder.
        e. Verify the generated form has appropriate components/fields, then publish it and verify records can be created, viewed and edited.
    4. **Create / Ask mode behaviour**
        a. In the Create tab, type a question instead of a build request. Verify nothing is created and an "Ask this in Ask mode" suggestion is offered; clicking it moves the question to the Ask tab.
        b. With a user who has only AI Builder or only AI Ask access, verify only that tab is available; with no create access, verify past conversations are read-only.
        c. Verify conversation history can be searched and reopened for each mode.

5. **AI Ask FAQ**

   Scope: AI Ask FAQ is trained only on the following platform documentation. Questions must be asked on these topics only:

   - CADP User Login Guide
   - CADP Functional Specifications
   - CADP Erudite Management Complete
   - CADP Workspace Guide
   - CADP User Preferences Guide
   - CADP Role Management
   - AI FAQ Guide Transactions Runtime
   - CADP Login Complete
   - CADP Erudite Management Complete Guide
   - CADP Features Guide
   - CADP Modules Guide
   - CADP Platform Architecture Report
   - CADP Templates Integrations Workflows Basics Guide
   - CADP Features And Submodules Guide
   - CADP Organization Guide
   - CADP Builder Tool Guide

   a. Open Cavin's AI, select the **Ask** tab and ask a question about platform configuration on one of the trained topics above.

   b. Verify a relevant and accurate answer is returned.

   c. Ask a follow-up or ambiguous question and verify it is handled gracefully.

   d. Ask a question outside the trained topics and verify AI Ask FAQ declines or returns an appropriate out-of-scope fallback rather than a fabricated answer.

   e. Verify Ask mode changes nothing in the workspace (it only answers).

- **User Management**

  1. Create/Manage Users
  2. Create/Manage Groups
  3. Import/Export Users
  4. Archive/Unarchive Users
  5. Locked Users
  6. Waiting Approval
  7. Please update existing users in each workspace.
  8. In the Users tab, when creating a new user, the Approval Type default is No Approval.

- **User Preferences**
    1. Profile update – first name, last name updating, profile picture updating.
    2. Change password
    3. Locale and Date-time updating
    4. Interface
        i. Theme change, color change. Color change here will override the brand color for that specific user of that workspace only.
        ii. Records per page is reflecting.
        iii. Language (currently only English accepted)
    5. Customization – module and features are visible based on visibility setting, quick access for that enabled feature is redirecting to feature transactions (records) page.
    6. Privacy & Security
    7. Miscellaneous – Default landing page, preferred currency, auto-save drafts, save interval
    8. Preferred user workspace
    9. Reset Preferences
- **Groups**
    1. Archive/Unarchive

- **Roles**
    1. Platform Roles
    2. Archive/Unarchive
    3. Workspace Role
    4. Feature Access Level
    5. Data Access Level
    6. User or Group Role Mapping
- **Workspace Management**
    1. Create Workspace
    2. Clone Workspace
    3. Archive Workspace
    4. Workspace Settings
- **Organization Management**
    1. Organization Details
    2. Organization Address
    3. Branding Details
- **Module/Feature Management**
    1. Create/Manage Module
    2. Create/Manage Features
    3. Design components for features
    4. Features and Modules can be published
    5. Audit Logs (Platform & Workspace)
    6. Version Logs (Workspace & Workflow)
    7. Staging
    8. Feature Card and Module Card Customization
- **Notification & Alerts**
    1. Email Notification & Templates – Create template and use template to send notification
    2. SMS Notification & Templates – Create template and use template to send notification
    3. WhatsApp Notification & Templates – Create template and use template to send notification
    4. In-App Notification & Templates – Create template and use template to send notification
    5. Push Notification & Templates – Create template and use template to send notification

- **Erudite Management**
  1. **Configuration (prerequisite)**
     a. Enable Erudite Management in Role Management before testing.
     b. Verify users without the role cannot access the Erudite Management module.
  2. **FAQs**
     a. Create a new FAQ with a question, answer, and category (Account, Billing, General, Technical).
     b. Verify the FAQ appears in the FAQ list after saving.
     c. Enable "Display this on the dashboard" and verify the FAQ is visible on the dashboard.
     d. Edit an existing FAQ and verify changes are saved correctly.
     e. Delete a FAQ and verify it is removed from the list.
     f. Search for a FAQ by keyword and verify correct results are returned.
  3. **Documentation**
     a. Upload a document (PDF or DOC, max 5 MB) with a name, description, and category.
     b. Verify the document appears in the Documentation list after saving.
     c. Attempt to upload a file exceeding 5 MB and verify a validation error is shown.
     d. Attempt to upload an unsupported file format and verify it is rejected.
     e. Enable "Display this on the dashboard" and verify the document is visible on the dashboard.
     f. Edit document details and verify changes are saved correctly.
     g. Delete a document and verify it is removed from the list.
  4. **Tutorial Videos**
     a. Upload a video (MP4, MOV, or MKV, max 50 MB) with a name, description, and category.
     b. Verify the video appears in the Tutorial Videos list after saving.
     c. Attempt to upload a file exceeding 50 MB and verify a validation error is shown.
     d. Attempt to upload an unsupported file format and verify it is rejected.
     e. Enable "Display this on the dashboard" and verify the video is visible on the dashboard.
     f. Edit video details and verify changes are saved correctly.
     g. Delete a video and verify it is removed from the list.
  5. **End User Access**
     a. Verify end users can browse and read FAQs, documentation, and tutorial videos.
     b. Verify items marked "Display on dashboard" appear on the user's dashboard.
     c. Verify items not marked for dashboard display do not appear on the dashboard.

- **Components**
    1. Layouts
        1. Column
        2. Section (various nested scenarios)
    2. Data Management (API Integration, Device Integration)
    3. Input Components (Phone Number, Password, Dropdown with Feature as Field Value)
    4. Specialized Input & Display
    5. Display and Interaction
    6. Media and Files
    7. Forms and Validation
    8. Utility Components
    9. Data Config Component
    10. Hyper Link Component
    11. Favorite Component
    12. OCR Component
        a. Add the OCR component to a feature form and upload an image or document.
        b. General text extraction → verify the text is extracted from the uploaded image/document and displayed within the selected output textarea
        c. Verify the extracted text is saved correctly with the record and is visible on View/Edit.
    13. Analytics & Report Components
        1. Chart Component
        2. Gantt Chart Component
        3. KPI Card Component
    14. Form UI
        1. Table component and Table level formulas, Summary row formulas
    15. Reusable Component

- **Page Builder**
    1. Create a new page and verify it is saved and listed.
    2. Drag-and-drop layouts (columns, sections) and reusable components onto the page canvas.
    3. Configure component properties and verify changes reflect on the page.
    4. Reorder, move, and delete components on the canvas.
    5. Edit an existing page and verify changes are persisted.
    6. Delete a page and verify it is removed from the list.
    7. Publish the page and verify it renders correctly at runtime.
    8. Verify the page is responsive across mobile, tablet, and desktop.
    9. Verify role-based access — only authorized users can build/edit pages.
- **Workflow Management**
    1. Visual canvas for creating workflows
    2. Drag-and-drop node placement
    3. Node connection with visual links
    4. Canvas zoom and pan controls
    5. Grid snap for alignment
    6. Create new workflows
    7. Edit existing workflows
    8. Delete workflows
    9. List/view all workflows
- **Workflow Nodes – Control Flow**
    1. Start Node (workflow trigger point)
    2. End Node (workflow termination)
    3. Condition/Decision Node (if-else logic)
- **Workflow Nodes – Communication**
    1. Email Notification Node
    2. SMS Notification Node
    3. User Task/Approval Node
    4. System Notification Node

- **Workflow Monitoring**
    1. Execution history logs
    2. Workflow instance status tracking
    3. Node-level execution details
    4. Error logs and stack traces
    5. Approval node changes for user selection
    6. Added SLA and escalation reminder for approvals
    7. Added parallel workflow approval node
- **Printing Templates**
    1. QR Code – Generate and Print
    2. Barcode – Generate and Print
    3. Invoice – Generate and Print
- **Role-Based Dashboards**
    1. Role-based dashboard template creation
    2. Dashboard rendering based on created template
- **Scheduler & Task Scheduler**
    1. Create and use Schedule
    2. Create and use Task Schedule
    3. Event-based task schedule
    4. Schedule-based task schedule
    5. Schedule a notification
    6. SMS
    7. Mail
    8. WhatsApp
    9. Push
    10. In-App
    11. Schedule a report send (PDF) through mail from a configured email template.

- **Formula Builder Functionality**
    1. Same Feature
        a. Arithmetic
        b. Logical
        c. Comparison
        d. Text
        e. Math
        f. Date
        g. Conditional
        h. Miscellaneous
        i. Aggregate → with filter conditions and without filter conditions.
    2. Cross Feature
        a. Arithmetic
        b. Logical
        c. Comparison
        d. Text
        e. Math
        f. Date
        g. Conditional
        h. Miscellaneous
        i. Aggregate → with filter conditions and without filter conditions.
    3. Incompatible datatype operations, for example, arithmetic on a text input field, should show a validation error.
    4. Unrecognized fields, functions, or operators should show a validation error.
    5. If external fields are called without where() conditions, it should show MULTIPLE RECORDS FOUND ERROR in preview for non-aggregate functions/operations.
    6. Variables are not working. Review which variables should be displayed in the modal.

- **Formula Builder UI**
    1. On clicking a feature from the feature list, fields in the selected feature should be displayed, except for the current field, to prevent self-call loops.
    2. On selecting external feature fields, where() should appear in the modal.
    3. On selecting where(), the modal should automatically switch to the Feature and Fields tab.
    4. On hovering over a field, field information such as module name and feature name should be displayed.
    5. The Clear button or backspace should work as follows:
        i. First click of clear/backspace will select the token.
        ii. Next click of clear/backspace will clear that token.
    6. Empty formulas should not be saved.
    7. Formulas should not be saved without validation.

- **Formula Builder – Helper Tools**
  1. **Cheat Sheet** (**?** icon)
     a. Open the Cheat Sheet and verify functions are grouped by category (Lookup, Nested Lookup, Aggregation, Conditional, Math, String, Date).
     b. Search for a function and verify the list filters correctly.
     c. Click the copy icon on an example and verify it is copied to the clipboard.
     d. Press Esc and verify the modal closes.
  2. **Examples**
     a. Open the Examples drawer and verify 50 scenarios across all categories are listed.
     b. Filter by a category and search; verify results update.
     c. Click "Use This Pattern" and verify the formula is inserted into the editor.
  3. **Test Formula (Playground)**
     a. For a current-feature calculation (e.g. *{number_field} * 5*), open Test Formula, verify a type-aware input appears per field (number/date/true-false/text), enter values, run, and verify the correct result, type, and (where relevant) matched-record count.
     b. For a lookup formula (uses *.where()* / external feature fields), verify NO value-input form is shown and a "Lookup formula – test against a real record" message appears instead.
     c. For an aggregate formula (SUM/COUNT/AVG/MIN/MAX of records), verify the "Aggregate formula – test against a real record" message is shown and the form is not available.
     d. Verify the Test Formula button is disabled when the formula is empty.
  4. **Template Library**
     a. Open the Template Library and verify the **Most Used** tab lists the 20 platform built-in templates (e.g. GST, TDS, net salary, lookups, aggregations).
     b. Search and filter by category; verify results update.
     c. Click "Use This Template" and verify the formula is inserted into the editor.
     d. With a formula in the editor, click "Save current formula as template", fill title/category/description, save, and verify it appears under **My Templates**.
     e. Delete a saved (non built-in) template and verify it is removed. Verify built-in templates cannot be deleted.

5. **Formula Wizard**
    a. **Lookup mode:** choose "Lookup a value", select a source feature, select the field to return, add a match condition (verify the "Right side is a field reference" option shows a dropdown of the current feature's fields), check the live preview, and Insert.
    b. **Aggregate mode:** choose "Aggregate records", select feature/field, optionally add one filter condition, choose the function (SUM/COUNT/AVG/MIN/MAX), and Insert.
    c. Verify the formula preview only appears after a return field is chosen, and that going Back keeps your previous selections.
    d. After inserting, hover over the tokens in the editor and verify the correct Module name and Feature name are shown for each (including the source feature for the looked-up field).
6. **Smart Validation Messages**
    a. Enter an invalid formula (e.g. unknown function, missing where(), wrong argument count) and click Validate Expression; verify the error includes a helpful suggestion and an example, not just a generic message.

- **Integrations**
    1. Step 1: Go to the Integration Type field and select "Third-Party Software".
       Expected Result: A new dropdown field called Select Type should appear.
    2. Step 2: Check the options inside the Select Type dropdown.
       Expected Result: It should contain options including "Third-Party API" and "Google Drive".
    3. Step 3: Choose "Third-Party API" from the dropdown.
       Expected Result: The configuration fields specific to the Third-Party API should be displayed.
    4. Step 4: Change the selection to "Google Drive".
       Expected Result: The system should dynamically display the Google Drive configuration fields: Client ID, Client Secret, and Refresh Token.

This build — additional test focus:

- MFA — turn the organisation MFA toggle on; log in with Email and with Mobile (SMS) OTP, resend after 30 s, expired code, 5 wrong codes; confirm SSO login is not asked for an OTP; turn it off and confirm normal login.
- Workspace switch — with auth policy "Workspace" + MFA, switch workspace (password then OTP); repeat as Administrator with ALLOW_ADMIN_SWITCH_PASSWORD true and false.
- Lockout & password reset — exceed MAX_LOGIN_ATTEMPTS and check the "locked, try again in N minute(s)" message and unlock after RESET_UNLOCK_EVERY; forgot password for an existing and a non-existing account gives the same message; 5 wrong OTPs invalidate it; LOGIN TIME CHANGE PASSWORD can't be skipped by logging in again.

- Session Params — configure the tile with a field, a lookup, a linked feature and a match-in feature; check Preview; log in as a mapped user and verify Role DAC rules and "Use session params in other features" show only matching records (plain and lookup fields).
- Unique Combinations — create records that match one field vs. every field of a combination.
- Column Filter / Column Search — pick list, text, number and date range filters, chips, Clear, Export with filters, and per-column search.
- Evaluation Logic — each Create/Edit/View option and "Wait for all referenced fields" (a zero still calculates).
- Print — Download Word vs PDF, Row Filter on a report table, Default Font Size, ⚙ template settings, double-click to open, blocks print where drawn.
- Open document on record click — each view type and each "What opens" option.
- Publish to Erudite — node with Publish automatically / Always ask (Awaiting publish chip + publish button) / Don't publish.
- Workflows — In-App Notification node (template and custom, When Clicked targets); Create Record Table Row Mapping and Records Field; Switch Match Table Rows; Upsert Expand nested line items and Update only; Update Record per table row.
- Workflow runs — a rejection that loops back starts a clean new approval round (old tasks closed); an End node on one parallel branch doesn't stop the others and the run ends Completed.
- Task Scheduler — create/edit/delete task groups (can't delete one in use); Today/Now conditions with offsets; scheduled Update/Upsert record actions; Schedule Query Builder with 2 features.
- Auto Gen ID — an Auto Gen ID column in a transaction table shows real sequential ids (e.g. TSK-26-27-1), continues from earlier records, and the preview matches the saved id for every format.
- Forms — a Default Value on a field inside an Accordion is applied on a new record; a dropdown With States in its Final state can't move back.
- Sales Return — invoice selection fills the product table and the distributor chain; Return Qty can't exceed the invoiced quantity.
- AI — retest AI App / Module / Feature creation and AI Ask (the AI Builder credential fix is in this build).

10. What to Test on Mobile

- Login – Normal Login
- Login – SSO (Sign In with Google, Sign In with Microsoft)
- Workspace Switch
- Module List
- Feature List
- Components
- Feature Data – Create, View, Edit, Clone, Delete
- Dashboard
- Integration – Weighing Machine, Third-Party API (Budgie, SAP), and Payment Gateways (Stripe, Razorpay, and PayU)
- Theme
- Push Notification
- Workflow – Approve and Reject
- Charts – Feature Data
- Data Table – Feature Data
- Security – Prevent copy, paste, cut, and text selection