

Release Notes

CADP internal QA build release notes — generated from OpenProject. Not the in-app Release Notes feature used by tenants.

1. Release Overview

Field	Details
Product Name	CADP Workspace
Release Version	Release 1.0.0 (21)
Release Date	July 31, 2026
Release Type	Feature & Bug Fix Release
Prepared By	Development Team
Approved By	Ganagavathy
Environment	QA

2. Release Summary

This release of CADP Workspace Version 1.0.0 (21) delivers 0 bug fixes, 10 new features, and 20 enhancements across the platform. Highlights include Payment Mode, Overflow (:) Menu, and Discount Coupon. It also includes a required configuration change (see Configuration Changes). Refer to the Known Issues section for current limitations.

3. New Features

Feature ID	Feature Name	Description	Impact
	Payment Mode	New Payment Mode component and flow — method cards sourced from feature data, amount entry, a denomination sub-modal, and Bill/Paid/Balance totals; Confirm Payment submits the transaction.	End-to-end in-form payment capture.

Feature ID	Feature Name	Description	Impact
	Overflow (⋮) Menu	New kebab-menu component that groups actions (Import, Email, Print, Hold, Recall) behind one trigger; items persist on Save and render in the action toolbar.	Declutters the action bar.
	Discount Coupon	Discount Coupon component — shoppers enter a code that is validated against configured coupons and applies a discount (builder + runtime); the computed discount can be written to a referenceable field.	Coupon/discount support at runtime.
	DISTINCT formula aggregates	New DISTINCT aggregate family — DISTINCT_COUNT / SUM / AVG / MIN / MAX_OF_RECORDS plus a SQL-style DISTINCT({field}) modifier — for unique-value calculations (e.g. unique outlets, active users).	Distinct-count metrics the engine previously couldn't express.
	Button – link & open-modal	Buttons support a text "link" variant and an "open-modal" action that opens any modal on the page.	More flexible button behaviour.
	Table cell display mode	Table columns can render as a read-only label that becomes editable on click, with per-column Cell Display, output decimals, and footer decimals.	Cleaner, configurable table cells.
	Adjustable column width in Preview	Column widths are respected and columns can be marked "adjustable" for Excel-style drag-resizing in Preview.	Tune table columns directly in preview.
	Formula field "Show As: Label"	Formula fields can render as a label row (label-left / value-right) with optional inline editing and summary-row styling (sign prefixes, coloured/emphasised values).	Presentable bill-summary style formula rows.
	Configurable modal styling & footer	Per-modal flat/Figma style overrides, a configurable set of footer action buttons, and custom Submit/Cancel labels.	Fully configurable modals.
	Builder Preview guard	Previewing an unpublished form shows a "Back to Builder" button and is view-only — Submit and Save-as-Draft are blocked.	Safe preview of unpublished forms.

4. Enhancements / Improvements

Enhancement ID	Module	Description	Benefit
	Formula Engine	DISTINCT aggregates now run as a MongoDB group query — a ~12k-row distinct count drops from ~16.8s to ~0.55s.	Much faster distinct-aggregate dashboards.
	Formula Engine	DISTINCT aggregates now appear in autocomplete/help; an Expression Builder render loop was fixed.	Discoverable DISTINCT functions.
	Reports / Extraction	Projection-formula rows are evaluated with bounded parallelism, fetching only the reference fields a response needs.	Faster projection and extraction.
	Data Table	Formula columns support Sum / Average / Min / Max footer totals, not just Count.	Richer totals rows.
	Tax Summary	Pivot headers show readable labels instead of raw field keys, with an opt-in modern (Figma) style.	Readable, polished tax summary.
	Button	Button icons persist on Save/Publish; the icon picker uses the tenant brand colour with proper alignment.	Reliable, on-brand button icons.
	Components	Column width is now single-source — a width set to 20% no longer reverts to 35%.	Predictable column widths.
	Transactions	Line items (including quantities) can be copied from another feature via a header lookup.	Faster line-item entry.
	Transaction Layout	Desktop preview scrolls only the form body; tall columns scroll internally (no global page scrollbar); tighter header/padding; the summary/right column stays fully visible.	Cleaner, more usable transaction forms.
	Save Properties Modal	Sits below the fixed app header, clips to its rounded corners, shows the real data-field count, and themes the Device Visibility card to brand.	Polished Save Properties dialog.
	Import Feature Modal	Clears the fixed app header and scrolls tall content internally.	Usable import dialog.

Enhancement ID	Module	Description	Benefit
	JSON Preview	Shows the true recursive component count and matches the Save modal's size and position.	Accurate JSON preview.
	Lookup / Dropdown	Feature-backed dropdowns open in the correct position without flicker, show a single brand focus ring, and no longer flash on selection.	Smoother dropdowns.
	Transaction Management	Display-only components (labels/headings/dividers) no longer appear as empty columns and are excluded from the submitted payload.	Cleaner listings and saved data.
	Payment Mode	The payment value renders as method chips with Paid/Balance (not raw JSON); Confirm Payment shows a spinner and disables during submit.	Readable payment cells; no double-submit.
	Layout	Sections reflow when a nested accordion collapses; the accordion header title aligns with its chevron.	Tighter, responsive layouts.
	Builder	The "Save as Draft" button label is editable and persists.	Custom draft-button text.
	Properties Panel	Advanced Layout toggles can be deselected by clicking the active option.	More flexible layout configuration.
	Overflow Menu	Compact, aligned default layout with themed line-icons that follow the text colour.	Consistent overflow menu.
	Workspace Switcher	Inactive workspaces show a neutral gray icon chip; only the active one keeps the brand tint.	Clearer active-workspace cue.

5. Bug Fixes

Bug ID	Description
—	No fixed bugs recorded yet for this release.

6. Configuration Changes

Configuration	Description	Impact
Re-seed componentProperties	Re-seed `componentProperties` in the target environment so the new component styling/config keys (table column display mode & number format, and label styling authored under `advanced.*`) persist on Save.	Without the re-seed, these styling/config keys are stripped on save.

7. API Changes

API Name	Type	Description
None	N/A	No API changes are included in this release.

8. Known Issues

Issue ID	Description	Workaround
	Role Management Change Effect	Because some menu structures have changed, certain features may return a 403 status code. To resolve this, edit the role, select the platform feature, and save the role again.
	Scheduler with Workflow Not Working	Use the conventional feature-wise approach wherever workflow scheduling is required.
	Formula Builder UI – Field Insertion Through Typing	This works in current fields. For external feature fields, it won't work, as there could be fields with same names from multiple features.
	Formula Builder – AI-Based Formula Writing/Editing Not Implemented	Use manual formula entry instead.
364	Organization Details → Basic Info: Website URL accepts invalid URL formats without validation.	Expected: Validate the URL format and show an error message for invalid values, such as <code>www.example</code> or <code>example@123.www.example</code>
	Builder Tool Not Available on Mobile Web	The builder tool is not supported on mobile web. This is implemented as expected — builder functionality is restricted to desktop browsers by design. It should be available on Tab though.

Issue ID	Description	Workaround
	Mobile – Formula Field Not Working in Tables & Charts	Formula fields are not evaluated correctly when used inside Tables and Charts on mobile. This is under review.
	AI Components — the AI Text Generator, OCR Extraction (Field Extraction), and Doc Summarizer currently do not work, because the LLM Gateway API is blocking the domains (CORS).	Use OCR Extraction (General Extraction), which works as expected.

9. What to Test

- Login – Login, Sign In with Google (have to be configured in external providers in Tenants of metadata), Sign In with Microsoft (have to be configured in external providers in Tenants of metadata)
- **Create Application**
 1. Start from Scratch
 2. Choose/Create Vertical Template

- **AI-Assisted Creation & Ask FAQ**

- 1. AI App Creation**

- a. Open the AI application builder and enter a prompt describing the application to build.
- b. Verify the AI generates the application along with its modules and features.
- c. Verify the generated modules and features are listed and can be opened in the workspace.
- d. Refine/regenerate from the prompt and verify the application updates accordingly.
- e. Publish the generated application and verify it renders correctly at runtime.
- f. Verify the AI request and response are routed through CavinGuard and logged.

- 2. AI Module Creation**

- a. From within an application, choose "Create Module with AI" and describe the module to build.
- b. Verify the AI generates the module with the expected features and fields.
- c. Verify the module appears in the module list and can be edited further.
- d. Publish the module and verify it is available at runtime.
- e. Verify the AI request and response are routed through CavinGuard and logged.

- 3. AI Feature Creation**

- a. Within a module, choose "Create Feature with AI" and describe the feature to build.
- b. Verify the AI generates the feature form with the appropriate components and fields.
- c. Verify the feature appears in the feature list and can be designed/edited further.
- d. Publish the feature and verify records can be created, viewed, and edited.
- e. Verify the AI request and response are routed through CavinGuard and logged.

4. AI Ask FAQ

Scope: AI Ask FAQ is trained only on the following platform documentation. Questions must be asked on these topics only:

- CADP User Login Guide
- CADP Functional Specifications
- CADP Erudite Management Complete
- CADP Workspace Guide
- CADP User Preferences Guide
- CADP Role Management
- AI FAQ Guide Transactions Runtime
- CADP Login Complete
- CADP Erudite Management Complete Guide
- CADP Features Guide
- CADP Modules Guide
- CADP Platform Architecture Report
- CADP Templates Integrations Workflows Basics Guide
- CADP Features And Submodules Guide
- CADP Organization Guide
- CADP Builder Tool Guide

- a. Open AI Ask FAQ and ask a question about platform configuration on one of the trained topics above.
- b. Verify a relevant and accurate answer is returned.
- c. Ask a follow-up or ambiguous question and verify it is handled gracefully.
- d. Ask a question outside the trained topics and verify AI Ask FAQ declines or returns an appropriate out-of-scope fallback rather than a fabricated answer.
- e. Verify the prompt and response are logged and routed through CavinGuard.

- **User Management**

1. Create/Manage Users
2. Create/Manage Groups
3. Import/Export Users
4. Archive/Unarchive Users
5. Locked Users
6. Waiting Approval
7. Please update existing users in each workspace.
8. In the Users tab, when creating a new user, the Approval Type default is No Approval.

- **User Preferences**

1. Profile update – first name, last name updating, profile picture updating.
2. Change password
3. Locale and Date-time updating
4. Interface
 - i. Theme change, color change. Color change here will override the brand color for that specific user of that workspace only.
 - ii. Records per page is reflecting.
 - iii. Language (currently only English accepted)
5. Customization – module and features are visible based on visibility setting, quick access for that enabled feature is redirecting to feature transactions (records) page.
6. Privacy & Security
7. Miscellaneous – Default landing page, preferred currency, auto-save drafts, save interval
8. Preferred user workspace
9. Reset Preferences

- **Groups**

1. Archive/Unarchive

- **Roles**

1. Platform Roles
2. Archive/Unarchive
3. Workspace Role
4. Feature Access Level
5. Data Access Level
6. User or Group Role Mapping

- **Workspace Management**

1. Create Workspace
2. Clone Workspace
3. Archive Workspace
4. Workspace Settings

- **Organization Management**

1. Organization Details
2. Organization Address
3. Branding Details

- **Module/Feature Management**

1. Create/Manage Module
2. Create/Manage Features
3. Design components for features
4. Features and Modules can be published
5. Audit Logs (Platform & Workspace)
6. Version Logs (Workspace & Workflow)
7. Staging
8. Feature Card and Module Card Customization

- **Notification & Alerts**

1. Email Notification & Templates – Create template and use template to send notification
2. SMS Notification & Templates – Create template and use template to send notification
3. WhatsApp Notification & Templates – Create template and use template to send notification
4. In-App Notification & Templates – Create template and use template to send notification
5. Push Notification & Templates – Create template and use template to send notification

- **Erudite Management**

- 1. Configuration (prerequisite)**

- a. Enable Erudite Management in Role Management before testing.
- b. Verify users without the role cannot access the Erudite Management module.

- 2. FAQs**

- a. Create a new FAQ with a question, answer, and category (Account, Billing, General, Technical).
- b. Verify the FAQ appears in the FAQ list after saving.
- c. Enable "Display this on the dashboard" and verify the FAQ is visible on the dashboard.
- d. Edit an existing FAQ and verify changes are saved correctly.
- e. Delete a FAQ and verify it is removed from the list.
- f. Search for a FAQ by keyword and verify correct results are returned.

- 3. Documentation**

- a. Upload a document (PDF or DOC, max 5 MB) with a name, description, and category.
- b. Verify the document appears in the Documentation list after saving.
- c. Attempt to upload a file exceeding 5 MB and verify a validation error is shown.
- d. Attempt to upload an unsupported file format and verify it is rejected.
- e. Enable "Display this on the dashboard" and verify the document is visible on the dashboard.
- f. Edit document details and verify changes are saved correctly.
- g. Delete a document and verify it is removed from the list.

- 4. Tutorial Videos**

- a. Upload a video (MP4, MOV, or MKV, max 50 MB) with a name, description, and category.
- b. Verify the video appears in the Tutorial Videos list after saving.
- c. Attempt to upload a file exceeding 50 MB and verify a validation error is shown.
- d. Attempt to upload an unsupported file format and verify it is rejected.
- e. Enable "Display this on the dashboard" and verify the video is visible on the dashboard.
- f. Edit video details and verify changes are saved correctly.
- g. Delete a video and verify it is removed from the list.

- 5. End User Access**

- a. Verify end users can browse and read FAQs, documentation, and tutorial videos.
- b. Verify items marked "Display on dashboard" appear on the user's dashboard.
- c. Verify items not marked for dashboard display do not appear on the dashboard.

- **Components**

1. Layouts
 1. Column
 2. Section (various nested scenarios)
2. Data Management (API Integration, Device Integration)
3. Input Components (Phone Number, Password, Dropdown with Feature as Field Value)
4. Specialized Input & Display
5. Display and Interaction
6. Media and Files
7. Forms and Validation
8. Utility Components
9. Data Config Component
10. Hyper Link Component
11. Favorite Component
12. OCR Component
 - a. Add the OCR component to a feature form and upload an image or document.
 - b. General text extraction → verify the text is extracted from the uploaded image/document and displayed within the selected output textarea
 - c. Verify the extracted text is saved correctly with the record and is visible on View/Edit.
13. Analytics & Report Components
 1. Chart Component
 2. Gantt Chart Component
 3. KPI Card Component
14. Form UI
 1. Table component and Table level formulas, Summary row formulas
15. Reusable Component

- **Page Builder**

1. Create a new page and verify it is saved and listed.
2. Drag-and-drop layouts (columns, sections) and reusable components onto the page canvas.
3. Configure component properties and verify changes reflect on the page.
4. Reorder, move, and delete components on the canvas.
5. Edit an existing page and verify changes are persisted.
6. Delete a page and verify it is removed from the list.
7. Publish the page and verify it renders correctly at runtime.
8. Verify the page is responsive across mobile, tablet, and desktop.
9. Verify role-based access — only authorized users can build/edit pages.

- **Workflow Management**
 1. Visual canvas for creating workflows
 2. Drag-and-drop node placement
 3. Node connection with visual links
 4. Canvas zoom and pan controls
 5. Grid snap for alignment
 6. Create new workflows
 7. Edit existing workflows
 8. Delete workflows
 9. List/view all workflows
- **Workflow Nodes – Control Flow**
 1. Start Node (workflow trigger point)
 2. End Node (workflow termination)
 3. Condition/Decision Node (if-else logic)
- **Workflow Nodes – Communication**
 1. Email Notification Node
 2. SMS Notification Node
 3. User Task/Approval Node
 4. System Notification Node
- **Workflow Monitoring**
 1. Execution history logs
 2. Workflow instance status tracking
 3. Node-level execution details
 4. Error logs and stack traces
 5. Approval node changes for user selection
 6. Added SLA and escalation reminder for approvals
 7. Added parallel workflow approval node
- **Printing Templates**
 1. QR Code – Generate and Print
 2. Barcode – Generate and Print
 3. Invoice – Generate and Print
- **Role-Based Dashboards**
 1. Role-based dashboard template creation
 2. Dashboard rendering based on created template

- **Scheduler & Task Scheduler**

1. Create and use Schedule
2. Create and use Task Schedule
3. Event-based task schedule
4. Schedule-based task schedule
5. Schedule a notification
6. SMS
7. Mail
8. WhatsApp
9. Push
10. In-App
11. Schedule a report send (PDF) through mail from a configured email template.

- **Formula Builder Functionality**

1. Same Feature
 - a. Arithmetic
 - b. Logical
 - c. Comparison
 - d. Text
 - e. Math
 - f. Date
 - g. Conditional
 - h. Miscellaneous
 - i. Aggregate → with filter conditions and without filter conditions.
2. Cross Feature
 - a. Arithmetic
 - b. Logical
 - c. Comparison
 - d. Text
 - e. Math
 - f. Date
 - g. Conditional
 - h. Miscellaneous
 - i. Aggregate → with filter conditions and without filter conditions.
3. Incompatible datatype operations, for example, arithmetic on a text input field, should show a validation error.
4. Unrecognized fields, functions, or operators should show a validation error.
5. If external fields are called without where() conditions, it should show MULTIPLE RECORDS FOUND ERROR in preview for non-aggregate functions/operations.
6. Variables are not working. Review which variables should be displayed in the modal.

- **Formula Builder UI**

1. On clicking a feature from the feature list, fields in the selected feature should be displayed, except for the current field, to prevent self-call loops.
2. On selecting external feature fields, where() should appear in the modal.
3. On selecting where(), the modal should automatically switch to the Feature and Fields tab.
4. On hovering over a field, field information such as module name and feature name should be displayed.
5. The Clear button or backspace should work as follows:
 - i. First click of clear/backspace will select the token.
 - ii. Next click of clear/backspace will clear that token.
6. Empty formulas should not be saved.
7. Formulas should not be saved without validation.

- **Formula Builder – Helper Tools**

1. **Cheat Sheet** (? icon)

- a. Open the Cheat Sheet and verify functions are grouped by category (Lookup, Nested Lookup, Aggregation, Conditional, Math, String, Date).
- b. Search for a function and verify the list filters correctly.
- c. Click the copy icon on an example and verify it is copied to the clipboard.
- d. Press Esc and verify the modal closes.

2. **Examples**

- a. Open the Examples drawer and verify 50 scenarios across all categories are listed.
- b. Filter by a category and search; verify results update.
- c. Click "Use This Pattern" and verify the formula is inserted into the editor.

3. **Test Formula (Playground)**

- a. For a current-feature calculation (e.g. `{number_field} * 5`), open Test Formula, verify a type-aware input appears per field (number/date/true-false/text), enter values, run, and verify the correct result, type, and (where relevant) matched-record count.
- b. For a lookup formula (uses `.where()` / external feature fields), verify NO value-input form is shown and a "Lookup formula – test against a real record" message appears instead.
- c. For an aggregate formula (SUM/COUNT/AVG/MIN/MAX of records), verify the "Aggregate formula – test against a real record" message is shown and the form is not available.
- d. Verify the Test Formula button is disabled when the formula is empty.

4. **Template Library**

- a. Open the Template Library and verify the **Most Used** tab lists the 20 platform built-in templates (e.g. GST, TDS, net salary, lookups, aggregations).
- b. Search and filter by category; verify results update.
- c. Click "Use This Template" and verify the formula is inserted into the editor.
- d. With a formula in the editor, click "Save current formula as template", fill title/category/description, save, and verify it appears under **My Templates**.
- e. Delete a saved (non built-in) template and verify it is removed. Verify built-in templates cannot be deleted.

5. **Formula Wizard**

- a. **Lookup mode:** choose "Lookup a value", select a source feature, select the field to return, add a match condition (verify the "Right side is a field reference" option shows a dropdown of the current feature's fields), check the live preview, and Insert.
- b. **Aggregate mode:** choose "Aggregate records", select feature/field, optionally add one filter condition, choose the function (SUM/COUNT/AVG/MIN/MAX), and Insert.
- c. Verify the formula preview only appears after a return field is chosen, and that going Back keeps your previous selections.
- d. After inserting, hover over the tokens in the editor and verify the correct Module name and Feature name are shown for each (including the source feature for the looked-up field).

6. Smart Validation Messages

- a. Enter an invalid formula (e.g. unknown function, missing where(), wrong argument count) and click Validate Expression; verify the error includes a helpful suggestion and an example, not just a generic message.

- **Integrations**

1. Step 1: Go to the Integration Type field and select "Third-Party Software".

Expected Result: A new dropdown field called Select Type should appear.

2. Step 2: Check the options inside the Select Type dropdown.

Expected Result: It should contain options including "Third-Party API" and "Google Drive".

3. Step 3: Choose "Third-Party API" from the dropdown.

Expected Result: The configuration fields specific to the Third-Party API should be displayed.

4. Step 4: Change the selection to "Google Drive".

Expected Result: The system should dynamically display the Google Drive configuration fields: Client ID, Client Secret, and Refresh Token.

10. What to Test on Mobile

- Login – Normal Login
- Login – SSO (Sign In with Google, Sign In with Microsoft)
- Workspace Switch
- Module List
- Feature List
- Components
- Feature Data – Create, View, Edit, Clone, Delete
- Dashboard
- Integration – Weighing Machine, Third-Party API (Budgie, SAP), and Payment Gateways (Stripe, Razorpay, and PayU)
- Theme
- Push Notification
- Workflow – Approve and Reject
- Charts – Feature Data
- Data Table – Feature Data
- Security – Prevent copy, paste, cut, and text selection