

## Ex No: 7 Export Data from Hadoop using Sqoop and Import Data to Hive using Sqoop

### AIM:

To simulate the process of exporting data from Hadoop Distributed File System (HDFS) and importing it into a Hive table using Sqoop, implemented using Python with SQLite and Pandas.

### Algorithm:

1. Start the program.
2. Generate sample weather data (year-wise temperatures) and store it in a CSV file, simulating an HDFS file.
3. Establish a SQLite connection to simulate a Hive database.
4. Read the CSV file and import its data into the SQLite table, simulating the Sqoop import process.
5. Create an index on the year column to optimize query performance (like Hive index).
6. Query the table to calculate yearly minimum and maximum temperatures.
7. Display the summarized report and sample table data.
8. End the program.

### Python

#### Implementation

```
import pandas as pd
import sqlite3
import random
from contextlib import contextmanager

# Step 1: Generate sample weather data (simulating HDFS CSV file)
def generate_sample_data(num_records=1000):
    years = list(range(1900, 2021))
    data = {
        'record_id': range(1, num_records + 1),
        'year': [random.choice(years) for _ in range(num_records)],
        'temperature_c': [random.uniform(-50, 50) for _ in range(num_records)]
    }
    df = pd.DataFrame(data)
    csv_path = 'weather_data.csv' # Simulating HDFS file
    df.to_csv(csv_path, index=False)
    print(f"Sample data generated and saved to {csv_path} (simulating HDFS file).")
    return csv_path

# Step 2: SQLite connection (simulating Hive)
@contextmanager
def sqlite_connection(db_name):
    conn = sqlite3.connect(db_name)
    try:
        yield conn
    finally:
        conn.close()

Big Data Technology AI19741
```

```
#Step3:SimulateSqoopexport/import
defsqoop_like_import(csv_path,db_name, table_name):
    df = pd.read_csv(csv_path)
    print(f"Sqoop-likeexport:Read{len(df)} records from {csv_path} (HDFS).")
    withsqlite_connection(db_name) as conn:
        df.to_sql(table_name,conn,if_exists='replace', index=False)
        print(f"Sqoop-likeimport:Loaded data into {db_name}.{table_name} (Hive table).")
        conn.execute(f'CREATEINDEX idx_year ON {table_name}(year)')
        print(f"Index'idx_year'created on {table_name}.year.")
```

#Step4: Generate weatherreport

```
defgenerate_weather_report(db_name, table_name):
    withsqlite_connection(db_name) as conn:
        query = f"""
            SELECT year,
                   MIN(temperature_c)AS min_temp_c,
                   MAX(temperature_c)AS max_temp_c
            FROM {table_name}
            GROUP BY year
            ORDER BY year
        """
        report_df=pd.read_sql_query(query, conn)
        report_df['min_temp_c']=report_df['min_temp_c'].round(1)
        report_df['max_temp_c']=report_df['max_temp_c'].round(1)
    returnreport_df
```

#Step5: Runprogram

```
if __name__ == "__main__":
    print("===SimulatingSqoopExport/Import to Hive ===")
    csv_path=generate_sample_data(1000)
    db_name = 'weather_hive.db'
    table_name = 'weather_data'
    sqoop_like_import(csv_path,db_name, table_name)

    print("\nGeneratingWeatherTemperature Statistics Report...")
    report=generate_weather_report(db_name, table_name)
    print("\n===WeatherReport===")
    print("Year\tMinTemp(°C)\tMax Temp (°C)")
    print("-" * 35)
    for_,rowinreport.iterrows():
        print(f'{int(row['year'])}\t{row['min_temp_c']}\t{row['max_temp_c']}')

    print(f"\nSampledatafrom{table_name} (first 5 rows):")
    withsqlite_connection(db_name) as conn:
        sample_data=pd.read_sql_query(f'SELECT * FROM {table_name} LIMIT 5', conn)
        print(sample_data)
```

## Expected Output:

=== Simulating Sqoop Export/Import to Hive ===

Sample data generated and saved to weather\_data.csv (simulating HDFS file).

Sqoop-like export: Read 1000 records from weather\_data.csv (HDFS).

Sqoop-like import: Loaded data into weather\_hive.db.weather\_data (Hive table).

Index 'idx\_year' created on weather\_data.year.

Generating Weather Temperature Statistics Report...

===Weather Report ===

Year	Min Temp (°C)	Max Temp (°C)
------	---------------	---------------

190	-48.7	49.2
-----	-------	------

0	-44.3	47.9
---	-------	------

190	-46.1	48.5
-----	-------	------

1	-49.6	49.9
---	-------	------

190		
-----	--	--

2	...	
---	-----	--

Sample data from weather\_data (first 5 rows):

record_id	year	temperature_c
-----------	------	---------------

0	1 1915	-10.345678
---	--------	------------

1	2 1992	25.456789
---	--------	-----------

2	3 2005	15.123456
---	--------	-----------

3	4 1967	-22.987654
---	--------	------------

4	5 2018	40.678912
---	--------	-----------

## Result:

The simulation successfully demonstrated how Sqoop can export data from Hadoop (HDFS) and import it into Hive, using Python and SQLite as a lightweight prototype. It generated a summarized report of yearly minimum and maximum temperatures from the imported dataset.