

Rajalakshmi Engineering College

Name: Hemaprakash KL
Email: 241901036@rajalakshmi.edu.in
Roll no: 241901036
Phone: 7010799637
Branch: REC
Department: CSE (CS) - Section 1
Batch: 2028
Degree: B.E - CSE (CS)

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 3_Q4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Sesha is developing a weather monitoring system for a region with multiple weather stations. Each weather station collects temperature data hourly and stores it in a 2D array.

Write a program that can add the temperature data from two different weather stations to create a combined temperature record for the region.

Input Format

The first line of input consists of two space-separated integers N and M, representing the number of rows and columns of the matrices, respectively.

The next N lines consist of M space-separated integers, representing the values of the first matrix.

The following N lines consist of M space-separated integers, representing the values of the second matrix.

Output Format

The output prints the addition of the two matrices in N rows and M columns, representing the combined temperature record.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 3 3

1 2 3

4 5 6

7 8 9

1 1 1

2 2 2

3 3 3

Output: 2 3 4

6 7 8

10 11 12

Answer

```
// You are using Java
import java.util.Scanner;

public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        // Read dimensions of the matrices
        int N = sc.nextInt(); // Number of rows
        int M = sc.nextInt(); // Number of columns

        int[][] station1 = new int[N][M];
        int[][] station2 = new int[N][M];
        int[][] combined = new int[N][M];

        // Read first matrix (station 1)
        for (int i = 0; i < N; i++) {
```

```
for (int j = 0; j < M; j++) {  
    station1[i][j] = sc.nextInt();  
}  
  
// Read second matrix (station 2)  
for (int i = 0; i < N; i++) {  
    for (int j = 0; j < M; j++) {  
        station2[i][j] = sc.nextInt();  
    }  
}  
  
// Add the matrices to create the combined record  
for (int i = 0; i < N; i++) {  
    for (int j = 0; j < M; j++) {  
        combined[i][j] = station1[i][j] + station2[i][j];  
    }  
}  
  
// Print the combined matrix  
for (int i = 0; i < N; i++) {  
    for (int j = 0; j < M; j++) {  
        System.out.print(combined[i][j] + " ");  
    }  
    System.out.println();  
}  
}
```

Status : Correct

Marks : 10/10