DegluTech — Quick start

From the first patient to a signed report in seven steps
deglutech.pages.dev

Mr. Prasanna Hegde · Ms. Priyanka Nayak
Mr. Hemaraja Nayaka S · Mr. Sumanth A V
Mr. Joju Joseph · v0.4 review · Oct 2026

Before you start

- Use Chrome or Edge. Allow pop-ups for the site (the report opens in a new window).
- Records stay in **this browser on this device**. Export a backup daily from **Settings → Backup and data**; clearing browser data deletes records.
- Use **study IDs** for research records and tick **Hide patient names and hospital IDs on printouts**.
- For teaching, **Settings → Load demo patients** adds eight fictitious charts.

1 · Settings


1. **Clinic or institute**: name, department, address, phone, email, logo. They print on every report.
2. **Add clinician**: name, qualification, designation, RCI number, signature image → **Save clinician**. Pick the default signer.

2 · Add a patient

1. **Patients → Add patient**: at least one of name, hospital ID / UHID or study ID; age, sex, care phase.
2. **Add and open chart**. The chart opens at **2. Demographics and Referral**.

3 · Chart the sections

1. Work through the groups in the sidebar: **Triage**, **Intake**, **Assessment**, **Synthesis**, **Plan**. **Next** moves on; `Ctrl` `K` jumps to any section.
2. Each block shows *n/n recorded*; the ring shows chart completion. Entries save automatically.
3. Grades (CTCAE, DIGEST, ICF qualifiers, severity) are clinician-assigned. Record instrument versions and recording conditions.



A section page: groups and fill counts (left), completion ring, block index and the document reader.

4 · Read reports and photos

1. **Files and reports** (or **Fill this section from a report** in any section). Set **Text in photos** (English, + ಕನ್ನಡ, + हिन्दी).
2. Drop a typed PDF, a photo of a report or a Praat text export. Videos are kept for viewing only.
3. Check every value against its source line. New values are ticked; values that differ from the chart are not. **Add ticked values to the chart**.

5 · Clinical tool suite


1. Open **Clinical tool suite → EAT-10**; **Clinician entry** or **Hand to patient**; score items 0–4.
2. **Save to patient timeline**. ≥ 3 abnormal; > 15 higher aspiration risk: consider VFSS/FEES. **Report / PDF**, **EMR note**, **Handout**.

6 · Prescribe exercises

1. In **4. Treatment and Toxicity** record fistula and flap/wound status (*No*), **Exercise clearance** *Cleared*, and the clearing clinician with restrictions.
2. In **11. Exercise Prescription** pick exercises; demonstrate with the **3D patient** (front, side, inside view; woman or man; drag to turn).
3. Choose the patient's language; set **Sessions per day** and the dose for each exercise; record the stop and contact plan.
4. **Confirm review and release**. If it is greyed out, the status line names what is missing. **12. Patient Portal** shows the patient view and the session log (CSV).

7 · Report

1. **13. Summary and Report**: check the readiness grid (green = filled, amber = in progress; click a tile to go there).
2. Write the SLP diagnosis, severity, recommendations and follow-up; choose the signing clinician.
3. **Export diagnostic report** → print dialog → *Save as PDF*. Sign according to your institution's procedure.



Readiness grid in Summary and Report.

Dashboard alerts

Alert	Rule
Trismus risk	Jaw opening ≤ 35 mm
Higher aspiration risk	EAT-10 > 15
Aspiration on study	PAS ≥ 6
Wet voice	Intermittent or consistent
Weight loss	≥ 5% in one month

REMEMBER

DegluTech is clinical decision support. It does not diagnose or grade; values read from documents are suggestions; home exercise is released only after documented clearance. Decisions stay with the SLP. Full details: the *User manual*.