

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

- Created 5 weeks ago by hnadipal@gitam.in
- Status Temporarily Archived, this script will be automatically deleted

Sort [most recent last](#)

View

[Statements and Results](#)

Statement 1



```
create table student(name varchar(20),age int(2),gender char(6),phone number int(10),address varchar2(50),email_id varchar2(50),roll-
```

ORA-00907: missing right parenthesis

Statement 2



```
create table student (name varchar(20),age int(2),gender char(6),phone number int(10),address varchar2(50),email_id varchar2(50),roll
```

ORA-00907: missing right parenthesis

Statement 3



```
CREATE TABLE student (name varchar(20),age number(2),gender char(6),phone number number(10),address varchar2(50),email_id varchar2(50
```

ORA-00907: missing right parenthesis

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

Statement 5



```
create table student (name varchar(20), age number(2),
gender char(6),mobile number(10),
address varchar2(50),email_id varchar2(50),roll-novarchar(50))
```

ORA-00902: invalid datatype

Statement 6



```
create table student (name varchar(20),age number(2),
gender char(6),mobile number(10),
address varchar2(50),email_id varchar2(50),roll-novarchar(50))
```

ORA-00902: invalid datatype

Statement 7



```
create table student (name varchar(20),age number(2),
gender char(6),mobile number(10),
address varchar2(50),email_id varchar2(50),roll-novarchar(50))
```

ORA-00902: invalid datatype

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

Statement 9



```
create table student (names varchar(20),age number(2),gender char(6),mobile number(10),address varchar2(50),email_id varchar2(50),rol
```

ORA-00902: invalid datatype

Statement 10



```
create table student (names varchar(20), age number(2), gender char(6), mobile number(13),address varchar2(50),email_id varchar2(50)
```

ORA-00902: invalid datatype

Statement 11



```
create table student(name varchar(30),age number(2),gender char(5),phonenum number(3),adress varchar(100),email varchar(30))
```

Table created.

Statement 12



```
create table student(name varchar(30),age number(2),  
gender char(5),phonenum number(3),  
adress varchar(100),email varchar(30))
```

ORA-00955: name is already used by an existing object

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

er number(3),adress varchar(100),email varchar(30))

ORA-00955: name is already used by an existing object

Statement 14



select * from student

no data found

Statement 15



insert into student values('Major', 27, 'female', 7660094444, 'hnadipal@gitam.in',))

ORA-00936: missing expression

Statement 16



#####create table student(name varchar(30),age number(2),gender char(5),phonenumner number(3),adress varchar(100),email varchar(30)

Invalid statement

Statement 17



insert into student values('Major', 27, 'female', 7660094444, rushikonda, 'hnadipal@gitam.in',))

ORA-00936: missing expression

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

Statement 19



```
insert into student values('Major', 27, 'female', 7660094444, rushikonda, 'hnadipal@gitam.in',)
```

ORA-00936: missing expression

Statement 20



```
#####create table student(name varchar(30),age number(2),gender char(5),phonenum number(3),adress varchar(100),email varchar(30)
```

Invalid statement

Statement 21



```
insert into student values('Major', 27, 'female', 7660094444, rushikonda, 'hnadipal@gitam.in',)
```

ORA-00936: missing expression

Statement 22



```
#####create table student(name varchar(30),age number(2),gender char(5),phonenum number(3),adress varchar(100),email varchar(30)
```

Invalid statement

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

Statement 24



```
#####create table student(name varchar(30),age number(2),gender char(5),phonenum number(3),adress varchar(100),email varchar(30)
```


Invalid statement

Statement 25



```
insert into student values('Major', 27, 'female', 7660094444, 'rushikonda', 'hnadipal@gitam.in')
```

ORA-12899: value too large for column "SQL_KXFMHHDJQWUWITVVISZZFTYJX"."STUDENT"."GENDER" (actual: 6, maximum: 5) ORA-06512: at "SY



Statement 26



```
#####create table student(name varchar(30),age number(2),gender char(5),phonenum number(3),adress varchar(100),email varchar(30)
```

Invalid statement

Statement 27




```
insert into student values('Major', 27, 'female', 7660094444, 'rushikonda', 'hnadipal@gitam.in')
```

ORA-12899: value too large for column "SQL_KXFMHHDJQWUWITVVISZZFTYJX"."STUDENT"."GENDER" (actual: 6, maximum: 5) ORA-06512: at "SY



Live SQL


[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#) [Save this Session](#)

Statement 29



```
insert into student values('Major', 27, 'female', 7660094444, 'rushikonda', 'hnadipal@gitam.in')
```

ORA-12899: value too large for column "SQL_KXFMHHDJQWUWITVVISZZFTYJX"."STUDENT"."GENDER" (actual: 6, maximum: 5) ORA-06512: at "SY



Statement 30



```
#####create table student(name varchar(30),age number(2),gender char(8),phonenum number(3),adress varchar(100),email varchar(30)
```

Invalid statement

Statement 31



```
insert into student values('Major', 27, 'female', 7660094444, 'rushikonda', 'hnadipal@gitam.in')
```

ORA-12899: value too large for column "SQL_KXFMHHDJQWUWITVVISZZFTYJX"."STUDENT"."GENDER" (actual: 6, maximum: 5) ORA-06512: at "SY



Statement 32



```
#####create table student(name varchar(30),age number(2),gender char(8),phonenum number(3),adress varchar(100),email varchar(30)
```

Invalid statement

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

NT"."GENDER" (actual: 6, maximum: 5) ORA-06512: at "SY

Statement 34



#####create table student(name varchar(30),age number(2),gender char(8),phonenum number(3),adress varchar(100),email varchar(30)

Invalid statement

Statement 35



insert into student values('Major', 27,'female',7660094444, 'rushikonda', 'hnadipal@gitam.in')

ORA-12899: value too large for column "SQL_KXFMHHDJQWUWITVVISZZFTYJX"."STUDENT"."GENDER" (actual: 6, maximum: 5) ORA-06512: at "SY

Statement 36



#####create table student(name varchar(30),age number(2),gender char(8),phonenum number(3),adress varchar(100),email varchar(30)

Invalid statement

Statement 37



insert into student values('Major', 27,'male',7660094444, 'rushikonda', 'hnadipal@gitam.in')

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1721

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

Statement 39



```
insert into student values('Major', 27,'male',7660094444, 'rushikonda', 'hnadipal@gitam.in')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1721

Statement 40



```
insert into student values('Major', 27,'female',7660094444, 'rushikonda', 'hnadipal@gitam.in')
```

ORA-12899: value too large for column "SQL_KXFMHHDJQWUWITVISZZFTYJX"."STUDENT"."GENDER" (actual: 6, maximum: 5) ORA-06512: at "SY



Statement 41



```
insert into student values('Major', 18,'female',7660094444, 'rushikonda', 'hnadipal@gitam.in')
```

ORA-12899: value too large for column "SQL_KXFMHHDJQWUWITVISZZFTYJX"."STUDENT"."GENDER" (actual: 6, maximum: 5) ORA-06512: at "SY



Statement 42



```
insert into student values('Major', 18,'fe',7660094444, 'rushikonda', 'hnadipal@gitam.in')
```

ORA-01438: value larger than specified precision allowed for this column ORA-06512: at "SYS.DBMS_SQL", line 1721

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[▶ Re-Run](#)[📁 Save this Session](#)Statement **44**

```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Statement **45**

```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Statement **46**

```
select * from student
```

NAME	AGE	GENDER	PHONENUMBER	ADRESS	EMAIL
Major	18	fe	764	rushikonda	hnadipal@gitam.in
Major	18	fe	764	rushikonda	hnadipal@gitam.in
Major	18	fe	764	rushikonda	hnadipal@gitam.in

3 rows selected.

```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[▶ Re-Run](#)[📁 Save this Session](#)

```
select names,age,genfer from student
```

ORA-00933: SQL command not properly ended

Statement 49



```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Statement 50



```
select * from student  
select names,age,genfer from student
```

ORA-00933: SQL command not properly ended

Statement 51



```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Statement 52



```
select * from student  
select names,age,genfer from student
```

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[Re-Run](#)[Save this Session](#)

am.in')

1 row(s) inserted.

Statement 54



```
select * from student
select names,age,gender from student
```

ORA-00933: SQL command not properly ended

Statement 55



```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Statement 56



```
select * from student
select names, age, gender from student
```

ORA-00933: SQL command not properly ended

Statement 57



```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[▶ Re-Run](#)[💾 Save this Session](#)

ORA-00933: SQL command not properly ended

Statement 59



```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Statement 60



```
select * from student  
select names, age, gender from student
```

ORA-00933: SQL command not properly ended

Statement 61



```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Statement 62



```
select * from student  
select names, age, gender from student
```

ORA-00933: SQL command not properly ended

Live SQL

[My Session](#) \ [Previous Sessions](#) \ **Previous Session**[Delete](#)[▶ Re-Run](#)[💾 Save this Session](#)Statement **64**

```
select * from student
select names, age, gender from student
```

ORA-00933: SQL command not properly ended

Statement **65**

```
insert into student values('Major', 18,'fe',764, 'rushikonda', 'hnadipal@gitam.in')
```

1 row(s) inserted.

Statement **66**

```
select * from student
select names, age, gender from student
```

ORA-00933: SQL command not properly ended