

Set Brave as your default browser and pin it to your taskbar

Set as default

Jupyter TASK-5 Last Checkpoint: 46 seconds ago

File Edit View Run Kernel Settings Help

Code



Trusted

JupyterLab Python 3 (ipykernel)

```
First 5 rows:
  Product Month  Sales
0      A   Jan    200
1      B   Jan    150
2      C   Jan    300
3      A   Feb    250
4      B   Feb    100
```

Shape of data: (9, 3)

Summary statistics:


```
      Sales
count  9.000000
mean   250.000000
std    96.824584
min    100.000000
25%    200.000000
50%    250.000000
75%    300.000000
max    400.000000
```

Total Sales by Product:

```
Product
A      750
B      450
C     1050
Name: Sales, dtype: int64
```

Monthly Sales Trend:

```
Month
Feb    750
Jan    650
Mar    850
Name: Sales, dtype: int64
```



Jupyter TASK-5 Last Checkpoint: 54 seconds ago

File Edit View Run Kernel Settings Help


Code

JupyterLab Python 3 (ipykernel)

```
A 750
B 450
C 1050
Name: Sales, dtype: int64
```

Monthly Sales Trend:

```
Month
Feb 750
Jan 650
Mar 850
Name: Sales, dtype: int64
```



Set Brave as your default browser and pin it to your taskbar

Set as default

Jupyter TASK-5 Last Checkpoint: 1 minute ago



File Edit View Run Kernel Settings Help

Code



Trusted

JupyterLab Python 3 (ipykernel)



1 3: