Cucumber Report

Start : Aug 29, 8:36:14.026 am	End : Aug 29, 8:36:46.615 am	Duration : 32.589 s
Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 3
FAILED - 1	FAILED - 4	FAILED - 4
SKIPPED - 0	SKIPPED - 0	SKIPPED - 95

1

4

102

Pass % 0 %

Pass % 0 %

Pass % 2 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Launch URL	*32.589 s*	*4*	*0*	*4*	*0*	*102*	*3*	*4*	*95*

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Launch	4	0	4	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Launch URL	4	0	4	0	32.589 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Launch URL	Login page Validation and signin	13	1	1	11	11.153 s
2	Launch URL	Get personal details from user	14	1	1	12	4.872 s
3	Launch URL	Get Address Details from the user	24	1	1	22	4.956 s
4	Launch URL	Get id proof Details from the user	51	0	1	50	11.170 s

## Launch URL

| FAILED	DURATION - 32.589 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 102 Pass - 3 Fail - 4 Skip - 95	102
/ 8:36:14.026 am // 8:36:46.615 am /					

Login page Validation and signin

FAILED	DURATION - 11.153 s		Steps Total - 13 Pass - 1 Fail - 1 Skip - 11	13
/ 8:36:14.032 am // 8:36:25.185 am /				
Launch URL				
@Launch				

#	Step / Hook Details	Status	Duration
1	Given User is on Url page	PASSED	10.228 s
2	And Handle Welcome page	FAILED	0.056 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div/ div[2]/ul/li[1]/h3"} (Session info: MicrosoftEdge=116.0.1938.54) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [e489f6e325988e6e60c8ad51a7e70e76, findElement {using=xpath, value=/html/body/div/div[2]/ul/li[1]/h3}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 116.0.1938.54, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51640}, msedge: {msedgedriverVersion: 116.0.1938.62 (493f2197e519..., userDataDir: C:\Users\winni\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51640/devtoo..., se:cdpVersion: 116.0.1938.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e489f6e325988e6e60c8ad51a7e70e76
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy32.isEnabled(Unknown Source) at pageObjects.Launchbrowser_Objects.Getwelcometext(Launchbrowser_Objects.java:49) at stepDefinition.Launchbrowser.handle_welcome_page(Launchbrowser.java:26) at ?.Handle Welcome page(file:///D:/eclipse-workspace1/BDD_BGV/src/test/java/feature/Launch.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinition.Hooks.AddScreenShot(io.cucumber.java.Scenario) image 	PASSED	0.208 s
3	When Validate Create acoount option is available	SKIPPED	0.001 s
4	And Validate tell us more option is available	SKIPPED	0.000 s
5	And Validate update documents option is available	SKIPPED	0.000 s
6	Then Validate your fluent account option is available	SKIPPED	0.001 s
7	And you are on the login or sign up page	SKIPPED	0.001 s
8	Given User is on Login page	SKIPPED	0.000 s
9	And user Enter email id with Email "hemendra.rajput88263@gmail.com"	SKIPPED	0.000 s
10	When user Enter email id with Password "Pass@12345"	SKIPPED	0.001 s
11	And Validate new account option is available	SKIPPED	0.000 s
12	Then click on hidepassword	SKIPPED	0.001 s
13	And click on submit button	SKIPPED	0.000 s

Get personal details from user

FAILED	DURATION - 4.872 s
/ 8:36:25.294 am // 8:36:30.166 am /	
Launch URL	
@Launch	

Steps
Total - 14
Pass - 1
Fail - 1
Skip - 12

14

#	Step / Hook Details	Status	Duration
1	Given User is on Url page	PASSED	3.918 s
2	And Handle Welcome page	FAILED	0.031 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div/div[2]/ul/li[1]/h3"}   (Session info: MicrosoftEdge=116.0.1938.54) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [9ffdfffe2358ce48817df2294094e3e0, findElement {using=xpath, value=/html/body/div/div[2]/ul/li[1]/h3}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 116.0.1938.54, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51682}, msedge: {msedgedriverVersion: 116.0.1938.62 (493f2197e519..., userDataDir: C:\Users\winni\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51682/devtoo..., se:cdpVersion: 116.0.1938.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9ffdfffe2358ce48817df2294094e3e0
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy32.isEnabled(Unknown Source)
   at pageObjects.Launchbrowser_Objects.Getwelcometext(Launchbrowser_Objects.java:49)

#	Step / Hook Details	Status	Duration
	at stepDefinition.Launchbrowser.handle_welcome_page(Launchbrowser.java:26) at ?.Handle Welcome page(file:///D:/eclipse-workspace1/BDD_BGV/src/test/java/feature/Launch.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepDefinition.Hooks.AddScreenShot(io.cucumber.java.Scenario) image 	PASSED	0.143 s
3	When Validate Create acoount option is available	SKIPPED	0.000 s
4	And Validate tell us more option is available	SKIPPED	0.001 s
5	And Validate update documents option is available	SKIPPED	0.000 s
6	Then Validate your fluent account option is available	SKIPPED	0.000 s
7	And you are on the login or sign up page	SKIPPED	0.001 s
8	Given User is on Personal Details Page	SKIPPED	0.000 s
9	And Get Father name from user with FatherName "Khuxyz"	SKIPPED	0.001 s
10	When Select blood group with SelectByone "O+"	SKIPPED	0.001 s
11	And Select country BY countryName "India"	SKIPPED	0.000 s
12	Then Select datee of birth by Date "13-05-1997"	SKIPPED	0.000 s
13	And Select Gender By selectbyone "Male"	SKIPPED	0.001 s
14	And click on NextButton	SKIPPED	0.000 s

Get Address Details from the user

FAILED	DURATION - 4.956 s		Steps
/ 8:36:30.211 am // 8:36:35.167 am /			Total - 24
Launch URL			Pass - 1
			Fail - 1
@Launch			Skip - 22

24

| #	Step / Hook Details	Status	Duration
1	Given User is on Url page	PASSED	3.882 s
2	And Handle Welcome page	FAILED	0.070 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/html/body/div/ div[2]/ul/li[1]/h3"} (Session info: MicrosoftEdge=116.0.1938.54) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [891947bee883d12cc51cbe3472a81c5b, findElement {using=xpath, value=/html/body/div/div[2]/ul/li[1]/h3}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 116.0.1938.54, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:51719}, msedge: {msedgedriverVersion: 116.0.1938.62 (493f2197e519..., userDataDir: C:\Users\winni\AppData\Loca...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51719/devtoo..., se:cdpVersion: 116.0.1938.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 891947bee883d12cc51cbe3472a81c5b
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy32.isEnabled(Unknown Source)
	    at pageObjects.Launchbrowser_Objects.Getwelcometext(Launchbrowser_Objects.java:49)
	    at stepDefinition.Launchbrowser.handle_welcome_page(Launchbrowser.java:26)
	    at ?.Handle Welcome page(file:///D:/eclipse-workspace1/BDD_BGV/src/test/java/feature/Launch.feature:5)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepDefinition.Hooks.AddScreenShot(io.cucumber.java.Scenario)	PASSED	0.280 s
	image		

#	Step / Hook Details	Status	Duration
3	When Validate Create acoount option is available	SKIPPED	0.000 s
4	And Validate tell us more option is available	SKIPPED	0.000 s
5	And Validate update documents option is available	SKIPPED	0.000 s
6	Then Validate your fluent account option is available	SKIPPED	0.001 s
7	And you are on the login or sign up page	SKIPPED	0.001 s
8	Given Validate user is on Current Address page	SKIPPED	0.001 s
9	And Get details from the user CDoor/Flat/House No. with Door "h-10"	SKIPPED	0.000 s
10	When Get details from the user CCColony_Street_Apartment with Colony "zyz"	SKIPPED	0.000 s
11	And Get details from the user CLandmark with Landmark "abc"	SKIPPED	0.000 s
12	And Get details from the user CCity with City "noida"	SKIPPED	0.000 s
13	Then Get details from the user CState With State "Uttar Pradesh"	SKIPPED	0.001 s
14	And Get details from the user CPincode with Pincode "201301"	SKIPPED	0.001 s
15	Then Get details from the user LandlordName with Landloard "abcd"	SKIPPED	0.001 s
16	And Get details from the user Landlord_Phone_No with Landlordphone "8826393418"	SKIPPED	0.001 s
17	Given Validate user is on Permanent Address Page	SKIPPED	0.001 s
18	And Get details from the user PDoor/Flat/House No. with Door "h-11 "	SKIPPED	0.001 s
19	When Get details from the user PCColony_Street_Apartment with Colony "zyz"	SKIPPED	0.001 s
20	And Get details from the user PLandmark with Landmark "abc"	SKIPPED	0.001 s
21	And Get details from the user PCity with City "noida"	SKIPPED	0.001 s
22	Then Get details from the user PState With State "Uttar Pradesh"	SKIPPED	0.001 s
23	And Get details from the user PPincode with Pincode "201301"	SKIPPED	0.001 s
24	And Click on Next	SKIPPED	0.000 s

Get id proof Details from the user

FAILED	DURATION - 11.170 s
/ 8:36:35.445 am // 8:36:46.615 am /	
Launch URL	
@Launch	

Steps
Total - 51
Pass - 0
Fail - 1
Skip - 50

51

#	Step / Hook Details	Status	Duration
1	Given User is on Url page	FAILED	3.930 s

org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created from no such execution context: uniqueContextId not found   (Session info: MicrosoftEdge=116.0.1938.54) Host info: host: 'HEMENDRA', ip: '192.168.0.103' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.1.1' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:148)
  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:106)
  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:67)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:165)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)
  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:157)
  at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:101)
  at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:60)
  at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:56)
  at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:48)
  at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:44)
  at utils.TestBase.WebDriverManager(TestBase.java:24)
  at utils.Testcontextsetup.<init>(Testcontextsetup.java:14)
  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483)
  at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)
  at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:342)
  at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)
  at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:632)		
	at org.picocontainer.parameters.BasicComponentParameter$1.resolveInstance(BasicComponentParameter.java:118)		
	at org.picocontainer.parameters.ComponentParameter$1.resolveInstance(ComponentParameter.java:136)		
	at org.picocontainer.injectors.SingleMemberInjector.getParameter(SingleMemberInjector.java:78)		
	at org.picocontainer.injectors.ConstructorInjector$CtorAndAdapters.getParameterArguments(ConstructorInjector.java:309)		
	at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:335)		
	at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:130)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:130)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:577)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:969)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:829)		
	at org.testng.TestRunner.run(TestRunner.java:602)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:330)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1176)		
	at org.testng.TestNG.runSuites(TestNG.java:1099)		
	at org.testng.TestNG.run(TestNG.java:1067)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepDefinition.Hooks.AddScreenShot(io.cucumber.java.Scenario) image 	PASSED	6.354 s
2	And Handle Welcome page	SKIPPED	0.001 s
3	When Validate Create acoount option is available	SKIPPED	0.001 s
4	And Validate tell us more option is available	SKIPPED	0.000 s
5	And Validate update documents option is available	SKIPPED	0.000 s
6	Then Validate your fluent account option is available	SKIPPED	0.000 s
7	And you are on the login or sign up page	SKIPPED	0.001 s
8	Given ValidateAdharCarddetails	SKIPPED	0.000 s
9	And Validateaadharnumber	SKIPPED	0.000 s
10	And GetaadharDetails	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
11	When ValidateName_as_perDocument	SKIPPED	0.000 s
12	And GetName_as_perDocument	SKIPPED	0.003 s
13	And ValidateFront_Side	SKIPPED	0.000 s
14	And GetNameFront_Side	SKIPPED	0.002 s
15	And ValidateBack_Side	SKIPPED	0.000 s
16	When GetNameBack_Side	SKIPPED	0.001 s
17	And ValidatePAN_Card_Details	SKIPPED	0.000 s
18	And ValidatePancardnumber	SKIPPED	0.001 s
19	And GetPancardNumber	SKIPPED	0.000 s
20	When ValidateName_as_perDocument1	SKIPPED	0.002 s
21	And GetName_as_perDocument1	SKIPPED	0.000 s
22	And ValidateDocument	SKIPPED	0.000 s
23	And GetDocument	SKIPPED	0.000 s
24	And ValidateDL	SKIPPED	0.000 s
25	Then ValidateDLNumber	SKIPPED	0.000 s
26	And GetDLNumber	SKIPPED	0.000 s
27	And ValidateNameasperDocument	SKIPPED	0.000 s
28	And GetNameasperdocument	SKIPPED	0.000 s
29	Then ValidatePlace	SKIPPED	0.000 s
30	Then GetPlace	SKIPPED	0.000 s
31	And ValidateDateOfissue	SKIPPED	0.001 s
32	And Getdateofissue	SKIPPED	0.001 s
33	And ValidateExpirydate	SKIPPED	0.000 s
34	Then GetExpirydate	SKIPPED	0.000 s
35	And ValidateDocument1	SKIPPED	0.001 s
36	And GetDocument1	SKIPPED	0.000 s
37	And ValidatePassport	SKIPPED	0.000 s
38	When ValidatePassportNumber	SKIPPED	0.001 s
39	And GetPassportNumber	SKIPPED	0.000 s
40	And ValidateNameasperPDocument	SKIPPED	0.000 s
41	And GetNameasperPdocument	SKIPPED	0.001 s
42	Then ValidatePlaceP	SKIPPED	0.000 s
43	And GetPlaceP	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
44	And ValidatePDateOfissue	SKIPPED	0.000 s
45	Then GetPdateofissue	SKIPPED	0.000 s
46	And ValidatePExpirydate	SKIPPED	0.000 s
47	And GetPExpirydate	SKIPPED	0.000 s
48	And ValidatePDocument1	SKIPPED	0.001 s
49	And GetPDocument1	SKIPPED	0.000 s
50	Then ValidateAndClickPreviousButton_ID	SKIPPED	0.000 s
51	And ValidateAndClickNextButton_ID	SKIPPED	0.000 s