

PRACTICAL-1

Aim:- Use MS-Excel to create pivot table & apply statistical measures to it..

Data:

sr no	Name	sub 1	sub 2	sub 3	sub 4	sub 5	Total	Avg	Percanta	Grade
1	hemil	40	37	43	59	50	229	45.8	91.6	O
2	raj	42	50	40	55	41	228	45.6	91.2	O
3	jenil	30	43	46	41	39	199	39.8	79.6	A
4	jay	40	29	49	36	28	182	36.4	72.8	A
5	romit	36	38	43	28	39	184	36.8	73.6	A
6	dhey	42	41	39	34	35	191	38.2	76.4	A
7	sahil	41	39	35	49	36	200	40	80	A+
8	mohan	36	28	36	48	37	185	37	74	A
9	radhika	28	39	37	40	38	182	36.4	72.8	A
10	utsav	34	35	35	0	0	104	20.8	41.6	Pass
11	milan	49	36	29	48	49	211	42.2	84.4	A+
12	jaynesh	48	37	49	25	48	207	41.4	82.8	A+
13	yash	40	38	40	29	42	189	37.8	75.6	A
14	krish	35	29	37	37	43	181	36.2	72.4	A
15	josh	48	49	42	40	42	221	44.2	88.4	A+
16	moksh	25	48	43	46	41	203	40.6	81.2	A+
17	henil	29	42	29	49	39	188	37.6	75.2	A
18	urmil	37	43	38	43	28	189	37.8	75.6	A
19	gaga	42	46	42	37	43	210	42	84	A+
20	jisas	43	46	41	42	46	218	43.6	87.2	A+
21	deep	29	49	39	43	46	206	41.2	82.4	A+
22	madhuran	38	43	28	29	49	187	37.4	74.8	A
23	nevil	49	42	39	38	43	211	42.2	84.4	A+
24	taksh	49	41	35	41	39	205	41	82	A+
25	deepak	47	39	36	39	35	196	39.2	78.4	A
26	shubam	25	25	37	28	25	140	28	56	B
27	krisha	28	28	38	28	17	139	27.8	55.6	B
28	parth	26	48	29	35	38	176	35.2	70.4	A
29	dhreej	27	50	49	36	29	191	38.2	76.4	A
30	tejal	29	42	38	37	49	195	39	78	A

Pivot table:

Row Labels	Sum of sub 1	Sum of sub 2	Sum of sub 3	Sum of sub 4	Sum of sub 5
A	520	592	574	561	568
A+	423	433	394	409	433
B	53	53	75	56	42
O	82	87	83	114	91
Pass	34	35	35	0	0
Grand Total	1112	1200	1161	1140	1134

Filters	Columns
Name	Σ Values
Rows	Σ Values
Grade	Sum of sub 1
sr no	Sum of sub 2
	Sum of sub 3
	Sum of sub 4
	Sum of sub 5


PRACTICAL-2



AIM: Use the Table Created in Above Practical to Generate Different Charts.

Data:

sr no	Name	DAA	DADV	ADV. JAV	WEB PRO	RES	Total	Avg	Percanta	Grade
1	hemil	40	37	43	49	50	219	43.8	87.6	A+
2	raj	42	50	40	49	41	222	44.4	88.8	A+
3	jenil	30	43	46	41	39	199	39.8	79.6	A
4	jay	40	29	49	36	28	182	36.4	72.8	A
5	romit	36	38	43	28	39	184	36.8	73.6	A
6	dhey	42	41	39	34	35	191	38.2	76.4	A
7	sahil	41	39	35	49	36	200	40	80	A+
8	mohan	36	28	36	48	37	185	37	74	A
9	radhika	28	39	37	40	38	182	36.4	72.8	A
10	utsav	34	35	35	15	45	164	32.8	65.6	B+
11	milan	49	36	29	48	49	211	42.2	84.4	A+
12	jaynesh	48	37	49	25	48	207	41.4	82.8	A+
13	yash	40	38	40	29	42	189	37.8	75.6	A
14	krish	35	29	37	37	43	181	36.2	72.4	A
15	josh	48	49	42	40	42	221	44.2	88.4	A+
16	moksh	25	48	43	46	41	203	40.6	81.2	A+
17	henil	29	42	29	49	39	188	37.6	75.2	A
18	urmil	37	43	38	43	28	189	37.8	75.6	A
19	gaga	42	46	42	37	43	210	42	84	A+
20	jisas	43	46	41	42	46	218	43.6	87.2	A+
21	deep	29	49	39	43	46	206	41.2	82.4	A+
22	madhuran	38	43	28	29	49	187	37.4	74.8	A
23	nevil	49	42	39	38	43	211	42.2	84.4	A+
24	taksh	49	41	35	41	39	205	41	82	A+
25	deepak	47	39	36	39	35	196	39.2	78.4	A
26	shubam	25	25	37	28	25	140	28	56	B
27	krisha	28	28	38	28	17	139	27.8	55.6	B
28	parth	26	48	29	35	38	176	35.2	70.4	A
29	dhreej	27	50	49	36	29	191	38.2	76.4	A
30	tejal	29	42	38	37	49	195	39	78	A

Output:





PRACTICAL-4

AIM: Use python libraries to generate chart from data stored in Excel.

Code:

```
import pandas as pd
from matplotlib import pyplot as plt
raw_data="/content/sample_data/california_housing_train.csv"
df = pd.read_csv(raw_data)
df.describe()
```

Output:


	longitude	latitude	housing_median_age	total_rooms	total_bedrooms	population	households	median_income	median_house_value
count	17000.000000	17000.000000	17000.000000	17000.000000	17000.000000	17000.000000	17000.000000	17000.000000	17000.000000
mean	-119.562108	35.625225	28.589353	2643.664412	539.410824	1429.573941	501.221941	3.883578	207300.912353
std	2.005166	2.137340	12.586937	2179.947071	421.499452	1147.852959	384.520841	1.908157	115983.764387
min	-124.350000	32.540000	1.000000	2.000000	1.000000	3.000000	1.000000	0.499900	14999.000000
25%	-121.790000	33.930000	18.000000	1462.000000	297.000000	790.000000	282.000000	2.566375	119400.000000
50%	-118.490000	34.250000	29.000000	2127.000000	434.000000	1167.000000	409.000000	3.544600	180400.000000
75%	-118.000000	37.720000	37.000000	3151.250000	648.250000	1721.000000	605.250000	4.767000	265000.000000
max	-114.310000	41.950000	52.000000	37937.000000	6445.000000	35682.000000	6082.000000	15.000100	500001.000000

Code:

```
df.plot.hist()
```

Output:


<matplotlib.axes._subplots.AxesSubplot at 0x7fb9e2956810>



Code:

```
df.hist(column='total_rooms');
```

Output:




Code:

```
df.plot.line()
```

Output:

```
<matplotlib.axes._subplots.AxesSubplot at 0x7fb9e2af30d0>
```




Code:

```
axes = df.plot.line(subplots=True)
type(axes)
```

Output:

numpy.ndarray



PRACTICAL-5

AIM: Perform Multiple Linear Regression on data.

Code:

```
# Import Library
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
# read data
df=pd.read_csv('sample_data/headbrain.csv')
df.head()
```

Output:

	Gender	Age Range	Head Size(cm ³)	Brain Weight(grams)
0	1	1	4512	1530
1	1	1	3738	1297
2	1	1	4261	1335
3	1	1	3777	1282
4	1	1	4177	1590

Code:

```
# Declare dependent variable(Y) and independent variable(X)
X=df['Head Size(cm3)'].values
Y = df['Brain Weight(grams)'].values
np.corrcoef(X, Y)
```


Output:

```
array([[1. , 0.79956971], [0.79956971, 1. ]])
```

Code:

```
# Plot the Input Data
plt.scatter(X, Y, c='green', label='Data points')
plt.xlabel('Head Size in cm3')
plt.ylabel('Brain Weight in grams')
plt.legend()
plt.show()
```

Output:



Code:

```
# Mean X and Y
mean_x = np.mean(X)
mean_y = np.mean(Y)
# Total number of values
n = len(X)
# Using the formula to calculate theta1 and theta2
numer = 0
denom = 0
for i in range(n):
    numer += (X[i] - mean_x) * (Y[i] - mean_y)
    denom += (X[i] - mean_x) ** 2
b1 = numer / denom
b0 = mean_y - (b1 * mean_x)
# Printing coefficients
print("coefficients for regression", b1, b0)
```

Output:

coefficients for regression 0.26342933948939945 325.57342104944223


Code:

```
# Plotting Values and Regression Line
%matplotlib inline
plt.rcParams['figure.figsize'] = (10.0, 5.0)
max_x = np.max(X) + 100
min_x = np.min(X) - 100
y = b0 + b1 * X
# Plotting Line
plt.plot(X, y, color='blue', label='Regression Line')
# Plotting Scatter Points
plt.scatter(X, Y, c='green', label='Scatter data')
```



```
plt.xlabel('Head Size in cm3')  
plt.ylabel('Brain Weight in grams')  
plt.legend()  
plt.show()
```

Output:




PRACTICAL-5

AIM: Perform the Logistic Regression on a dataset and Interpret the regression table.

Output:

month	rain fall	umbrella sold
jan	82	15
feb	92.5	25
mar	83.2	17
apr	97.7	28
may	131.9	41
jun	141.3	47
jul	165.4	50
aug	140	46
sep	126.7	37
oct	97.8	22
nov	86.2	20
dec	99.6	30
jan	87	14
feb	97.5	27
mar	88.2	14
apr	102.7	30
may	123	43
jun	146.3	49
jul	160	49
aug	145	44
sep	131.7	39
oct	118	36
nov	91.2	20
dec	104.6	32

RESIDUAL OUTPUT			
Observation	Predicted umbrella sold	Residuals	Standard Residuals
1	17.82599924	-2.825999237	-0.806807846
2	22.5510131	2.448986904	0.699172817
3	18.36600082	-1.366000821	-0.389986015
4	24.89101996	3.10898004	0.887597369
5	40.2810651	0.7189349	0.205252114
6	44.51107751	2.488922493	0.710574217
7	55.35610932	-5.356109317	-1.529140901
8	43.92607579	2.073924208	0.5920944
9	37.94105824	-0.941058237	-0.268667153
10	24.93602009	-2.936020092	-0.838218218
11	19.71600478	0.283995219	0.081079134
12	25.74602247	4.253977532	1.214488101
13	20.07600584	-6.076005837	-1.734667552
14	24.8010197	2.198980304	0.627797254
15	20.61600742	-6.616007421	-1.88883515
16	27.14102656	2.858973441	0.816221806
17	36.27605335	6.723946647	1.919651229
18	46.76108411	2.238915893	0.639198654
19	52.92610219	-3.926102189	-1.120881424
20	46.17608239	-2.176082391	-0.621260021
21	40.19106484	-1.191064836	-0.340042715
22	34.02604675	1.973953246	0.563553219
23	21.96601138	-1.966011381	-0.561285858
24	27.99602907	4.003970933	1.143112539



SUMMARY OUTPUT								
					rainfall/m	0.45000132		
Regression Statistics					x	82		
Multiple R	0.957666798				intercept/c	-19.07410899		
R Square	0.917125697				y=mx+c	17.82599924		
Adjusted R Square	0.913358683							
Standard Error	3.58141382							
Observations	24							
ANOVA								
	df	SS	MS	F	Significance F			
Regression	1	3122.774784	3122.774784	243.462262	2.21604E-13			
Residual	22	282.1835489	12.82652495					
Total	23	3404.958333						
	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	-19.07410899	3.372182168	-5.656310378	1.0929E-05	-26.06758677	-12.08063122	-26.06758677	-12.08063122
rain fall	0.45000132	0.02884018	15.6032773	2.216E-13	0.390190448	0.509812192	0.390190448	0.509812192