

CubeCellTM Series

AT command user manual

Release notes

Edition	Modification item	Modification time		
V0.1	- First public release	2019.10.21		
V0.2	Add user AT command;Correction of clerical and presentation errors.	2019.12.16		
V0.3	 AT command version update to V0.9; Add node-to-node communication parameter configuration commands; Add copyright disable command; Add set channel mask command. 	2020.6.29		
V0.4	 AT command version update to V1.0; Spreading factor support to 5~12 in node-to-node communication mode; SNR will be print in node-to-node communication mode. 	2020.7.9		
V0.5	5 - Add automatic low-power disable command 2020.08.04			

Table of Contents

4Τ (com	nmand user manual	1
Rel	ease	e notes	2
1		Summary	5
2		Serial port settings:	
3	3.	AT command syntax	
	3.	1 Syntax overview	6
	3.	2 AT command list	7
		Basic control commands	7
		Wake device	7
		Sleep device	7
		Reset	7
		Restore factory settings	7
		Disable copyright information print	8
		Disable automatic low-power	8
		Query the chip's Unique ID	8
		Enter serial number to activate Arduino support	8
		LoRaWAN mode / normal LoRa mode switching	9
		User AT Command	10
		User AT command execution logic	11
		"LoRa Normal Mode" Proprietary Command	11
		Set LoRa listening/sending parameter	11
		Receive mode	12
		Receive data output mode selection	12
		LoRaWAN mode proprietary commands	13
		Set DevEui	13
		Set AppEui	13
		Set AppKey	14
		Set NwkSKey	14
		Set AppSKey	15
		Set DevAddr	15
		Set OTAA / ABP mode	15
		Configure ADR	16
		Configure LoRaWAN channel masks	16

	Trigger OTAA access	17
	Set communication cycle DutyCycle	17
	Set communication mode Class A / C	18
	Turn ACK on / off	18
	Configure fport	19
	Set the number of retransmissions (if the transmission fails)	20
Se	nd data	21
	Send Hex Data	21
	Send string	22
4. Ap	plication examples	23
4.1	Sending data through LoRa normal mode	23
4.2	Sending data through LoRaWAN mode	23
Contact u	S	24

1. Summary

This document is applicable to all modules and development boards of the CubeCell series. LoRaWAN protocol has been integrated in the AT command, which can directly communicate with LoRaWAN base station.

CubeCell series module (HTCC-AMxx) can support AT command by default.

The default of CubeCell Dev-Board is factory test program. Support AT command need to programming this example code into Dev-Boards:

https://github.com/HelTecAutomation/ASR650x-

Arduino/blob/master/libraries/LoRa/examples/PASSMODE/PASSMODE.ino

If this AT command example runs normally, the following contents will be print after resetting, and enter the sleep mode:

```
opyright @ 2019 Heltec Automation.All rights reserved.
LORAWAN=1
OTAA=1
 sTxConfirmed=1
                  DCCABF55EE4A778D16EF67(For ABP
                  63DFBE3D11181E1EC7DA85(For ABP
```

2. Serial port settings:

Baud rate: 115200

Stop bit: 1

Data bits: 8

DTR, RTS requirement: None

P5/24

Ending characters: None

3. AT command syntax

3.1 Syntax overview

- All AT command lines must start with "AT+".
- There is no ending character. Do not send a carriage return or a new line as the end.
- After reset, CubeCell will enter deep sleep mode after printing initial information and send "AT + XXX" wake-up device.
- The return response usually follows the command:
 - Successful execution return "+OK";
 - If the execution fails or the syntax format is wrong, return "+ERROR" and the corresponding prompt content at the same time.

3.2 AT command list

Basic control commands

Wake device

Command	Response	
AT+XXX ASR is Waked, LowPower Mode Stopped		
	After resetting, the device is in sleep state, and wakes up the	
Description	device through the serial port interrupt. In theory, sending any	
Description	data through the serial port can trigger the interrupt and wake up	
	the device. For example "ABC".	

Sleep device

Command	Response	
AT. I DB 4 4	+OK	
AT+LPM=1	LowPower Mode Stared.	
Description	Put the device into sleep mode.	

Reset

Command	Response	
AT+RESET=1 Print power-on / reset information.		
Description Device reset		

Restore factory settings

Command	Response	
AT+DefaultSet=1 Print power-on / reset information		
Description	After restoring the factory settings, the parameters will enter	
Description	the sleep mode after the response ends.	

https://heltec.org

Data Sheet V0.5 P 7 / 24 Aug. 2020 Heltec Automation © Limited standard files

Disable copyright information print

Command	Response		
AT Comunicht - 1	Enable/Disable copyright information print when boot loader		
AT+Copyright=1	mode begin. Default Enable.		
Description	Boot loader version higher than V1.0 (include V1.0) support		
Description	this command.		

Disable automatic low-power

Command	Response	
AT. A. to I DRA O	+OK	
AT+AutoLPM=0	+AutoLMP=0	
Description	AT+AutoLPM=0 Disable automatic low-power,	
Description	AT+AutoLPM=1 Enable automatic low-power.	

Query the chip's Unique ID

Command	Response	
AT (ChimID_2)	+OK	
AT+ChipID=?	+ChipID:13A*****622	
Description	Read the unique number of the chip, which can be used to query	
Description	the corresponding serial number (Query address)	

Enter serial number to activate Arduino support

Command	Response		
AT COVEY AG	System	+The board is activated, don't need to active again	
AT+CDKEY=A8 5****93****D	activated	+The board is activated, don't need to active again	
		Activation successful:+The board is activated,	
DC3*****1F0	* 1F0 System not activated	Arduino is supported!	
23EDE6		Activation failed:+ERROR: please input correct	

		CDKEY.	
	The content s	sent is not 32-bit capital characters, the character	
	content is limited to 0 to F.		
	- The development board is activated by default all the factory;		
- Module	- Module is	activated by default, but an inactive version can be	
Description	provided and can be activated with this command if Arduino		
Description	support is	required at a later stage.	
	The serial number slyly queried from the website is as follows:		
	0x9CF2E059,0xFC613F26,0x174F6BAA,0xDC70F73B		
	All"0x"and "Commas" need to be removed when using as an		
	activation code	e.	


LoRaWAN mode / normal LoRa mode switching

Command	Response				
	+OK				
AT+LORAWAN=?	+LORAWAN=0				
AI+LORAWAN=?	+OK				
	+LORAWAN=1				
	Find current LoRaWAN support:				
Description	- The return value is 0, normal LoRa mode;				
	- Return value is 1, LoRaWAN protocol mode .				
	- The AT command supports the LoRaWAN protocol by				
	default. You can switch the LoRaWAN protocol or the				
	normal LoRa sending and receiving mode by changing the				
	variables of this command.				
	1. +OK				
AT+LORAWAN=0	2. +LORAWAN=0				
	3. Copyright @ 2019 Heltec Automation.All rights reserved				

	4.					
	5. +LORAWAN=0					
	6.					
	7. +FREQ=470000000					
	8. +SF=7					
	9. +TxPower=10					
	When the response is complete, the system goes into					
	hibernation.					
	In this mode, the radio signal is transmitted via the SX1262 chip,					
Description	and the operation of the pure hardware layer does not run any					
	protocol stodgy and can be used for spectral debugging or					
	simple transceiver testing.					
AT+LORAWAN=1	Print power-up/reset information.					
Description	When the response is complete, the system goes into					
	hibernation and the device supports the LoRaWAN protocol.					

User AT Command

Users may need special commands. Here's an example of adding user commands to CubeCell. In this example, we added a test command: "AT-test-abcd", if sending "AT-test-abcd" to CubeCell via serial port, the CubeCell returns "abcd".



https://github.com/HelTecAutomation/ASR650x-

Arduino/blob/master/libraries/LoRa/examples/AT Command/AT Command.ino

User-owned AT commands can be modified in the examples above.

User AT command execution logic

When the system receives each AT instruction, it prioritizes comparisons with user-defined fields within the AT_user_check function. If the return value of the function is **true**, the user-defined program within the function is executed. If the return value is **false**, the function is skipped to match the system's default AT commands.

"LoRa Normal Mode" Proprietary Command

Set LoRa listening/sending parameter

Command	Response								
AT.1 C.1 - 2	+OK								
AT+LoraSet=?	+LoraPara:868000000,18,12,0,1,8,1,0,0								
	The parameters sequence (0 – FALSE; 1 TRUE)								
Based at 1	fro according		C.F.	D\A/	Code	Preamble	CDC	IQ	Sove to FLASII
Description ¹	frequency	power	SF	BW	rate	length	CRC	Invert	Save to FLASH
	868MHz	18dBm	12	0	1	8	1	0	0

¹ LoRa node-to-node communication parameters description:

Data Sheet	V0.5	P 11 / 24	Aug. 2020	Heltec Automation © Limited standard files

Frequency: Set LoRa listening/sending frequency in Hz.

[•] Power: LoRa signal output power in dBm;

[●] SF: Spreading factor, from 5~12

[●] BW: Bandwidth 0 – 125K, 1 – 250K, 2 – 500K;

[●] Code rate: 1 – 4/5, 2 – 4/6, 3 – 4/7, 4 – 4/8;

[•] Preamble Length: Preamble Length from 8~65535 bit;

[•] CRC check: 0 – disable CRC check, 1 – enable CRC check;

[•] IQ Invert: 0 -- not inverted, 1 – inverted;

[•] Save to FLASH: Save parameters to FLASH, 0 – not save, 1 – save.

AT+LoraSet=868000000,18,	+OK
12,0,1,8,1,0,0	+LoraPara:868000000,18,12,0,1,8,1,0
Description	Set LoRa node-to-node communication parameters.

Receive mode

Command	Response
AT+RX=0	+OK
AITRA-U	+RX=0
	The device is in receive mode with no timeout;
	Keep the device in a listening state, the listening
Description	frequency, the spread factor and the emission parameters
Description	are the same until the data is received and the listening
	state ends. To receive data again, you need to go from
	new to listening mode.
AT : DV_1000	+OK
AT+RX=1000	+RX=1000
	The device is in receive mode, timeout 1000ms;
Description	If no data is received within 1000ms, "RX Timeout" is
	output.

Receive data output mode selection

Command	Response
AT+PrintMode=?	+OK
AI+Printiviode=?	+PrintMode=0
	Query the current received data output mode:
Description	- Return value 0: string output;
	- Return value 1:hex output.
AT+PrintMode=1	+OK

https://heltec.org

Data Sheet V0.5 P 12 / 24 Aug. 2020 Heltec Automation © Limited standard files

	+PrintMode=1
	Set the device to hexadecimal output format, the data
Description	received in RX mode will be printed in hexadecimal form.
	The parameters are only 0 or 1.

LoRaWAN mode proprietary commands

Set DevEui

Command	Response
AT+DevEui=?	+OK
AI+Deveui-?	+DevEui=2232330000888802(For OTAA Mode)
Description	Output DevEui in the current system, for OTAA mode;
AT+DevEui=888888888	+OK
888888	+DevEui=888888888888888888888888888888888888
	Set DevEui to 88888888888888;
Description	16-bit length, parastatal hexadecimal characters from 0 to
	F only.

Set AppEui

Command	Response
AT LAmpEui-2	+OK
AT+AppEui=?	+AppEui=0000000000000000(For OTAA Mode)
Description	Output AppEui in the current system for OTAA mode;
AT+AppEui=888888888	+OK
888888	+AppEui=88888888888888888(For OTAA Mode)
	Set AppEui to 888888888888888;
Description	16-bit length, parastatal hexadecimal characters from 0 to
	F only.

Set AppKey

Command	Response
	+OK
AT+AppKey=?	+AppKey=88888888888888888888888886601(For
	OTAA Mode)
Description	Output the AppKey in the current system for OTAA mode;
AT+AppKey=88888888	+OK
888888888888888888	+AppKey=888888888888888888888888888888888888
88888	OTAA Mode)
	Set AppKey to:
Description	888888888888888888888888888888888888888
Description	Length 32-bit, parastatal hexadecimal characters from 0
	to F only.

Set NwkSKey

Command	Response
	+OK
AT+NwkSKey=?	+NwkSKey=D72C7****DCCA****EE4A7****6EF67(For
	ABP Mode)
Description	Output snout in the current system for NwkSKeyfor ABP
Description	mode;
AT+NwkSKey=8888888	+OK
888888888888888888	+NwkSKey=888888888888888888888888888888888888
888888	ABP Mode)
	Set NwkSKey to:
Description	888888888888888888888888888888888888888
	Length 32-bit, parastatal hexadecimal characters from 0

	to F only.
--	------------

Set AppSKey

Command	Response
	+OK
AT+AppSKey=?	+AppSKey=15B1D****463D****D1118****C7DA85(For
	ABP Mode)
Description	Output AppSKey in the current system for ABP mode;
AT+AppSKey=8888888	+OK
88888888888888888	+AppSKey=888888888888888888888888888888888888
888888	ABP Mode)
	Set AppSKey to:
Description	888888888888888888888888888888888888888
	Length 32-bit, parastatal hexadecimal characters from 0
	to F only.

Set DevAddr

Command	Response
AT+DevAddr=?	+OK
AITDEVAUUI-:	+DevAddr=007E6AE1(For ABP Mode)
Description	Output DevAddrin the current systemfor ABP mode;
AT+DevAddr=88888888	+OK
	+DevAddr=88888888(For ABP Mode)
Description	Set DevAddr to:88888888;
	Length 32-bit, parastatal hexadecimal characters from 0
	toF only.

Set OTAA / ABP mode

Command	Response
---------	----------

	+OK
AT+OTAA=?	+OTAA=1
AI+OIAA=?	+OK
	+OTAA=0
Description	Return value 1 (default): OTAA mode.
	Return value 0: ABP mode.
AT+OTAA=0	+OK
	+OTAA=0
Description	Switch to ABP mode with only 0 or 1 parameters.

Configure ADR

Command	Response
	+OK
AT+ADR=?	+ADR=1
AITADK-!	+OK
	+ADR=0
Description	Return value 1 (default): ADR function is on;
Description	Return value 0: ADR function is disabled.
AT+ADR=0	+OK
	+ADR=0
Description	Disable the ADR function, the parameter is only 0 or 1.

Configure LoRaWAN channel masks

About LoRaWAN channel masks, this document may makes sense to you:

https://heltec-automation-

docs.readthedocs.io/en/latest/general/sub band usage.html

Command	Response	
AT+ChMask=?	+OK	
AI+CIIVIdSK-!	+ChMask=000000000000000000000000000000000000	
Description	Current LoRaWAN working channels are 0~7.	
AT+ChMask=00000000	+OK	
00000000000FF00	+ChMask=000000000000000000FF00	
Description	This command had set LoRaWAN working channels to	
	8~15.	
	If this command running before join, must reset	
	hardware. If the device already joined, it will effective in	
	next send.	

Trigger OTAA access

Command	Response	
	Start getting into the net	+OK joining
AT+Join=1	Successful access to the network	+OK joiningjoined
Description	After the equipment is powered off or reset, a new network is required from the new.	

Set communication cycle DutyCycle

Command	Response
---------	----------

AT+DutyCycle=?	+OK +DutyCycle=15000
Description	Return values in milliseconds, in this case, communication with the gateway every 15 seconds.
AT+DutyCycle=60000	+OK +DutyCycle=60000
Description	In this example, set the communication period to 60 seconds. You can set a maximum of 65535000, per millisecond, and after setting it, it will take effect the next time the data is sent.

Set communication mode Class A / C

Command	Response
AT+Class=?	+OK +Class=A
Description	The return value is Class A or Class C, which represents the corresponding working mode.
AT+Class=C	+OK +Class=C
Description	Only AT + Class = A or AT + Class = C is valid. After setting up, the next time the data is sent takes effect.

Turn ACK on / off

Command	Response
---------	----------

AT+IsTxConfirmed=?	+OK +IsTxConfirmed=1		
Description	The ACK receipt (communication confirmation) feature is turned on by default. After receiving the uplink, the gateway sends a Downlink to inform the node that the data has been received.		
AT+IsTxConfirmed=0	+OK +IsTxConfirmed=0		
Description	Turn off ACK receipt. Because of the ADR feature, there will still be Downlink data printing in this mode if parameters such as the node's rate are automatically adjusted.		
AT+IsTxConfirmed=1	+OK +IsTxConfirmed=1		
Description	Turn on the ACK receipt. After setting, it will take effect when the next data is sent.		

Configure fport

Command	Response		
AT+AppPort=?	+OK +AppPort=2		
Description	Query the current upstream data port.		
AT+AppPort=5	+OK		
	+AppPort=5		
Description	Set fport to 5, and the parameter range is 0 $^{\sim}$ 255.		
	After setting up, the next time the data is sent takes		

effect.	
---------	--

Set the number of retransmissions (if the transmission fails)

Command	Response		
AT+ ConfirmedNbTrials=?	+OK +ConfirmedNbTrials=8		
Description	If communication fails, the system retransmits data to the gateway 8 times by default, changing the rate every 2 times to try to optimally transfer.		
AT+ ConfirmedNbTrials=3	+OK +ConfirmedNbTrials=3		
Description	Set the number of retransmissions to 3 and the parameter range is 3 ~ 8. After setting, it will take effect the next time data is sent.		

Send data

The following commands can be used in "LoRa Normal Mode" and "LoRaWAN Mode".

- LoRa Normal Mode: Data will be sent directly;
- LoRa mode: The data is encapsulated in a format that conforms to the LoRaWAN protocol before being sent out.

Send Hex Data

Command	Response		
	LoRaWAN Mode	+OK	
		+Send Hex Data:AABBCCDD012345	
		confirmed uplink sending	
		The node communicates successfully with the	
AT+SendHex=AABBCC		gateway and receives the ACK issued by the	
DD012345		gateway, which prints.	
		receive data: rssi = -xx, snr = -x, datarate = x	
	LoRa	+OK	
	Normal	+Send Hex Data:AABBCCDD012345	
	mode	TX done	
	Send out hex strings,"0xAA, 0xBB, 0xCC, 0xDD, 0x01, 0x23,		
Description	0x45".		
	Hex characters only 0 toF, must be even digits, two bits as		
	one byte, and a maximum of 64 bytes.		

Send string

Command	Response	
AT+SendStr=abcdefgh ijk	LoRaWAN mode	+OK +Send String:abcdefghijk confirmed uplink sending The node communicates successfully with the gateway and receives the ACK issued by the gateway, which prints receive data: rssi = -47, snr = -1, datarate = 0
	LoRa Normal mode	+OK +Send String:abcdefghijk TX done
Description	Send the string, "abcdefghijk". ASCII characters only, up to 64 bytes.	

4. Application examples

4.1 Sending data through LoRa normal mode

- 1) Power on CubeCell (HTCC-AM0x module needs external low level to trigger reset);
- 2) Wake up the device: AT + XXX
- 3) Disable LoRaWAN protocol: AT + LORAWAN = 0
- 4) Set the working frequency to 470MHz: AT + FREQ = 470000000
- 5) Spread factor, transmit power to maintain default;
- 6) Send data: AT+SendStr=abcdefghijk

4.2 Sending data through LoRaWAN mode

This mode needs to work with the LoRa gateway.

- 1) Power on CubeCell (HTCC-AM0x module needs external low level to trigger reset);
- 2) Wake up the device: **AT + XXX**
- 3) Turn on LoRanWAN protocol support: AT + LORAWAN = 1
- 4) Switch to OTAA working mode: AT + OTAA = 1
- 5) <u>Parameters such as DevEui</u>, <u>AppKey</u>, etc. can remain default, but you need to ensure that they correspond to the parameters registered on the server;
- 6) Connect to the network (if the gateway is not powered off, connect to the network only once): AT + Join = 1
- 7) Send data after successful access to the internet, e.g.AT-SendHex-AABBCCDD012345
- 8) After sending the data, go into sleep mode if necessary: AT-LPM=1
- 9) If the device is woken up in the next cycle, the data can be sent directly without the need to access the network again.

Contact us

- 成都惠利特自动化科技有限公司 (HelTec AutoMation)
- Chengdu, Sichuan Province, Longtan Industrial Park, Chenghong Road 18 Steel **Field B 13B10**
- Phone/Fax: +86-028-62374838
- Website: https://heltec.org/
- Business: echo@heltec.com
- Technical Support: support@heltec.com