

Cognitive Error-Aware Adaptive Feedback System for Educational Assessments

A Machine Learning Approach to Data-Driven Error Diagnosis and Personalized Learning Interventions

Hemit Rana, Devesh Sahu, Jasmeen Kaur, Nikhil Girsu, Neftalem Gebremicael

School of Computer Science
University of Windsor

February 9, 2026



University
of Windsor

Outline

- 1 Problem Context & Motivation
- 2 Problem Definition
- 3 Why AI?
- 4 Novelty & Contribution
- 5 Related Work & Positioning
- 6 System Architecture
- 7 Data & Experiments
- 8 Implementation & Risks
- 9 Timeline & Deliverables
- 10 References

Problem Context & Motivation

Real-World Challenge: Online learning platforms provide **fundamentally flawed** feedback

Random Guessing

No serious problem-solving attempt

Misconceptions

Persistent errors across similar questions

Procedural Errors

Understanding present but execution fails

Impact:

- Learning sciences show **tailored feedback** substantially improves outcomes
- Current systems treat all errors identically
- Manual engineering doesn't scale across domains

Problem Definition

Core Challenge

Automatically infer **latent error categories** from student response sequences and generate **error-specific adaptive feedback** without manual rule engineering

Input

- Response sequences
- Correctness labels
- Attempt counts
- Response times
- Hint requests

Processing

- Feature extraction
- Unsupervised clustering
- Pattern discovery
- Category validation

Output

- Error categories
- Targeted feedback
- Follow-up questions
- Learning improvements



Constraints: Must balance automatic discovery, interpretability, and generalization

Why Artificial Intelligence?

Traditional Methods Fail

- × Require extensive manual engineering
- × Cannot scale across domains
- × Miss nuanced behavioral patterns
- × Unable to discover latent constructs
- × Don't adapt to evolving behaviors

AI is Essential

- ✓ Discovers patterns automatically
- ✓ Scales without reengineering
- ✓ Detects subtle signals
- ✓ Learns interpretable representations
- ✓ Continuously improves

Key Insight

Non-trivial ML problem requiring **clustering**, **temporal modeling**, and **interpretability**

Core Innovation

Operationalizing error discovery as **unsupervised learning** on response sequences

Three-Fold Contribution:

① Interpretable Error Categories

- Automatically discovered and validated through learning science alignment
- *vs. Predetermined taxonomies or opaque neural embeddings*

② End-to-End Pipeline

- Couples unsupervised discovery with template-based feedback generation
- *vs. Manual annotation or disconnected components*

③ Cross-Context Generalization

- Multi-dataset evaluation demonstrates domain transferability
- *vs. Single-domain systems requiring re-engineering*

Related Work & Positioning

Prior Work	Research Focus	Key Limitation
Deep Knowledge Tracing <i>Piech et al.</i>	Predicting future correctness	Black-box; doesn't diagnose error sources
Hint Generation <i>Stamper et al.</i>	Predicting help timing	Generic hints; no error differentiation
SMART Tutoring <i>Koedinger et al.</i>	Misconception-specific feedback	Requires manual engineering per domain
Transformer Models <i>Liu et al.</i>	Pattern recognition	Opaque embeddings; not interpretable

Our Integrated Approach

- ✓ Automatic error discovery without labeled data
- ✓ Interpretable categories validated through learning science
- ✓ End-to-end coupling of diagnosis with intervention

Proposed System Architecture



Discovered Error Categories & Interventions:

- **Misconceptions:** Conceptual reframing with contrastive examples
- **Guessing:** Scaffolded hints with progressive disclosure
- **Partial Understanding:** Boundary examples showing limits
- **Procedural Errors:** Step-by-step computational guidance

Data & Experimental Plan

Datasets:

- **ASSISTments 2009-2010**
 - 50,000+ sequences
 - Middle school math
 - Detailed interaction logs
- **NAEP Dataset**
 - Multiple domains
 - Cross-domain testing

Evaluation Dimensions:

- ① Error category quality
- ② Learning effectiveness
- ③ Feedback quality
- ④ Cross-domain transfer

Key Experiments:

- ① **Error Discovery:** K-means, hierarchical, GMM clustering with validation
- ② **Effectiveness:** Learning curves comparing error-aware vs generic feedback
- ③ **Ablation:** Isolate individual feature contributions
- ④ **Transfer:** Generalization to science assessments

Implementation Plan & Risk Mitigation

Technology Stack:

- Python 3.9+
- scikit-learn 1.2+
- PyTorch 2.0+
- pandas, numpy
- SQLite

Modular Architecture:

- Data Pipeline
- Error Discovery
- Feedback Generation
- Evaluation Framework
- Integration Module

Key Risks & Mitigation:

• Interpretability:

Expert validation
Pedagogical features

• Data Quality:

Multi-dataset eval
SMOTE augmentation

• Evaluation:

Multiple metrics
Expert review

• Scope:

Phased MVP
Buffer periods



Expected Outcomes & Timeline

Deliverables:

- ✓ Validated error categories with pedagogical alignment
- ✓ Working prototype demonstrating end-to-end pipeline
- ✓ Experimental results showing effectiveness and generalization
- ✓ Comprehensive documentation and code repository
- ✓ IEEE conference paper submission

10-Week Implementation Timeline:

Weeks	Phase	Tasks
1-2	Setup & EDA	Environment, data analysis
3-4	Core Development	Features, clustering, validation
5	Feedback System	Template development
6-8	Experiments	All 4 experiments + analysis
9-10	Documentation	Paper, presentation, code docs

Parallel execution with buffer periods ensures semester completion

References I



C. Piech et al., "Deep knowledge tracing," in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 28, 2015, pp. 505–513.



J. Stamper, T. Murray, R. Madachy, and K. Malzahn, "Towards closing the loop: Automated data-driven hint generation for tutoring systems," in *Proc. 4th Int. Conf. Educational Data Mining*, 2011, pp. 139–148.



K. R. Koedinger and V. Aleven, "Exploring the assistance dilemma: Balancing support and learning," *Journal of Learning Sciences*, vol. 16, no. 1, pp. 1–39, 2007.



K. R. Koedinger, J. C. Stamper, M. D. Baker, and J. R. Anderson, "Smart tutoring systems: Learning with a smarter tutor," in *Advances in Intelligent Tutoring Systems*, Springer, 2012, pp. 123–156.



B. Metcalf and R. R. Buss, "Automated feedback in practice: Designing and evaluating adaptive feedback for learning," *Educational Technology Research and Development*, vol. 68, no. 4, pp. 1823–1849, 2020.



X. Liang, Y. Yang, and B. du Boulay, "Student modeling in adaptive learning: A systematic review and meta-analysis," *Journal of Educational Technology & Society*, vol. 25, no. 2, pp. 52–78, 2022.



R. S. J. d. Baker and K. Yacef, "The state of educational data mining in 2009: A review and future visions," *Journal of Educational Data Mining*, vol. 1, no. 1, pp. 3–17, 2009.



Q. Liu, S. Huang, and Z. Chen, "Transformer-based models for educational applications: A comprehensive survey," *IEEE Transactions on Learning Technologies*, vol. 16, no. 3, pp. 298–315, 2023.



A. Y. Minn, "Artificial intelligence and education: A systematic review and perspective," *International Journal of Artificial Intelligence in Education*, vol. 31, no. 1, pp. 78–112, 2021.

Thank You