

Cognitive Error–Aware Adaptive Feedback System for Educational Assessments: A Machine Learning Approach to Data-Driven Error Diagnosis and Personalized Learning Interventions

Hemit Rana*, Devesh Sahu*, Jasmeen Kaur*, Nikhil Girsu*, Neftalem Gebremicael*

*Master of Applied Computing (MAC), University of Windsor, Windsor, Canada

Email: rana6c@uwindsor.ca, Sahu21@uwindsor.ca, jasmeen1@uwindsor.ca,
girsu@uwindsor.ca, gebremin@uwindsor.ca

Abstract—Online learning platforms have become central to modern education, yet the feedback they provide is typically limited to correctness-based responses that ignore underlying cognitive reasons for student errors. This paper presents a Cognitive Error–Aware Adaptive Feedback System that leverages machine learning to automatically infer latent cognitive error categories from sequences of student responses across assignments and quizzes. The system processes longitudinal assessment data to identify behavioral patterns such as repeated mistakes, inconsistent answers, and improvement trajectories. Unsupervised clustering and sequence analysis models infer error types such as misconceptions, guessing behavior, partial understanding, procedural errors, and careless mistakes. Based on the inferred error category, the system generates targeted adaptive feedback including conceptual reframing for misconceptions, scaffolded hints for guessing behavior, boundary examples for partial understanding, and computational guidance for procedural errors. Unlike rule-based systems requiring extensive expert engineering, this data-driven approach automatically discovers interpretable error representations, enabling scalable personalization. Evaluation will measure error category quality through clustering coherence metrics, learning effectiveness through repeated error reduction and simulated pre/post-assessment deltas, and feedback quality through expert review and relevance assessment. The proposed system is fully software-based, feasible within a semester timeline, and addresses a critical gap in educational technology by shifting artificial intelligence application from performance prediction toward error-aware pedagogical decision-making.

I. INTRODUCTION AND MOTIVATION

Online learning platforms have become integral to modern education, particularly in large-scale courses and remote learning environments. While these systems efficiently evaluate student performance through automated grading, the feedback they provide is predominantly limited to correctness-based responses that ignore underlying cognitive reasons for errors. The prevailing assumption is that all incorrect answers uniformly indicate knowledge deficiency and warrant identical interventions. In reality, students make errors for fundamentally different cognitive reasons. Consider an introductory physics course where three students answer a momentum question incorrectly: Student A guesses randomly without attempting serious problem-solving, Student B has constructed

a systematic misconception confusing momentum with velocity that persists across multiple questions, and Student C applies the correct formula but makes a computational arithmetic error. Current systems treat all three identically, providing the same generic explanation. The learning sciences literature consistently demonstrates that feedback tailored to the specific source of error substantially improves learning outcomes and reduces time-to-mastery, yet this insight remains largely unexplored in practical systems despite strong theoretical foundations. This project shifts artificial intelligence in educational assessment from performance prediction toward error-aware pedagogical decision-making, automatically discovering interpretable error categories and generating targeted feedback without manual rule engineering.

II. PROBLEM STATEMENT

This project addresses the fundamental limitation of current educational assessment systems: the inability to diagnose and respond to different types of cognitive errors. Specifically, we tackle the problem of automatically inferring latent error categories from student response sequences and generating error-specific adaptive feedback without requiring manual rule engineering or expert knowledge codification. The core technical challenge is to develop machine learning approaches that can discover interpretable error patterns from behavioral data, distinguish between fundamentally different error types such as systematic misconceptions versus transient computational mistakes, and map these inferred categories to pedagogically appropriate interventions. This problem matters because uniform feedback demonstrably fails to address diverse learning needs, yet existing adaptive systems require extensive manual knowledge engineering that does not scale across domains or learner populations. A solution must balance three competing demands: automatic discovery of error patterns without labeled training data, interpretability enabling pedagogical validation and trust, and generalization across diverse educational contexts and subject domains.

III. SYSTEM DESIGN AND ARCHITECTURE

We propose a Cognitive Error-Aware Adaptive Feedback System that processes longitudinal student assessment data through five integrated stages. First, the data collection stage gathers student response sequences including answers, correctness labels, attempt counts, and response times across multiple assignments and quizzes. This longitudinal perspective is critical for detecting persistent patterns that distinguish systematic misconceptions from transient computational errors. Second, the feature extraction stage computes behavioral features capturing response patterns including repeated mistakes on structurally similar problems indicating persistent cognitive gaps, inconsistency scores in responses to equivalent questions revealing unstable understanding, improvement trajectories and plateaus showing learning progress or stagnation, response time anomalies that may indicate careless errors versus deliberate misunderstanding, and attempt count patterns distinguishing lucky guesses from systematic problem-solving approaches.

Third, the error category inference stage applies unsupervised learning techniques to identify latent error types. Clustering algorithms group students by response patterns, and sequence analysis models detect temporal dependencies. Rather than using predetermined error categories, the system discovers meaningful archetypes from data, enabling generalization across domains and learner populations. Fourth, the adaptive feedback generation stage maps inferred error categories to targeted interventions. For misconception errors characterized by systematic incorrect reasoning, feedback provides conceptual reframing and contrastive examples showing correct versus incorrect reasoning. For guessing behavior indicated by random answers without engagement, feedback employs scaffolded hints guiding the problem-solving process. For partial understanding where students succeed in some contexts but not others, feedback provides boundary examples illustrating principle limits. For procedural errors where conceptual understanding is present but execution falters, feedback offers step-by-step computational guidance. Fifth, the follow-up question synthesis stage generates contextually appropriate questions designed to reinforce correct reasoning and probe understanding depth.

The core innovation shifts AI application from performance prediction toward error-aware pedagogical decision-making by modeling error semantics rather than merely correctness, enabling interventions tailored to actual learning needs.

IV. NOVELTY AND CONTRIBUTIONS

We challenge the assumption that error diagnosis requires manual knowledge engineering and predetermined taxonomies. Rule-based systems require extensive expert engineering and fail to generalize across domains. Our contribution is threefold: (1) operationalize error discovery as an unsupervised learning problem on response sequences, enabling automatic pattern detection without labeled error categories; (2) develop interpretable error categories aligned with learning science theory, validated by educators; (3) couple

error inference with templated adaptive feedback generation mapping discovered error types to pedagogically appropriate interventions. This differs fundamentally from knowledge tracing (predicts correctness but not error types), hint generation (predicts when help needed but not why errors occur), and error detection (identifies errors but not intervention types). Our integrated approach solves the error diagnosis problem in interpretable, actionable ways.

V. RELATED WORK

A. Automated Hint Generation and Tutoring Systems

Stamper et al. [1] developed automated hint generation systems using knowledge tracing to predict when students need help. Their foundational work demonstrates data-driven approaches to tutoring systems but focuses on correctness prediction and identifying knowledge deficiency rather than categorizing error types. Our work differs by explicitly modeling error semantics, distinguishing misconceptions from guessing versus partial understanding, and tailoring feedback based on inferred error category. Koedinger and Aleven [2] investigated feedback specificity, establishing that it must match learner needs, yet their approach required manual specification of when to apply different hints. Our system automates this discovery from behavioral patterns.

B. Knowledge Tracing and Temporal Pattern Recognition

Piech et al. [3] introduced Deep Knowledge Tracing, demonstrating that recurrent neural networks effectively model temporal student knowledge evolution from sequential assessment data. This work established that longitudinal response sequences contain rich signals for understanding learner behavior. We adopt this sequence insight but apply it specifically to error pattern discovery rather than knowledge level prediction. While Deep Knowledge Tracing predicts correctness, our system infers why errors occurred and what intervention addresses the specific cognitive gap. Minn [4] documents the broader shift in educational AI from purely predictive modeling toward interpretable and adaptive learning support systems. Our work directly addresses this emerging paradigm by prioritizing error interpretability and intervention specificity.

C. Error Analysis and Misconception Discovery

VanLehn [5] and Ohlsson and Langley [6] established foundational principles that errors stem from systematic misconceptions rather than random mistakes, with learners constructing coherent but incorrect mental models. Koedinger [7] attempted to codify misconceptions through manual knowledge engineering in SMART tutoring systems. Our contribution operationalizes misconception discovery as an automated, data-driven process that scales beyond hand-coded systems, enabling application across diverse domains without domain-specific re-engineering.

D. Adaptive Feedback and Behavioral Analysis

Metcalf and Buss [8] provide comprehensive evidence that feedback tailored to error type significantly improves learning outcomes, establishing the pedagogical foundation for error-aware feedback. However, most existing systems determine feedback routing through manually constructed decision rules requiring extensive domain expertise. Our automatic error category inference maintains these pedagogical benefits while eliminating manual engineering through scalable, data-driven approaches. Liang et al. [9] emphasize that single-snapshot assessments miss critical information about learning dynamics; response sequences reveal whether errors represent temporary confusion or systematic misunderstanding. Our project operationalizes this insight through sequence clustering. Baker and Yacef [10] establish clustering as viable for discovering behavioral patterns at scale, though most applications focus on predicting course outcomes rather than diagnosing specific error types. Liu et al. [11] show transformer-based models capture response dependencies but lack interpretability. Our approach prioritizes interpretability through discrete error categories aligned with pedagogical theory.

VI. TECHNICAL APPROACH, IMPLEMENTATION, AND EVALUATION

The system architecture consists of five interconnected modules. The Data Pipeline Module loads student response sequences from educational datasets and performs normalization and feature engineering. The Feature Extraction Module computes approximately twenty behavioral features per student-question pair including error counts on specific questions and similar questions, correction counts measuring recovery from errors, attempt counts before correctness, error consistency scores quantifying similarity of incorrect answers, response time variability indicating careless versus deliberate errors, improvement trends measured as accuracy slope over time, and cross-question error rates on structurally similar problems.

The Error Category Inference Module implements multiple complementary approaches including K-means clustering on feature vectors to identify natural groupings of student response patterns, hierarchical clustering providing dendrograms revealing relationship structure between error types, and Hidden Markov Models capturing temporal dependencies in response sequences to distinguish transient mistakes from persistent misconceptions. Silhouette scores and Davies-Bouldin indices validate cluster quality and interpretability. The Adaptive Feedback Synthesis Module maps error categories to targeted feedback templates, and the Evaluation Framework measures system effectiveness through multiple metrics.

Implementation uses Python with scikit-learn for machine learning, PyTorch for potential neural sequence models, pandas and numpy for data processing, and SQLite for efficient data storage and retrieval. The system evaluates using ASSISTments (50,000+ student responses) and NAEP datasets, measuring error category quality through silhouette coefficient and Davies-Bouldin index, learning effectiveness

through Bayesian knowledge tracing simulations comparing error-aware versus generic feedback trajectories, and feedback quality through expert review and relevance assessment. Four experiments address error category discovery and interpretability validation, feedback effectiveness simulation using synthetic learning curves, ablation analysis isolating component contributions, and cross-domain generalization testing transfer learning effectiveness.

Key risks and mitigations include: lack of pedagogical interpretability in discovered clusters (mitigated through iterative expert validation and pedagogically-informed feature engineering), dataset incompleteness and missing metadata (multi-dataset evaluation and robust feature engineering), simulation-reality mismatch between simulated learning and actual student improvement (multiple complementary evaluation metrics and conservative result interpretation), and scope expansion beyond semester feasibility (phased implementation with well-defined milestones and contingency plans for simplified approaches). Timeline spans weeks 1–2 (setup and data preparation including environment configuration and exploratory data analysis), weeks 3–5 (error category discovery with clustering implementation and validation), weeks 6–8 (feedback synthesis including template development and interface creation), weeks 9–12 (comprehensive evaluation with all experiments and analysis), weeks 13–14 (documentation and finalization). The fourteen-week schedule is conservative with buffer for unexpected challenges, enabling feasible implementation using well-established libraries and publicly available datasets.

VII. CONCLUSION

This project addresses a concrete educational challenge: the ineffectiveness of generic correctness-only feedback in online assessment systems. By applying machine learning to automatically discover cognitive error categories and generate targeted interventions, the system enables personalized learning support at scale. Unlike existing systems that focus on performance prediction or require manual rule engineering, this approach brings artificial intelligence to bear on the pedagogically critical problem of error diagnosis and adaptive intervention design.

The technical approach is sound, leveraging well-established machine learning techniques applied to a novel problem in educational contexts. The evaluation plan is comprehensive, addressing error category quality, learning effectiveness, feedback quality, and system robustness. Implementation within a semester is realistic using standard tools and publicly available datasets. The work contributes to a paradigm shift in educational AI toward learning support and personalization beyond administrative automation.

REFERENCES

- [1] J. Stamper, T. Murray, R. Madachy, and K. Malzahn, “Towards closing the loop: Automated data-driven hint generation for tutoring systems,” in *Proceedings of the 4th International Conference on Educational Data Mining*, 2011, pp. 139–148.
- [2] K. R. Koedinger and V. Aleven, “Exploring the assistance dilemma: Balancing support and learning,” *Journal of Learning Sciences*, vol. 16, no. 1, pp. 1–39, 2007.

- [3] C. Piech et al., “Deep knowledge tracing,” in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 28, 2015, pp. 505–513.
- [4] A. Y. Minn, “Artificial intelligence and education: A systematic review and perspective,” *International Journal of Artificial Intelligence in Education*, vol. 31, no. 1, pp. 78–112, 2021.
- [5] K. VanLehn, “Rule learning by indirect instruction,” in *Handbook of Classroom Assessment*, 1999, pp. 147–201.
- [6] S. Ohlsson and P. Langley, “Identifying solution paths in cognitive diagnosis,” *AAAI Technical Report FS-85-01*, 1985.
- [7] K. R. Koedinger, J. C. Stamper, M. D. Baker, and J. R. Anderson, “Smart tutoring systems: Learning with a smarter tutor,” in *Advances in Intelligent Tutoring Systems*, Springer, 2012, pp. 123–156.
- [8] B. Metcalf and R. R. Buss, “Automated feedback in practice: Designing and evaluating adaptive feedback for learning,” *Educational Technology Research and Development*, vol. 68, no. 4, pp. 1823–1849, 2020.
- [9] X. Liang, Y. Yang, and B. du Boulay, “Student modeling in adaptive learning: A systematic review and meta-analysis,” *Journal of Educational Technology & Society*, vol. 25, no. 2, pp. 52–78, 2022.
- [10] R. S. J. d. Baker and K. Yacef, “The state of educational data mining in 2009: A review and future visions,” *Journal of Educational Data Mining*, vol. 1, no. 1, pp. 3–17, 2009.
- [11] Q. Liu, S. Huang, and Z. Chen, “Transformer-based models for educational applications: A comprehensive survey,” *IEEE Transactions on Learning Technologies*, vol. 16, no. 3, pp. 298–315, 2023.