




SUBMITTED BY	
NAME	VELANATI AAKASH
ROLL NO.	AV.SC.U4CSE25252
YEAR/SEM/SECTION	1ST YEAR /SEM2/CSE-C
CREDITS	03

SUBMITTED TO	DR.RAJ KUMAR BATCHU
DESIGNATION	ASST.PROFFESSOR
DEPARTMENT	SCHOOL OF COMPUTING

S.NO	TITLE	PAGE NO	REMARKS
1	WEEK 1 : 1. INSTALATION OF VS CODE 2. UNDERSTANDING BASIC HTML STRUCTURE 3. UNDERSTANDING BACIS HTML TAGS.		
2	Week-2: Design a basic webpage with headings , paragraph, pre, table by adding styles.		
3	Week-3: 3 .A) Creating timetable using HTML. 3.B)Creating a HTML web page that should display all the syllabus as images		
4	Week-4: 1. Collage admission registration form using HTML. 2. Create two different forms in one webpage using Iframes		
5	Week-5: 5A) .creating a card layout using tag consider three cards and a button using html and css. 5B) navigation using iframe (mini website) upon clicking each buttons the details about that button should be display on the same page. 5C) Design amrita login page by showing different campus on home page.upon clicking on each campus the details about each campus should be display on the same		

	page use html and css to design a stylish webpage		

WEEK-1

1.AIM : To download vs code on laptop

PROCEDURE :

1.first we have to serch in any browser with name vs code download after we need to click the first link on the list we get the below page as it is so we can can download from that by selecting according to our operating system.

Download Visual Studio Code

Free and built on open source. Integrated Git, debugging and extensions.



↓ Windows

Windows 10, 11

User Installer [x64](#) [Arm64](#)

System [x64](#) [Arm64](#)

Installer [x64](#) [Arm64](#)

.zip [x64](#) [Arm64](#)

CLI [x64](#) [Arm64](#)



↓ .deb

Debian, Ubuntu

↓ .rpm

Red Hat, Fedora, SUSE

.deb [x64](#) [Arm32](#) [Arm64](#)

.rpm [x64](#) [Arm32](#) [Arm64](#)

.tar.gz [x64](#) [Arm32](#) [Arm64](#)

Snap [Snap Store](#)

CLI [x64](#) [Arm32](#) [Arm64](#)




↓ Mac

macOS 11.0+


.zip [Intel chip](#) [Apple silicon](#) [Universal](#)

CLI [Intel chip](#) [Apple silicon](#)


2.



3.




4.



5.



6.



2. AIM : to write a basic HTML code

CODE:

```
<!DOCTYPEhtml>

<html>

  <head>

    <title>first web page</title>

  </head>

  <body>

    <p>name=aakash,sec=cse-c</p>


    <h1>happy to learn HTML</h1>

    <P>THIS IS MY FIRST SAMPLE CODE </P><P>

  </BODY>

</html>
```

OUTPUT :



name=aakash,sec=cse-c

happy to learn HTML

THIS IS MY FIRST SAMPLE CODE

EXPLANATION :

1. <!DOCTYPEhtml>: The element tells the browser , this is an HTML5 document.
2. <html>:Everything should be **inside** this tag.
3. <head>: this contains title tag.

4. <title> : This sets the title of the webpage.
5. <body>: this contain main code (contains all visible content like text ,images ,links ,tables ,etc.).
6. <h1>: this used to get headings.
7. <P>: this contains para(any information).

3. AIM: write a code to understand basic html tags h ,p ,links, image, break, title, width ,height , colour.

CODE: <!DOCTYPE>

```
<html>

<head>

  <title>links</title>

</head>

<body>

  <p>name=aakash,sec=cse-c</p>

  <h1 style = "color:pink">AMRITA</h1>

  <p style = "color:#F54927;" title = >amrita Vishwa Vidyapeetham is
<br>famous as a top-ranked, multi-disciplinary private university in India</p>


  <a href="https://www.amrita.edu/"> amrita link</a>

</body>

</html>
```

OUTPUT:



EXPLANATION:

1. `<p>` : it is used if we want to display any information in para format.
2. `<h>` : Used for titles and headings
3. `<a href="https://www.amrita.edu/"> amrita link</a>`:

`<a>` is used it is usable one for link ,Creates a clickable link with name amrita link ,href- specifies destination URL.

4. `` :

1. Displays an image on the webpage
2. `<img>` has no closing tag
3. `src` → image URL
4. `alt` → text if image fails to load (important for accessibility)
5. `width` → image width (pixels)
6. `height` → image height (pixels)

5. `<br>`: Moves text to the next line, No closing tag needed,
Used inside paragraphs for line breaks.
6. Colour: it is a tag we used to color our text it used in `<h>`, `<p>` .main thing
is the style tag should be used in that we add color as subtag.

Ex :`<p style = "color:#F54927;">`.

WEEK-2

1. AIM: write a code to understand basic html tags h ,p ,links, image, break, title, width ,height , colour.

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <title>web page</title>
```

```
  </head>
```

```
  <body style="background-image: url('amara.jpg');width: 100%;height: 100%;">
```

```
    <h1 style="text-align: center;color: ghostwhite;border: 3px solid black;">Amrita Vishwa  
Vidyapeetham</h1>
```

```
    <pre style="text-align: center;color: rgb(0, 0, 0);font-family: Georgia, 'Times New Roman', Times,  
serif;font-style: italic;font-size: large;">
```

```
      Amrita Vishwa Vidyapeetham, Amaravati is a premier, NAAC A++  
accredited multi-disciplinary campus located in Andhra Pradesh's capital  
region.
```

```
    </pre>
```

```
    <table border="2" align="center" bgcolor="lightgray" style="text-align: center;">
```

```
      <h1 style="font-size: x-large;font-weight: bold;color: black; background-color: gray;text-align:  
center;">All Amrita campus Details</h1>
```

```
      <tr>
```

```
        <th>S.No</th>
```

```
        <th>Campus Name</th>
```

```
        <th>location</th>
```

```
        <th>Department</th>
```

```
        <th>faculty name</th>
```

```
        <th>Contact No,E mail</th>
```

```
      </tr>
```

```
      <tr>
```

```
        <td>1.</td>
```

```
        <td>AMRAVTHI</td>
```

```
        <td>amaravati</td>
```

```
        <td>UID-CSE</td>
```

```
        <td>DR.Raj kumar batchu</td>
```

```
        <td>94949 99944</td>
```

```
      </tr>
```

```
      <tr>
```

```
        <td>2.</td>
```

```
        <td>Amrithapuri</td>
```

```
        <td>amritapuri</td>
```


```
        <td>UID-CSE</td>
```

```

        <td>DR.Ajay kumar</td>
        <td>84848 44888</td>
    </tr>
    <tr>
        <td>3.</td>
        <td>Chennai</td>
        <td>chennai</td>
        <td>UID-CSE</td>
        <td>DR.Suresh babu</td>
        <td>96969 99969</td>
    </tr>
</table>
</body>
</html>

```

OUTPUT:



Explanation:

1. <a> = Creates a hyperlink that takes the user to a different webpage when clicked
2. <i> = Displays text in italics.

3. `<table>` = the `<table>` tag is used to arrange data into rows and columns.
4. `<th>` = Defines a header cell (usually bold and centred by default).
5. `<td>` = the `<td>` tag stands for table Data.
6. `<b>` = Used for bold text.
7. `<pre>` = to display text exactly as written in the HTML source code, preserving both whitespace and line breaks

WEEK-3

3.A) Aim: Create a class timetable using HTML elements.

B) Aim: Create a HTML web page that should display all subjects as an image of all syllabus .

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <title>Time table</title>
```

```
  </head>
```

```
  <body style="background-color: rgb(255, 255, 255);">
```

```
    <table width="100%" border="1" cellpadding="1" cellspacing="2"
    style="text-align: center; background-color: rgb(255, 255, 255);">
```

```
      <tr>
```

```
        <th colspan="12">Master Time Table CSE II Semester C
Section</th>
```

```
      </tr>
```

```
      <tr>
```

```
        <td colspan="4" align="left"><b>Dept. CSE</b><br><b>Class: B.
Tech. CSE-C</b><br><b>Semester-II</b></td>
```

```
        <td colspan="8" align="left"><b>Class Room Venue: 512</b></td>
```

```
      </tr>
```

```
      <tr>
```

```
        <th colspan="4" align="left"><b>class Advisors:<br>1. Name: Mr.
Budati Jaya Lakshminarayana<br>Email :
```

bj_lakshminarayana@av.amrita.edu
Mobile Number : +91-7989795768

2. Name: Dr. Arun Kumar
Email : s_arunkumar@av.amrita.edu
Mobile Number : +91-8940857202

Time/Day

Slot-1

Slot-2

10:35AM - 10:45Am

Slot-3

Slot-4

Slot-5

1:15PM - 2:10PM

Slot-6

3:00PM - 3:10PM

Slot-7

Slot-8

8:55AM - 9:45AM

9:45AM - 10:35AM

10:45AM - 11:35AM

11:35AM - 12:25PM

2:10PM - 3:00PM
3:10PM -4:00PM
4:00PM - 4:50PM
Monday
Discrete Math Lab
s h o r t b r e a k
Modren physics
Object oriented programming
glimpse of glorious india
L u n c h b r e a k
glimpse of glorious india
s h o r t b r e a k
Library
Tuesday

<td colspan="2" style="background-color: rgb(255, 255, 146);">User
interface design Lab</td>

<td>Linear Algebra</td>

<td>Discrete mathematics</td>

<td style="color:red ;">Councelling</td>

<td style="background-color: beige;">Manufacturing practice
Lab</td>

<td colspan="2" style="background-color: beige;">Manufacturing
practice Lab</td>

</tr>

<tr>

<th>Wednesday</th>

<td>Modren Physics</td>

<td>User interface design</td>

<td colspan="2" style="background-color: beige;">Linear algebra
Lab</td>

<td style="color: red;">Councelling</td>

<td>Library</td>

<td>Glimpse of glorious india</td>

<td>library/sports</td>

</tr>

<tr>

<th>Thursday</th>

<td>Object oriented programming</td>

<td>Discrete Mathematics</td>

```
<td colspan="2" style="background-color: beige;">Object oriented  
programming Lab</td>
```

```
<td>Linear algebra</td>
```

```
<td>Library</td>
```

```
<td colspan="2">Library/Sports</td>
```

```
</tr>
```

```
<th><b>Friday</b></th>
```

```
<td>Object oriented programming</td>
```

```
<td>Discrete mathematics</td>
```

```
<td>Modren physics</td>
```

```
<td>User interface design</td>
```

```
<td>Linear algebra</td>
```

```
<td>library</td>
```

```
<td colspan="2">Library/sports</td>
```

```
</table>
```

```
<br>
```

```
<br>
```

```
<table width="100%" border="1" cellpadding="1" cellspacing="2"  
style="text-align: center;background-color: rgb(255, 255, 255);">
```

```
<tr>
```

```
<th>Course code</th>
```

```
<th>Course Name</th>
```

```
<th> L-T-P</th>
```

```
<th> Credits</th>
```

```
<th>Faculty Name</th>
```

<th> Assisting Faculty</th>	
</tr>	
<td>23MAT116</td>	
<td>Discrete Mathematics</td>	
<td> 3-0-2 </td>	
<td>04</td>	
<td> Dr.Srivivasa Rao Thota</td>	
<td> </td>	
<tr>	
<td>23MAT117</td>	
<td>Linear Algebra</td>	
<td> 3-0-2 </td>	
<td>04</td>	
<td> Mr.Sapavat Bixapathi</td>	
<td> </td>	
</tr>	
<tr>	
<td>23CSE111</td>	
<td>Object Oriented Programming</td>	
<td> 3-0-4</td>	
<td>04</td>	
<td>Dr.SATYA RAJENDRA SINGH R</td>	
<td> Dr. Balaji TK</td>	
</tr>	

<tr>

<td>23PHY115</td>

<td>Modern Physics</td>

<td> 2-1-0</td>

<td>03</td>

<td>Dr.Soumya</td>

<td> </td>

</tr>

<tr>

<td>23CSE113</td>

<td>User Interface Design</td>

<td> 2-0-2 </td>

<td>03</td>

<td> Dr.Rajkumar Batchu</td>

<td> Mr. Barge Bharadwaj</td>

</tr>

<tr>

<Td>23MEE115</Td>

<td>Manufacturing Practice</td>

<td> 0-0-3</td>

<td>01</td>

<td>Dr. Sathies S.</td>

<td> </td>

</tr>

	22ADM111	Glimpses of Glorious India	2-0-1	02	Dr. Siva Panuganti	
--	----------	----------------------------	-------	----	--------------------	--

		Total (15L + 1Tut +12P =28 hrs)	15-1-12	21		
--	--	---------------------------------	---------	----	--	--

Syllabus

Discrete mathematics



Linear Algebra



User interface design

<h2 style="color: rgb(0, 0, 0);">Manufacturing practice</h2>

<h2 style="color: rgb(0, 0, 0);">Object oriented programming</h2>

<h2 style="color: rgb(0, 0, 0);">Modren Physics</h2>

<h2 style="color: rgb(0, 0, 0);">Glimpses of glorious india</h2>

</body>

</html>

OUTPUT:

Name = Aakash , Roll no = 25252 , Section-C

Master Time Table CSE II Semester C Section											
Dept. CSE Class: B. Tech. CSE-C Semester-II				Class Room Venue: 512							
class Advisors: 1. Name: Mr. Budati Jaya Lakshminarayana Email : bj_lakshminarayana@av.amrita.edu Mobile Number :+91-7989795768				2. Name: Dr. Arun Kumar s Email : s_arunkumar@av.amrita.edu Mobile Number : +91-8940857202							
Time/Day	Slot-1 8:55AM - 9:45AM	Slot-2 9:45AM - 10:35AM	10:35AM - 10:45Am	Slot-3 10:45AM - 11:35AM	Slot-4 11:35AM - 12:25PM	Slot-5 12:25PM - 1:15PM	1:15PM - 2:10PM	Slot-6> 2:10PM - 3:00PM	3:00PM - 3:10PM	Slot-7 3:10PM - 4:00PM	Slot-8 4:00PM - 4:50PM
MonDay	Discrete Math Lab		s h o r t	Modren physics	Object oriented programming	glimpse of glorious india	L u n c h	glimpse of glorious india	s h o r t	Library	
Tuesday	User interface design Lab			Linear Algebra	Discrete mathematics	Councelling		Manufacturing practice Lab		Manufacturing practice Lab	
Wednesday	Modren Physics	User interface design	b	Linear algebra Lab		Councelling		Library		Glimpse of glorious india	library/sports
Thursday	Object oriented programming	Discrete Mathematics	r e	Object oriented programming Lab		Linear algebra	b r e a k	Library	b r e a k	Library/Sports	
Friday	Object oriented programming	Discrete mathematics	a k	Modren physics	User interface design	Linear algebra	a k	library	k	Library/sports	

Course code	Course Name	L-T-P	Credits	Faculty Name	Assisting Faculty
23MAT116	Discrete Mathematics	3-0-2	04	Dr.Srivivasa Rao Thota	
23MAT117	Linear Algebra	3-0-2	04	Mr.Sapavat Bixpathi	
23CSE111	Object Oriented Programming	3-0-4	04	Dr.SATYA RAJENDRA SINGH R	Dr. Balaji TK
23PHY115	Modern Physics	2-1-0	03	Dr.Soumya	
23CSE113	User Interface Design	2-0-2	03	Dr.Rajkumar Batchu	Mr. Barge Bharadwaj
23MEE115	Manufacturing Practice	0-0-3	01	Dr. Sathies S.	
22ADM111	Glimpses of Glorious India	2-0-1	02	Dr. Siva Panuganti	
Total (15L + 1Tut +12P =28 hrs)		15-1-12	21		

Syllabus

Discrete mathematics

Unit 1

Logic, Mathematical Reasoning and Counting: Logic, Propositional Equivalence, Predicate and Quantifiers, Theorem Proving, Functions, Mathematical Induction, Recursive Definitions, Recursive Algorithms, Basics of Counting, Pigeonhole Principle, Permutation and Combinations. (Sections: 1.1 -1.3, 1.5 -1.7, 2.3, 4.1 - 4.4, 5.1 - 5.3 and 5.5)

Unit 2

Relations and Their Properties: Representing Relations, Closure of Relations, Partial Ordering, Equivalence Relations and partitions. (Sections: 7.1, 7.3 - 7.6)
Advanced Counting Techniques and Relations: Recurrence Relations, Solving Recurrence Relations, Generating Functions, Solutions of Homogeneous Recurrence Relations, Divide and Conquer Relations, Inclusion-Exclusion. (Sections: 6.1 - 6.6)

Unit 3

Number Theory: Divisibility and Factorization, Simultaneous linear congruences, Chinese Remainder Theorem. Wilson's Theorem, Fermat's Theorem, pseudoprimes and Carmichael numbers, Euler's Theorem. Arithmetic functions and Quadratic residues:

Linear Algebra

Pre-requisite: Matrices

Review of matrices and linear systems of equations. (2 hrs)

Vector Spaces: Vector spaces - Sub spaces - Linear independence - Basis - Dimension - Inner products - Orthogonality - Orthogonal basis - Gram Schmidt Process - Change of basis. (12 hrs)

Orthogonal complements - Projection on subspace - Least Square Principle. (6 hrs)

Linear Transformations: Positive definite matrices - Matrix norm and condition number - QR- Decomposition - Linear transformation - Relation between matrices and linear transformations - Kernel and range of a linear transformation. (10 hrs)

Change of basis - Nilpotent transformations - Similarity of linear transformations - Diagonalisation and its applications - Jordan form and rational canonical form. (10 hrs)
SVD.

User interface design

Unit 1

Introduction to Web - Client/Server - Web Server - Application Server- HTML Basics- Tags - Adding Web Links and Images-Creating Tables-Forms - Create a Simple Web Page - HTML 5 Elements - Media - Graphics.

Unit 2

CSS Basics - Features of CSS - Implementation of Borders - Backgrounds- CSS3 - Text Effects - Fonts - Page Layouts with CSS

Unit 3

Introduction to Java Script - Form Validations - Event Handling - Document Object Model - Deploying an application

Manufacturing practice

1. Additive Manufacturing Laboratory -12 hours

Introduction to digital manufacturing. Introduction to Additive Manufacturing - types - additive manufacturing applications - Materials for 3D printing, CAD Modelling for Additive manufacturing, Slicing and STL file generation - G code generation - 3D printing of simple geometries.

2. Mechanical Engineering Laboratory -12 hours

Study of tools and equipment used for basic manufacturing processes.
Manual arc welding practice for making Butt and Lap joints - Soldering Practice
Introduction to Machine Tools and Machining Processes

3. Automation lab -12 hours

Design, simulate and test pneumatic and electro-pneumatic circuits. Introduction to PLC -PLC programming for automation applications.

4. Automobile Engineering lab -9 hours

Overview of automobiles - components -functioning of various sub-systems; Power train, steering system, suspension system and braking system. Introduction to electric vehicles, hybrid vehicles, alternate fuels. Introduction to E Mobility.

Object oriented programming

Unit1

Structured to Object Oriented Approach by Examples - Object Oriented languages - Properties of Object Oriented system - UML and Object Oriented Software Development - Use case diagrams and documents as a functional model - Identifying Objects and classes - Representation of Objects and its state by Object Diagram - Simple Class using class diagram - Encapsulation - Data Hiding - Reading and Writing Objects - Class Level and Instance Level Attributes and Methods- JIVE environment for debugging.

Unit2

Aggregation and Composition using Class Diagram - Generalization using Class Diagram - Inheritance - Constructor and Over Riding - Visibility - Attribute - Parameter - Package - Local and Global - Polymorphism - Overloading - Abstract Classes and Interfaces.

Unit3

Exception Handling - Inner Classes - Wrapper classes - String - and String Builder classes - Number - Math - Random - Array methods - File Streams - Serialization - Generics - Collection framework - Comparator and Comparable - Vector and ArrayList - Iterator and Iterable.

Modren Physics

Unit 1

Origin of quantum theory of radiation: Black body radiation, photo-electric effect, Compton Effect - pair production and annihilation, De-Broglie hypothesis, description of waves and wave packets, group velocities. Evidence for wave nature of particles: Davisson-Germer experiment, Heisenberg uncertainty principle.

Unit 2

Atomic structure: Historical Development of atomic structures: Thomson's Model, Rutherford's Model: Scattering formula and its predictions, Atomic spectra - Bohr's Model, Sommerfield's Model, The correspondence principle, nuclear motion, and atomic excitation, Application: Lasers.

Unit 3

Quantum mechanics: Wave function, Probability density, expectation values - Schrodinger equation - time dependent and independent, Linearity and superposition, expectation values, operators, Eigen functions and Eigen values

Unit 4

Application of 1D Schrodinger Wave equation: Free particle, Particle in a box, Finite potential well, Tunnel effect, Harmonic oscillator.

Unit 5

Intro to Quantum computing: Q bits - II Quantum correlations: Bell Inequalities and entanglement. Schmidt decomposition, super dense coding, teleportation. Module

Glimpses of glorious india

Face the Brutes, Role of Women in India, Acharya Chanakya, God and Iswara, Bhagavad Gita: From Soldier to Samsarin to Sadhaka, Lessons of Yoga from Bhagavad Gita, Indian Soft powers, Preserving Nature through Faith, Ancient Indian Cultures (Class Activity), Practical Vedanta, To the World from India, Indian Approach to Science.

Explanation:

1. `<table>` = the `<table>` tag is used to arrange data into rows and columns.
2. `<tr>` = Creates a horizontal row.
3. `<th>` = Defines a header cell (usually bold and centred by default).
4. `<td>` = the `<td>` tag stands for table Data.
5. `colspan` attribute = It is used to merge multiple columns across horizontally.
6. `rowspan` attribute = It is used to merge multiple rows across vertically.

WEEK-4

1. AIM: 1. Creating a collage registration form using HTML.

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>College Admission Registration</title>
```

```
</head>
```

```
<body style="background-color: rgb(190, 240, 240);">
```

```
    <h2 style="text-align: center;">Collage Registration Form</h2>
```

```
    <table border="1" align="center" cellpadding="10" cellspacing="1"
style="background-color: aliceblue;" >
```

```
        <form>
```

```
            <tr>
```

```
                <td><label for="name">Full Name:</label></td>
```

```
                <td><input type="text" id="name" name="name"></td>
```

```
            </tr>
```

```
            <tr>
```

```
                <td><label for="email">Email:</label></td>
```

```
                <td><input type="email" id="email" name="email"></td>
```

```
            </tr>
```

```
            <tr>
```

```
                <td><label for="phone">Phone Number:</label></td>
```

```
                <td><input type="tel" id="phone" name="phone"></td>
```

```
            </tr>
```

```
            <tr>
```

```
                <td>Gender:</td>
```

```
                <td>
```

```

        <input type="radio" id="male" name="gender" value="male">
        <label for="male">Male</label>
        <input type="radio" id="female" name="gender" value="female">
        <label for="female">Female</label>
        <input type="radio" id="other" name="gender" value="other">
        <label for="other">Other</label>
    </td>
</tr>

<tr>
    <td>Course Applying For:</td>
    <td>
        <select name="course">
            <option value="btech">B.Tech</option>
            <option value="mtech">M.Tech</option>
            <option value="bsc">B.Sc</option>
            <option value="aiml">AIML</option>
            <option value="aids">AIDS</option>
            <option value="cse-ai">CSE-AI</option>
        </select>
    </td>
</tr>

<tr>
    <td>Hobbies:</td>
    <td>
        <input type="checkbox" id="sports" name="hobbies"
value="sports">
        <label for="sports">Sports</label>
        <input type="checkbox" id="music" name="hobbies"
value="music">
        <label for="music">Music</label>
        <input type="checkbox" id="reading" name="hobbies"
value="reading">
        <label for="reading">Reading</label>
    </td>

```

```

</tr>

<tr>
  <td><label for=dob>Date of birth:</label></td>
  <td><input type=date id="dob"></td>
</tr>

<tr>
  <td><label for=certificates>Upload certificates:</label></td>
  <td><input type="file" id="certificates" name="certificates"></td>
</tr>

<tr>
  <td><label for=address>Address :</label></td>
  <td>
    <textarea name="address" id="address" rows="4"
cols="30"></textarea>
  </td>
</tr>

<tr>
  <td colspan="2" align="center">
    <input type="submit" value="Submit">
    <input type="reset" value="Reset">
  </td>
</tr>
</form>
</table>

</body>
</html>

```

Output:

College Admission Registration x +

file:///C:/uid_25252/input11.html

Name = Aakash , Roll no = 25252 , Section-C

Collage Registration Form

Full Name:	
Email:	
Phone Number:	
Gender:	☐ Male ☐ Female ☐ Other
Course Applying For:	B.Tech
Hobbies:	☐ Sports ☐ Music ☐ Reading
Date of birth:	dd-mm-yyyy 📅
Upload certificates:	Choose File No file chosen
Address :	
Submit Reset	

2. AIM: Create two different forms in one webpage using Iframes.

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Two Forms Using Iframes</title>
```

```
</head>
```

```
<body>
```

```
<center>
```

```
    <h2>Two Forms Using Iframes</h2>
```

```
    <iframe src="User Login form.html" width="600" height="500"></iframe>
```

```
    <iframe src="User Registration.html" width="600" height="500"></iframe>
```

```
</center>
```

```
</body>
```

```
</html>
```

User Login Form.

```

<!DOCTYPE html>
<html>
  <body style="background-color: rgb(255, 170, 170);">
    <center>
      <h2>User Login</h2>
      <form>
        <tr>
          <table width="50" border="1" cellpadding="25" cellspacing="2"
style="text-align:center;">
            <tr>
              <td>
                <label for="fname">Username:</label>
              </td>
              <td>
                <input type="text" id="fname" name="fname" placeholder="User
Name">
              </td>
            </tr>
            <tr>
              <td>
                <label for="password">Password:</label>
              </td>
              <td>
                <input type="password" id="password" name="password"
placeholder="Password">
              </td>
            </tr>
            <tr>
              <td colspan="2" style:align="center">
                <input type="Submit" id="Login" name="Login" value="Login">
              </td>
            </tr>
          </table>
        </center>
      </form>
    </body>
  </html>

```

User Registration Form.

```

<!DOCTYPE html>
<html>
  <body style="background-color: rgb(171, 255, 234);">
    <center>
      <h2>User Registration</h2>
      <form>
        <table width="50" border="1" cellpadding="25" cellspacing="2"
style="text-align:center;">
          <tr>
            <td>
              <label for="fname">FullName:</label>
            </td>
            <td>
              <input type="text" id="fname" name="fname" placeholder="Full
Name ">
            </td>
          </tr>
          <tr>
            <td>
              <label for="Email">Email:</label>
            </td>
            <td>
              <input type="Email" id="Email" name="Email" placeholder="Email
">
            </td>
          </tr>
          <tr>
            <td>
              <label for="phone number">Phone:</label>
            </td>
            <td>
              <input type="text" id="phone number" name="phone nummber"
placeholder="phone number">
            </td>
          </tr>
          <tr>
            <td>
              <label for="password">Password:</label>

```

```

        </td>
        <td>
            <input type="password" id="password" name="password"
placeholder="password">
        </td>
    </tr>
    <tr>
        <td colspan="2" style:align="center">
            <input type="Submit" id="Register" name="Register" value="Register">
            <input type="Reset" id="Reset" name="Reset" value="Reset">
        </td>
    </tr>
</form>
</table>
</tr>
</center>
</body>
</html>

```

Output:

The screenshot shows a web browser window titled "Two Forms Using Iframes". The address bar shows the file path "file:///C:/uid_25252/input12.html". Below the browser window, the text "Name = Aakash , Roll no = 25252 , Section-C" is displayed. The main content area is titled "Two Forms Using Iframes" and contains two side-by-side forms.

User Login

Username:	User Name
Password:	Password
Login	

User Registration

FullName:	Full Name
Email:	Email
Phone:	phone number
Password:	password
Register Reset	

Explanation:

1. <label> = Provides a clickable text description that tells the user what information to enter.

2. `<input>` = Creates an interactive field where the user can actually type data or select options.
3. `<iframe>` = Acts as a window to display another website or HTML document inside your current page.
4. `<centre>` = Used to align content to the middle of the page.
5. `Src` = Tells the `<iframe>` exactly which file to display inside the window.
6. `Type` = Defines what kind of input to show (e.g., text for names, password to hide characters, or submit for a button).
7. `Id` = A unique name for an element that connects it to a `<label>`.
8. `Name` = The "key" or label sent to the server so it knows which piece of data belongs to which field.
9. `For` = Used in a `<label>` to link it to the id of an `<input>`, making the label clickable.

WEEK-5

5.A) Aim: creating a card layout using tag consider three cards and a button using html and css.

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <style>
```

```
    body{
```

```
      background-color: #ffffff;
```

```
    }
```

```
    h1 {
```

```
      text-align: center;
```

```
      font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande',
```

```
'Lucida Sans Unicode', Geneva, Verdana, sans-serif;
```

```
    }
```

```
    .container {
```

```
      display: flex;
```

```
      justify-content: center;
```

```
      gap: 25px;
```

```
      padding: 40px;
```

```
      background-color: #e9ecef;
```

```
      border-radius: 15px;
```

```
      margin: 20px;
```

```
    }
```

```
    .card {
```

```
      background: #ffffff;
```

```
      padding: 20px;;
```

```
      max-width: 300px;
```

```
      border-radius: 10px;
```

```
      box-shadow: 0 4px 6px rgba(0,0,0,0.1);
```

```
      text-align: center;
```

```
      font-family: sans-serif;
```

```
    }
```

```
    .img{
```

```
width: 75%;
border-radius: 15px;
}

.click-me-box {
display: block;
margin: 15px auto 0;
padding: 10px;
background-color: #5148f9;
color: white;
border: none;
border-radius: 55px;
cursor: pointer;
font-weight: bold;
}
```

```
.click-me-box:hover {
background-color: #7094ff;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>Amrita Vishwa Vidyapeetham</h1>
```

```
<div class="container">
```

```
<div class="card">
```

```
<h3>coimbatore</h3>
```

```

```

```
<p>As the administrative headquarters, this sprawling 400-acre lush
green campus is known for its serene, nature-rich atmosphere and top-tier
research facilities.</p>
```

```
<button class="click-me-box">Click Me</button>
```

```
</div>
```

```
<div class="card">
```


```
<h3>Banglore</h3>

<p>Situating in the heart of India's tech hub, this campus focuses on a
"solution-mindset" with strong industry ties and a vibrant student life filled with
diverse technical clubs.</p>
<button class="click-me-box">Click Me</button>
</div>

<div class="card">
  <h3>amaravati</h3>
  
  <p>The newest addition is a rapidly growing, sustainable greenfield
campus near the Krishna River, featuring modern digital classrooms and a
strong emphasis on interdisciplinary research.</p>
  <button class="click-me-box">Click Me</button>
</div>

</div>
</body>
</html>
```

Output:



Explanation:

1. `<div>` = A `<div>` is an invisible container used to group HTML elements together so you can style them with CSS or manipulate them with JavaScript as a single unit.
2. `<button>` = we use `<button>` element for creating button.
3. Class = A class is a reusable identifier used to apply the same CSS styles.
4. Display : flex = Display flex is a CSS property used to easily align, gap, and distribute space among items within a container.
5. Gap = Gap is the external space between multiple items inside a Flex or Grid container.
6. Padding = Padding is the internal space inside an element (between its border and its content).
7. Cursor : pointer = Cursor pointer is a CSS property used to change the mouse icon into a hand with a pointing finger.

5.B) Aim: Navigation using iframe (mini website) upon clicking each buttons the details about that button should be display on the same page.

Code:

Index.html;(main)

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <style>
```

```
      body{
```

```
        background-color: rgb(209, 234, 255);
```

```
        font-family:Arial;
```

```
      }
```

```
      .menu{
```

```
        display:flex;
```

```
        background-color: #526272;
```

```
        padding: 10px;
```

```
        text-align: center;
```

```
        justify-content: center;
```

```
        border-radius: 15px;
```

```
      }
```

```
      .menu a{
```

```
        color:white;
```

```
        margin:0 15px;
```

```
        text-decoration:none;
```

```
        background:black;
```

```
        padding:8px 12px;
```

```
        text-align: center;
```

```
        align-items: center;
```

```
        align-content: center;
```

```
        border-radius: 15px;
```

```
      }
```

```
      h1 {
```

```
        text-align:center;
```

```
        background:#fb7979;
```

```
        color:rgb(0, 0, 0);
```

```

padding:20px;
font-family: cursive;
border-radius: 15px;
}
iframe{
width:100%;
height:4000px;
border:none;
}

</style>
</head>
<body>
<h1 >Amrita Vishwa Vidyapeetham</h1>
<div class="menu">
<a href="about.html" target="frame" class="menu a">About</a>
<a href="home.html" target="frame" class="menu a">Admissions</a>
<a href="contact1.html" target="frame" class="menu a">contact</a>
</div>
<iframe name="frame"></iframe>
</body>
</html>

```

About.html;

```

<!DOCTYPE html>
<html>
<head>
<style>
body{
font-family:Arial;
text-align:center
}
.box{
border:2px solid black;
padding:20px;

```

```

        display:inline-block;
        border-radius: 15px;
    }
    h2{
        color:#000000;
        font-family: cursive;
    }
    .img{
        width: 250px;
        border-radius: 15px;
    }
</style>
</head>
<body>
<div class="box">
    <h2>Amrita school of computing and school of business</h2>
    <p>Amrita Vishwa Vidyapeetham is a private deemed university located in
India.</p>
    <p>The university is known for its strong emphasis on research and
innovation.</p>
    
</div>
</html>

```

Contact1.html;

```

<!DOCTYPE html>
<html>
    <head>
        <style>
            body{
                font-family:cursive;
                text-align:center
            }
            .img{
                width: 250px;
                border-radius: 15px;

```

```

    }
    .box{
        border:2px solid black;
        padding:20px;
        display:inline-block;
        border-radius: 15px;
    }
    h2{
        color:#000000;
    }
</style>
</head>
<body>
    <div class="box">
        <h2>contact</h2>
        <p>www.amrita.com</p>
        <p>Banglore, Amaravati, Amritapur, Faridabad,Coimbatore </p>
        <p>contact info : 1800 425 90009 (Toll-free)<br>Email:
univhq@amrita.edu</p>
    </div>
</body>
</html>

```

home.html:

```

<!DOCTYPE html>
<html>
    <head>
        <style>
            body{
                font-family:Arial;text-align:center;
            }
            .img{
                width: 250px;
                border-radius: 15px;
            }

```


```

        .box {
            border:2px solid black;
            padding:20px;
            display:inline-block;
            border-radius: 15px;
        }
        h2 {
            color:#000000;
            font-family: cursive;
        }
    </style>
</head>
<body>
<div class="box">
    <h2>Admissions</h2>
    <p>Amrita Vishwa Vidyapeetham offers a wide range of undergraduate
and postgraduate programs across various disciplines.</p>
    <p>Admissions are based on merit and entrance examinations.</p>
    <p>The university provides a conducive environment for learning and
research.</p>
    
</div>
</body>
</html>

```

Output:





Explanation:

1. `<div>` = A `<div>` is an invisible container used to group HTML elements together so you can style them with CSS or manipulate them with JavaScript as a single unit.
2. `<button>` = we use `<button>` element for creating button.
3. Class = A class is a reusable identifier used to apply the same CSS styles.
4. Display : flex = Display flex is a CSS property used to easily align, gap, and distribute space among items within a container.
5. Gap = Gap is the external space between multiple items inside a Flex or Grid container.
6. Padding = Padding is the internal space inside an element (between its border and its content).

7. Cursor : pointer = Cursor pointer is a CSS property used to change the mouse icon into a hand with a pointing finger.

8. Margin = Margin is a CSS property used to create empty space around an element.

9. box-shadow: 0 4px 6px rgba(0,0,0,0.1) = box-shadow is used for creating a shadow around a box.

5.c) Aim: Design amrita login page by showcampus on home page. upon clicking on each campus the details about each campus should be display on the same page use html and css to design a stylish webpage.

Code:

Main.html:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
```

```
<html>
```

```
  <head>
```

```
    <title>login webpage</title>
```

```
    <style>
```

```
      body{
```

```
        background-color: rgb(255, 195, 146);
```

```
        background-size: cover;
```

```
}
nav{
    background:#0b5ea6;
    text-align:center;
    padding:10px;
}
nav a{color:yellow;
    margin:12px;
    text-decoration:none;
    font-weight:bold;
    padding:5px;
}
.heading{
    font-size: 35px;
    color: white;
    background-color: rgb(195, 81, 81);
    text-align: center;
    padding:12px;
    border-radius: 15px;
}
.main-container {
    width: 1150px;
    height: 50px;
}
.login-box {
    float: left;
    width: 360px;
    background-color: #579cb1;
    padding: 35px;
    color: white;
    border-radius: 15px;
    opacity: 0.8;
    border: 1px solid rgba(255,255,255,0.3);
    height: 450px;
}
.login input[type="email"],
```

```

.login input[type="password"]{
    width:90%;
    padding:6px;
    margin:6px 0;
}
.button{
    border-radius: 15px;
    background-color: #501df7;
    color: white;
    width: 75px;
}
iframe{
    flex:1;
    margin-left:20px;
    height:520px;
    border:none;
    background:rgb(210, 255, 254);
    border-radius:10px;
    width: 950px;
    opacity: 0.9;
}
</style>
</head>
<body>
<div class="heading">Amrita Vishwa Vidyapeetham</div>
<br>

<nav>
<a href="amaravati.html" target="campus">AMARAVATI</a>
<a href="amritapuri.html" target="campus">AMRITAPURI</a>
<a href="bengaluru.html" target="campus">BENGALURU</a>
<a href="chennai.html" target="campus">CHENNAI</a>
<a href="coimbatore.html" target="campus">COIMBATORE</a>
<a href="kochi.html" target="campus">KOCHI</a>
<a href="mysuru.html" target="campus">MYSURU</a>
</nav>

```

```
<div class="login-box">
  <h2>Login</h2>
  Email<br>
  <input type="email"><br>
  Password <br>
  <input type="password">
  <div class="remember">
    <input type="checkbox"><label>Save me</label>
  </div>
  <input type="button" value="Login" class="button" >
  <br><br>
  <a href=" " >Forgot Password?</a><br>
  No account? <a href=" " >Register</a>
</div>
<iframe name="campus" src="amaravati.html"></iframe>
```

```
</body>
</html>
```

Amaravati.html:

```
<!DOCTYPE html>
<html>
```

```
  <body style=" text-align:center;">
```

```
    <h1 style="color:#a00000;">Amaravati Campus</h1>
```

```
    <p>
```

One of the newer additions, this 200-acre campus in Andhra Pradesh is designed as a modern tech-and-business-centric educational center.

```
  </p>
```

```
  <p>
```

nirf ranking : 8th for university

Popular Courses: CSE, AI, Data Science

Facilities: Library, Smart Classrooms, Hostel

Focus: Innovation and Research

</p>

</body>

</html>

Amritapuri.html:

<!DOCTYPE html>

<html>

<body style="text-align:center;">

<h1 style="color:#ff0b0b;">Amritapuri Campus</h1>

<p>

Located near the headquarters of the Mata Amritanandamayi Math, it's famous for blending high-end research with a spiritual, seaside atmosphere.

</p>

<p>

nirf ranking : 8th for university

Popular Courses: Engineering, Arts, Sciences

Facilities: Research Labs, Hostel,Beautiful nature

Focus: Academic Excellence with Values

</p>

</body>

</html>

Bengaluru.html

<!DOCTYPE html>

<html>

```
<body style="text-align:center;">
```

```
<h1 style="color:#a00000;">Bengaluru Campus</h1>
```

```
<p>
```

Located in India's tech hub, Bengaluru campus offers advanced engineering programs with strong industry connections.

```
</p>
```

```
<p>
```

nirf ranking : 8th for university

Popular Courses: Robotics, CSE, ECE

Facilities: Coding Labs, Innovation Centres

Focus: Industry Collaboration

```
</p>
```

```

```

```
</body>
```

```
</html>
```

Chennai.html:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body style="text-align:center;">
```

```
<h1 style="color:#a00000;">Chennai Campus</h1>
```

```
<p>
```

Chennai campus provides top-quality computing and management education

with modern infrastructure.

```
</p>
```

```
<p>
```

nirf ranking : 8th for university

Popular Courses: IT, MBA, Electronics

Facilities: Digital Library, Placement Cell

Focus: Career Development

</p>

</body>

</html>

Coimbatore.html:

<!DOCTYPE html>

<html>

<body style="text-align:center;">

<h1 style="color:#a00000;">Coimbatore Campus</h1>

<p>

The massive 450-acre headquarters known for its top-tier engineering programs and lush, eco-friendly "oasis" setting.

</p>

<p>

nirf ranking : 8th for university

Popular Courses: Mechanical, Civil, CSE

Facilities: Workshops, Labs, Hostel

Focus: Core Engineering Skills

</p>

</body>

</html>

Kochi.html:

<!DOCTYPE html>

<html>

<body style="text-align:center;">

<h1 style="color:#a00000;">Kochi Campus</h1>

<p>

A premier healthcare hub that houses the renowned Amrita Institute of Medical Sciences (AIMS)

and a major multi-specialty hospital.

</p>

<p>

nirf ranking : 8th for university

Popular Courses: MBA, Commerce, Finance

Facilities: Seminar Halls, Library

Focus: Industry Training

</p>

</body>

</html>

Mysuru.html:

<!DOCTYPE html>

<html>

<body style="text-align:center;">

<h1 style="color:#a00000;">Mysuru Campus</h1>

<p>

Mysuru campus is known for its peaceful environment,
green campus, and quality education.

</p>

<p>

nirf ranking : 8th for university

Popular Courses: Arts, Sciences, Engineering

Facilities: Hostel, Library, Sports Complex

Focus: Calm Learning Atmosphere

</p>

</body>

</html>

Output:

login webpage

file:///C:/uid_25252/5c/main.html

Name = Aakash , Roll no = 25252 , Section-C

Amrita Vishwa Vidyapeetham

AMARAVATIAMRITAPURIBENGALURUCHENNAICOIMBATOREKOCHIMYSURU

Login

Email

Password

☐ Save me

Login

[Forgot Password?](#)

No account? [Register](#)

Amaravati Campus

One of the newer additions, this 200-acre campus in Andhra Pradesh is designed as a modern tech-and-business-centric educational center.

nirf ranking : 8th for university

Popular Courses: CSE, AI, Data Science

Facilities: Library, Smart Classrooms, Hostel

Focus: Innovation and Research



login webpage

file:///C:/uid_25252/5c/main.html

Name = Aakash , Roll no = 25252 , Section-C

Amrita Vishwa Vidyapeetham

AMARAVATIAMRITAPURIBENGALURUCHENNAICOIMBATOREKOCHIMYSURU

Login

Email

Password

☐ Save me

Login

[Forgot Password?](#)

No account? [Register](#)

Amritapuri Campus

Located near the headquarters of the Mata Amritanandamayi Math, it's famous for blending high-end research with a spiritual, seaside atmosphere.

nirf ranking : 8th for university

Popular Courses: Engineering, Arts, Sciences

Facilities: Research Labs, Hostel, Beautiful nature

Focus: Academic Excellence with Values



login webpage

file:///C:/uid_25252/5c/main.html

Name = Aakash , Roll no = 25252 , Section-C

Amrita Vishwa Vidyapeetham

AMARAVATI AMRITAPURI BENGALURU CHENNAI COIMBATORE KOCHI MYSURU

Login

Email

Password

☐ Save me

[Forgot Password?](#)

No account? [Register](#)

Bengaluru Campus

Located in India's tech hub, Bengaluru campus offers advanced engineering programs with strong industry connections.

nirf ranking : 8th for university
Popular Courses: Robotics, CSE, ECE
Facilities: Coding Labs, Innovation Centres
Focus: Industry Collaboration



login webpage

file:///C:/uid_25252/5c/main.html

Name = Aakash , Roll no = 25252 , Section-C

Amrita Vishwa Vidyapeetham

AMARAVATI AMRITAPURI BENGALURU CHENNAI COIMBATORE KOCHI MYSURU

Login

Email

Password

☐ Save me

[Forgot Password?](#)

No account? [Register](#)

Chennai Campus

Chennai campus provides top-quality computing and management education with modern infrastructure.

nirf ranking : 8th for university
Popular Courses: IT, MBA, Electronics
Facilities: Digital Library, Placement Cell
Focus: Career Development



login webpage

file:///C:/uid_25252/5c/main.html

Name = Aakash , Roll no = 25252 , Section-C

Amrita Vishwa Vidyapeetham

AMARAVATI AMRITAPURI BENGALURU CHENNAI COIMBATORE KOCHI MYSURU

Login

Email

Password

☐ Save me

[Forgot Password?](#)


No account? [Register](#)

Coimbatore Campus

The massive 450-acre headquarters known for its top-tier engineering programs and lush, eco-friendly "oasis" setting.

nirf ranking : 8th for university
Popular Courses: Mechanical, Civil, CSE
Facilities: Workshops, Labs, Hostel
Focus: Core Engineering Skills





Explanation:

1. `<div>` = A `<div>` is an invisible container used to group HTML elements together so you can style them with CSS or manipulate them with JavaScript as a single unit.
2. `<button>` = we use `<button>` element for creating button.
3. Class = A class is a reusable identifier used to apply the same CSS styles.
4. Display : flex = Display flex is a CSS property used to easily align, gap, and distribute space among items within a container.

5. Gap = Gap is the external space between multiple items inside a Flex or Grid container.

6. Padding = Padding is the internal space inside an element (between its border and its content).

7. Cursor : pointer = Cursor pointer is a CSS property used to change the mouse icon into a hand with a pointing finger.

8. Margin = Margin is a CSS property used to create empty space around an element.

9. box-shadow: 0 4px 6px rgba(0,0,0,0.1) = box-shadow is used for creating a shadow around a box.