

```
Administrator: C:\Windows\system32\cmd.exe - mysql -u root
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. All rights reserved.

C:\Users\Lenovo>cd..
C:\Users>cd..
C:\>cd xampp
C:\xampp>cd mysql
C:\xampp\mysql>cd bin
C:\xampp\mysql\bin>mysql -u root
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 36
Server version: 5.6.21 MySQL Community Server (GPL)

Copyright (c) 2000, 2014, Oracle and/or its affiliates. All rights reserved.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> NAMA : HENDRI
      ->
      -> create database count;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'NAMA
: HENDRI

create database count' at line 1
mysql> use mysql
Database changed
mysql> create database count;
Query OK, 1 row affected (0.00 sec)

mysql> use count;
Database changed
mysql> create tb_caleg (id int(2), name varchar(15), id_partai int(2), earned_vo
te char(5), primary key (id));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'tb_ca
leg (id int(2), name varchar(15), id_partai int(2), earned_vote char(5), pr' at
line 1
mysql> create table tb_caleg (id int(2), name varchar(15), id_partai int(2), ear
ned_vote char(5), primary key (id));
Query OK, 0 rows affected (0.67 sec)

mysql> show table;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '' at
line 1
mysql> show tables;
+-----+
! Tables_in_count !
```

```
Administrator: C:\Windows\system32\cmd.exe - mysql -u root
mysql> show table;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '' at
line 1
mysql> show tables;
+-----+
| Tables_in_count |
+-----+
| th_caleg         |
+-----+
1 row in set (0.00 sec)

mysql> desc th_caleg;
+-----+-----+-----+-----+-----+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id     | int(2)    | NO   | PRI | 0        |       |
| name   | varchar(15) | YES  |     | NULL     |       |
| id_partai | int(2)    | YES  |     | NULL     |       |
| earned_vote | char(5)   | YES  |     | NULL     |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.08 sec)

mysql> create table th_partai (id int(2), name varchar(15), primary key (id));
Query OK, 0 rows affected (0.52 sec)

mysql> desc th_partai;
+-----+-----+-----+-----+-----+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id     | int(2)    | NO   | PRI | 0        |       |
| name   | varchar(15) | YES  |     | NULL     |       |
+-----+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql>
```

```
Administrator: C:\Windows\system32\cmd.exe - mysql -u root
+-----+-----+-----+-----+-----+
| earned_vote | char(5) | YES | NULL |
+-----+-----+-----+-----+
4 rows in set (0.08 sec)

mysql> create table tb_partai (id int(2), name varchar(15), primary key (id));
Query OK, 0 rows affected (0.52 sec)

mysql> desc tb_partai;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| id | int(2) | NO | PRI | 0 |
| name | varchar(15) | YES | | NULL |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> insert into tb_caleg values ("1","Sera","2","100"),("2","Dobleh","1","99");
Query OK, 2 rows affected (0.23 sec)
Records: 2 Duplicates: 0 Warnings: 0

mysql> select * from tb_caleg;
+-----+-----+-----+-----+
| id | name | id_partai | earned_vote |
+-----+-----+-----+-----+
| 1 | Sera | 2 | 100 |
| 2 | Dobleh | 1 | 99 |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> insert into tb_partai values ("1","Cilacap Santai"),("2","Cilacap Sejahtera");
Query OK, 2 rows affected, 1 warning (0.14 sec)
Records: 2 Duplicates: 0 Warnings: 1

mysql> select * from tb_partai;
+-----+-----+
| id | name |
+-----+-----+
| 1 | Cilacap Santai |
| 2 | Cilacap Sejahtera |
+-----+-----+
2 rows in set (0.00 sec)

mysql> insert into tb_partai values ("3","Cilacap Aman");
Query OK, 1 row affected (0.13 sec)

mysql> select * from tb_partai;
+-----+-----+
| id | name |
+-----+-----+
| 1 | Cilacap Santai |
| 2 | Cilacap Sejahtera |
| 3 | Cilacap Aman |
+-----+-----+
3 rows in set (0.00 sec)

mysql>
```

```
Administrator: C:\Windows\system32\cmd.exe - mysql -u root
mysql> insert into tb_partai values (<"1","Cilacap Santai">,<"2","Cilacap Sejahtera">);
Query OK, 2 rows affected, 1 warning (0.14 sec)
Records: 2 Duplicates: 0 Warnings: 1

mysql> select * from tb_partai;
+-----+-----+
| id | name          |
+-----+-----+
| 1  | Cilacap Santai |
| 2  | Cilacap Sejahtera |
+-----+-----+
2 rows in set (0.00 sec)

mysql> insert into tb_partai values (<"3","Cilacap Aman">);
Query OK, 1 row affected (0.13 sec)

mysql> select * from tb_partai;
+-----+-----+
| id | name          |
+-----+-----+
| 1  | Cilacap Santai |
| 2  | Cilacap Sejahtera |
| 3  | Cilacap Aman   |
+-----+-----+
3 rows in set (0.00 sec)

mysql> update tb_partai set name = 'Cilacap Makmur' where id = '2';
Query OK, 1 row affected (0.17 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from tb_partai;
+-----+-----+
| id | name          |
+-----+-----+
| 1  | Cilacap Santai |
| 2  | Cilacap Makmur |
| 3  | Cilacap Aman   |
+-----+-----+
3 rows in set (0.00 sec)

mysql> insert into tb_caleg values (<"4","Kabur","4","69">,<"5","Astina","5","21">);
Query OK, 2 rows affected (0.14 sec)
Records: 2 Duplicates: 0 Warnings: 0

mysql> select * from tb_caleg;
+-----+-----+-----+-----+
| id | name  | id_partai | earned_vote |
+-----+-----+-----+-----+
| 1  | Sera  | 2         | 100         |
| 2  | Dobleh | 1         | 99          |
| 4  | Kabur  | 4         | 69          |
| 5  | Astina | 5         | 21          |
+-----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql>
```

```
Administrator: C:\Windows\system32\cmd.exe - mysql -u root
mysql> select * from tb_partai;
+----+-----+
| id | name      |
+----+-----+
| 1  | Cilacap Santai |
| 2  | Cilacap Makmur  |
| 3  | Cilacap Aman    |
+----+-----+
3 rows in set (0.00 sec)

mysql> insert into tb_caleg values ('4','Kabur','4','69'),('5','Astina','5','21');
Query OK, 2 rows affected (0.14 sec)
Records: 2 Duplicates: 0 Warnings: 0

mysql> select * from tb_caleg;
+----+-----+-----+-----+
| id | name   | id_partai | earned_vote |
+----+-----+-----+-----+
| 1  | Sera   | 2         | 100         |
| 2  | Dobleh | 1         | 99          |
| 4  | Kabur  | 4         | 69          |
| 5  | Astina | 5         | 21          |
+----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql> update tb_caleg set name = 'Is Bos' and set earbed_vote='70' where id = '1';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'set earbed_vote='70' where id = '1'' at line 1
mysql> update tb_caleg set name = 'Is Bos' and set earned_vote='70' where id = '1';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'set earned_vote='70' where id = '1'' at line 1
mysql> update tb_caleg set name = 'Is Bos' where id = '1';
Query OK, 1 row affected (0.05 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> update tb_caleg set eraned_vote = '70' where name = 'Is Bos';
ERROR 1054 (42S22): Unknown column 'eraned_vote' in 'field list'
mysql> update tb_caleg set earned_vote = '70' where name = 'Is Bos';
Query OK, 1 row affected (0.08 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from tb_caleg;
+----+-----+-----+-----+
| id | name   | id_partai | earned_vote |
+----+-----+-----+-----+
| 1  | Is Bos | 2         | 70          |
| 2  | Dobleh | 1         | 99          |
| 4  | Kabur  | 4         | 69          |
| 5  | Astina | 5         | 21          |
+----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql>
```



```
Administrator: C:\Windows\system32\cmd.exe - mysql -u root
+----+-----+-----+-----+
| 4 | Kabur | 4 | 69 |
| 5 | Astina | 5 | 21 |
+----+-----+-----+
4 rows in set (0.00 sec)

mysql> update tb_caleg set name ='Is Bos'and set earbed_vote='70' where id ='1';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'set e
arbed_vote='70' where id ='1'' at line 1
mysql> update tb_caleg set name ='Is Bos'and set earned_vote='70' where id ='1';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'set e
arned_vote='70' where id ='1'' at line 1
mysql> update tb_caleg set name ='Is Bos'where id ='1';
Query OK, 1 row affected (0.05 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> update tb_caleg set eraned_vote ='70'where name ='Is Bos';
ERROR 1054 (42S22): Unknown column 'eraned_vote' in 'field list'
mysql> update tb_caleg set earned_vote ='70'where name ='Is Bos';
Query OK, 1 row affected (0.08 sec)
Rows matched: 1 Changed: 1 Warnings: 0

mysql> select * from tb_caleg;
+----+-----+-----+-----+
| id | name | id_partai | earned_vote |
+----+-----+-----+-----+
| 1 | Is Bos | 2 | 70 |
| 2 | Dobleh | 1 | 99 |
| 4 | Kabur | 4 | 69 |
| 5 | Astina | 5 | 21 |
+----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql> update tb_caleg set name ='Is Bos'or set earned_vote='70' where id ='1';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'set e
arned_vote='70' where id ='1'' at line 1
mysql> delete from tb_caleg where name='Astina';
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near ''Asti
na'' at line 1
mysql> delete from tb_caleg where name='Astina';
Query OK, 1 row affected (0.09 sec)

mysql> select * from tb_caleg;
+----+-----+-----+-----+
| id | name | id_partai | earned_vote |
+----+-----+-----+-----+
| 1 | Is Bos | 2 | 70 |
| 2 | Dobleh | 1 | 99 |
| 4 | Kabur | 4 | 69 |
+----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql>
```

