



Frankfurt University of Applied Sciences

Faculty of Computer Science and Engineering

Implementation and Evaluation of an Enterprise Architect Chatbot Using a RAG-Based Approach

Thesis to Obtain the Academic Degree
Master of Science (M.Sc.)

Submitted by

Hendrik Gruber

Matriculation Number: 1458240

Advisor : Prof. Dr. Jürgen Jung
Co-Advisor : Dr. Rainer Schlör

DECLARATION

I hereby assure that I wrote the present work independently and that I did not use any other sources than those given in the bibliography.

All passages that are taken verbatim or correspondingly from published or not yet published sources are marked as such.

The drawings or images in this work were created by myself or provided with a corresponding source reference.

This work has not been submitted to any other examination authority in the same or a similar form.

Frankfurt, 28. February, 2026

Hendrik Gruber

ABSTRACT

Lorem ipsum ...

CONTENTS

I THESIS

1	INTRODUCTION	2
1.1	Motivation and Thesis Question	2
2	TERMINOLOGY AND TECHNOLOGY	3
2.1	Terminology	3
2.1.1	Enterprise Architecture Management	3
2.1.2	Enterprise Architect	3
2.1.3	Capabilities	4
2.1.4	Value Streams	4
2.1.5	Architecture Diagrams	4
2.1.6	Large Language Models	4
2.1.7	Graph Database	4
2.1.8	Retrieval Augmented Generation	4
2.1.9	neo4j	4
2.1.10	Model Context Protocol	4
3	CURRENT STATE OF THE ART	5
3.1	Enterprise Architecture Management	5
3.2	Large Language Models, Conversational Agents, and Retrieval-Augmented Generation	5
3.3	Comparable Projects and Prototypes	6
3.4	Evaluations and Limitations	6
4	METHODOLOGY	7
4.0.1	Action Research	7
5	EXPERIMENTS	8
6	EVALUATION OF THE RESULTS AND CHALLENGES	9
7	CONCLUSION AND FUTURE WORK	10
7.0.1	Conclusion	10
7.0.2	Future Work	10

II APPENDIX

BIBLIOGRAPHY	12
--------------	----

LIST OF FIGURES

LIST OF TABLES

ACRONYMS

AI	Artificial Intelligence
AR	Action Research
EA	Enterprise Architect / Architecture
EAM	Enterprise Architecture Management
GenAI	Generative Artificial Intelligence
IT	Information Technology
RAG	Retrieval-Augmented Generation

USAGE OF GENERATIVE AI

OpenAI GPT-5 (OpenAI, 2025) was used in order to find sources and summarize them.

Part I

THESIS

INTRODUCTION

1.1 MOTIVATION AND THESIS QUESTION

In the field of define that we are building a RAG system which will be referred to as a chatbot. it is not an agent, as it is not executing anything.

Action Research (AR) was applied in order to gain scientific value out of the developed prototype. The advantage of this research method is that it is very supportive of the development process for information systems. According to Baskerville (1999), all types of action research have the following four characteristics in common: An orientation towards developing, a focus on a specific problem, an iterative process, and a collaboration amongst participants. This is applicable to the work at hand because a prototype is being developed for a specific problem. The development cycle is conducted iteratively and collaboratively with different stakeholders. More details on this are described in chapter [4.0.1](#) [2]

TERMINOLOGY AND TECHNOLOGY

This chapter goes in detail on the terminology and technology that will be relevant for the reader to have a foundational understanding of the rest of this thesis. Later chapters will build upon these concepts and pieces of technology.

2.1 TERMINOLOGY

2.1.1 *Enterprise Architecture Management*

Enterprise Architecture Management (EAM) can be summarized as being the bridge between the business and IT departments of an enterprise. The goal is to implement information technology that is aligned with the business needs of the company. This is in contrast to the IT department implementing information technology for the sake of implementing information technology, which people in IT are often fond of doing [1]. An unwanted situation would then be when the IT department falls into a siloed way of thinking where they are decoupled from the rest of the company. EAM helps to ensure that the implemented information technology is achieving the right things, namely supporting the business capabilities and processes. [10, pg. 2-3]

Enterprise Architecture can benefit a company in various ways.

Diese Quelle hierfür vielleicht verwenden: [9] Die Quelle hat vor allem eine Menge Fragen aus der echten Welt, was EAs sich im Alltag fragen. Diese Liste kann als Referenz dienen für meinen Copilot. Diese Quelle hilft da vielleicht auch nochmal um in die Tiefe zu gehen. [3]

2.1.2 *Enterprise Architect*

A common challenge for an EA is dealing with the heterogeneous nature of an application landscape [10, pg. 6]

Erwähnen, dass eine Herausforderung des EAs es ist, dass die vorzunehmenden Änderungen zwar von einem high-level POV einfach aussehen, aber in den Details viele Herausforderungen stecken. zB stakeholder management (jede Applikation hat einen eigenen Verantwortlichen, viele Schnittstellen der Applikationen, etc.)

2.1.3 *Capabilities*

2.1.4 *Value Streams*

2.1.5 *Architecture Diagrams*

2.1.5.1 *Application Landscape*

2.1.5.2 *Capability Support Matrix*

2.1.6 *Large Language Models*

LLMs are capable of supporting in language-related tasks where text needs to be generated, translated, summarized, analysed, or questions answered [8].

2.1.7 *Graph Database*

2.1.8 *Retrieval Augmented Generation*

2.1.9 *neo4j*

2.1.10 *Model Context Protocol*

Also explain (maybe in the SOTA) how it is able to understand the schema of the graphdatabase (by calling get-schema when initializing the MCP it knows how my graph database is setup).

CURRENT STATE OF THE ART

Briefly explain why a literature analysis is important. Define the scope (what fields you looked at, which databases, what keywords). Define the research method and how you narrowed it down from x sources to y sources.i

3.1 ENTERPRISE ARCHITECTURE MANAGEMENT

theories, digital twin efforts, EA tool landscapeStandards or frameworks (e.g., TOGAF, ArchiMate, IATA ONE Record, LeanIX). Theoretical foundations (auch auf prozessmanagment eingehen, wie der aktuelle Prozess aussieht, wenn die Landschaft geändert werden soll) Current tools and methods Research prototypes in EA

Authors Jung and Fraunholz 2021 [10] lay foundational work from which many EAM concepts can be derived.

3.2 LARGE LANGUAGE MODELS, CONVERSATIONAL AGENTS, AND RETRIEVAL-AUGMENTED GENERATION

strengths, hallucination issues, graph-RAG enhancements Theoretical foundations Current tools and methods

This paper covers how ai tools are more scalable than manual expertise analysis of things. The source is highly relevant. Look at the summary in notebookLM. 05.10.25 [7]

This 2025 paper has ideas on how changing knowledge-graphs (e.g. through updates) can be handled [11]. It looks at temporal data and how to handle it. This might be relevant since addressing how a changing application landscape can be handled will probably be a challenge.

This paper gives an overview on how to control the dialog sequence and also notes 4 types of dialog options for chatbots in the related works section: [12].

This paper [15] covers how a chatbot can support in task-planning and output generation. Might be helpful in understanding how my chatbot can tell the EA how to conduct changes in the application landscape.

This paper [4] states how proactive dialogue systems work and can be improved. It goes into detail on 3 types of dialogue systems: clarification, target-guided, and non-collaborative dialogues. All 3 of these have a certain relevance for the EAM Chatbot.

RAG: Geh darauf ein, was es für unterschiedliche Chunking methoden gibt, wie man ein Buch runterbringt, und was das alles für vor und nachteile hat. auch welche tools es gibt (neo4j) ist wichtig.

3.3 COMPARABLE PROJECTS AND PROTOTYPES

Proof-of-concepts, research prototypes, industry whitepapers, GitHub projects.

Tools like ChatEA, LeanIX AI features, or Microsoft Copilot integrations in architecture/governance.

A prototypical graph-based RAG approach for text-summarization has been created by Microsoft: y[5]. The accompanying paper is here: [6]

3.4 EVALUATIONS AND LIMITATIONS

Studies analyzing strengths/weaknesses of RAG, embedding quality, hallucination mitigation.

Papers about user interaction with EA tools, chatbot evaluation frameworks, usability challenges

This paper [14] gives a standardized method and framework for evaluating conversational AI agents.

This paper [13] proposes a benchmark for open-ended multi-turn conversational agents. I think this paper focuses more on evaluating agents and comparing their results, but maybe i can copy their evaluation methods and benchmarks?

METHODOLOGY

Sequenzdiagramm, projekt plan (timeline), herangehensweise, etc.

4.0.1 *Action Research*

Todo: describe action research in more detail here [2]

CONCLUSION AND FUTURE WORK

Todo

7.0.1 *Conclusion*

7.0.2 *Future Work*

Some ideas for future work: how to improve the challenges mentioned. what other areas this could find utility in. how could access management be handled? e.g. if the database contains customer-information that not every user should be able to see, how can that be differentiated? real-world scenarios that could use my prototype and try out a pilot phase?

Part II

APPENDIX

BIBLIOGRAPHY

- [1] Shoaib Ahmed, Nazim Taskin, David J Pauleen, Jane Parker, et al. "Motivating information technology professionals: The case of New Zealand." In: *Australasian Journal of Information Systems* 21 (2017).
- [2] Richard L Baskerville. "Investigating information systems with action research." In: *Communications of the association for information systems* 2.1 (1999), p. 19.
- [3] Sandra Castro and Jürgen Jung. "Towards Measuring Success of Enterprise Architecture Decisions: Survey among Practitioners and Outline of a Framework." In: *Enterprise Architecture Professional Journal* (2021), pp. 1–22.
- [4] Yang Deng, Lizi Liao, Liang Chen, Hongru Wang, Wenqiang Lei, and Tat-Seng Chua. *Prompting and Evaluating Large Language Models for Proactive Dialogues: Clarification, Target-guided, and Non-collaboration*. 2023. arXiv: [2305.13626](https://arxiv.org/abs/2305.13626) [cs.CL]. URL: <https://arxiv.org/abs/2305.13626>.
- [5] Darren Edge, Ha Trinh, Newman Cheng, Joshua Bradley, Alex Chao, Apurva Mody, Steven Truitt, Dasha Metropolitansky, Robert Osazuwa Ness, and Jonathan Larson. "From Local to Global: A Graph RAG Approach to Query-Focused Summarization." 2024. URL: <https://www.microsoft.com/en-us/research/publication/from-local-to-global-a-graph-rag-approach-to-query-focused-summarization/>.
- [6] Darren Edge, Ha Trinh, Newman Cheng, Joshua Bradley, Alex Chao, Apurva Mody, Steven Truitt, Dasha Metropolitansky, Robert Osazuwa Ness, and Jonathan Larson. *From Local to Global: A Graph RAG Approach to Query-Focused Summarization*. 2025. arXiv: [2404.16130](https://arxiv.org/abs/2404.16130) [cs.CL]. URL: <https://arxiv.org/abs/2404.16130>.
- [7] Jiawei Gu, Xuhui Jiang, Zhichao Shi, Hexiang Tan, Xuehao Zhai, Chengjin Xu, Wei Li, Yinghan Shen, Shengjie Ma, Honghao Liu, et al. "A survey on llm-as-a-judge." In: *arXiv preprint arXiv:2411.15594* (2024).
- [8] Muhammad Usman Hadi, Rizwan Qureshi, Abbas Shah, Muhammad Irfan, Anas Zafar, Muhammad Bilal Shaikh, Naveed Akhtar, Jia Wu, Seyedali Mirjalili, et al. "Large language models: a comprehensive survey of its applications, challenges, limitations, and future prospects." In: *Authorea preprints* 1.3 (2023), pp. 1–26.
- [9] Jürgen Jung. "Purpose of enterprise architecture management: investigating tangible benefits in the german logistics industry." In: *2019 IEEE 23rd International Enterprise Distributed Object Computing Workshop (EDOCW)*. IEEE. 2019, pp. 25–31.
- [10] Jürgen Jung and Bardo Fraunholz. *Masterclass Enterprise Architecture Management*. Springer, 2021.

- [11] Dong Li, Yichen Niu, Ying Ai, Xiang Zou, Biqing Qi, and Jianxing Liu. *T-GRAG: A Dynamic GraphRAG Framework for Resolving Temporal Conflicts and Redundancy in Knowledge Retrieval*. 2025. arXiv: [2508.01680](https://arxiv.org/abs/2508.01680) [cs.AI]. URL: <https://arxiv.org/abs/2508.01680>.
- [12] Zhigen Li et al. *ChatSOP: An SOP-Guided MCTS Planning Framework for Controllable LLM Dialogue Agents*. 2025. arXiv: [2407.03884](https://arxiv.org/abs/2407.03884) [cs.CL]. URL: <https://arxiv.org/abs/2407.03884>.
- [13] Xiao Liu, Hao Yu, Hanchen Zhang, Yifan Xu, Xuanyu Lei, Hanyu Lai, Yu Gu, Hangliang Ding, Kaiwen Men, Kejuan Yang, et al. "Agent-bench: Evaluating llms as agents." In: *arXiv preprint arXiv:2308.03688* (2023).
- [14] Anna Wolters, Arnold Arz von Straussenburg, and Dennis M. Riehle. "Evaluation Framework for Large Language Model-based Conversational Agents." In: July 2024.
- [15] Wenshuo Zhai, Jinzhi Liao, Ziyang Chen, Bolun Su, and Xiang Zhao. "A Survey of Task Planning with Large Language Models." In: *Intelligent Computing* (2025). DOI: [10.34133/icomputing.0124](https://doi.org/10.34133/icomputing.0124).