

Pseudomonas Epiphytic Growth and Virulence Analysis

2024 Summer

Contents

Load Libraries	1
Goals	2
Virulence Analysis	2
Caculcate survival probabilities for each strain and create dataframe	2
Make Kaplan-Meier Plot	6
Epiphytic Growth Analysis	7
Calculate mean/variance epiphytic growth ability	7
Plot Epiphytic Growth	8
Epiphutic growth stats	10
Combine epiphytic and virulence data	12
Plot it for different times	13
Session Information	15

Load Libraries

```
pacman::p_load(ggplot2, readxl, RColorBrewer, paletteer, viridis, wesanderson, ggbeeswarm,
  dplyr, tidyverse, devtools, emmeans, cowplot, knitr, survival, here, tibble,
  survminer, lubridate, formatR, gridExtra, ggsurvfit, gtsummary, tidycmprsk, install = FALSE)

# Load strain colors Define your strains
strains <- c("194", "200", "204", "205", "215", "216", "220", "221", "227", "228",
  "B728a", "Cit7", "Control", "pisi")

# Generate colors using the 'grDevices::Set 2' palette
set2_colors <- as.character(paletteer_c("grDevices::Dark 3", length(strains)))

# Create a named vector for strain colors, with 'Control' as black
```

```

strain_colors <- setNames(c(set2_colors), strains)

species_colors <- c(`P. fluorescens` = "dodgerblue2", `P. syringae` = "springgreen3",
  `P. paralactis` = "sienna4")

pseud_epi_growth_2024summer_R <- read_excel("data/pseud_epi_growth_2024summer_R.xlsx")

aphid_virulence_data <- read_csv("data/virulence_new_all.csv")

## Rows: 4973 Columns: 6
## -- Column specification -----
## Delimiter: ","
## chr (3): date, treatment, replicate
## dbl (3): individual, censored, time
##
## i Use 'spec()' to retrieve the full column specification for this data.
## i Specify the column types or set 'show_col_types = FALSE' to quiet this message.

```

Goals

- Create Kaplan-Meier curve for Pseud. virulence data
- Use stats (Wilcox?) to determine statistical significance of each strain
- Compare virulence data with epiphytic growth ability

Virulence Analysis

Note: *In order to help me with this analysis, I am using the following sites - Survival Analysis in R and Hazard Ratio: Interpretation & Definition.*

Calculate survival probabilities for each strain and create dataframe

```

# Fit the survival model
km_fit <- survfit(Surv(time, censored) ~ treatment, data = aphid_virulence_data)

# Extract survival probabilities at specific time points
time_points <- c(24, 48, 72)
km_summary <- summary(km_fit, times = time_points)

# Initialize empty lists to store the results
times_list <- list()
treatment_list <- list()
surv_prob_list <- list()

# Loop over each treatment group and extract survival probabilities at
# specified time points
for (i in 1:length(km_fit$strata)) {
  treatment_name <- names(km_fit$strata)[i]
  for (t in time_points) {

```

```

    idx <- which(km_summary$time == t & km_summary$strata == treatment_name)
    if (length(idx) > 0) {
      times_list <- c(times_list, t)
      treatment_list <- c(treatment_list, treatment_name)
      surv_prob_list <- c(surv_prob_list, km_summary$surv[idx])
    } else {
      times_list <- c(times_list, t)
      treatment_list <- c(treatment_list, treatment_name)
      surv_prob_list <- c(surv_prob_list, NA)
    }
  }
}

# Create the data frame
surv_probs <- data.frame(time = unlist(times_list), treatment = unlist(treatment_list),
  surv_prob = unlist(surv_prob_list))

# Replace 'treatment=' with an empty string
surv_probs$treatment <- gsub("treatment=", "", surv_probs$treatment)

# Print the data frame
print(surv_probs)

```

```

##      time treatment  surv_prob
## 1     24        194 0.77891156
## 2     48        194 0.18707483
## 3     72        194 0.12244898
## 4     24        200 0.53159851
## 5     48        200 0.05576208
## 6     72        200 0.02230483
## 7     24        204 0.54929577
## 8     48        204 0.08450704
## 9     72        204 0.05281690
## 10    24        205 0.56949153
## 11    48        205 0.11525424
## 12    72        205 0.07118644
## 13    24        215 0.79513889
## 14    48        215 0.44791667
## 15    72        215 0.22222222
## 16    24        216 0.56250000
## 17    48        216 0.27430556
## 18    72        216 0.15625000
## 19    24        220 0.35135135
## 20    48        220 0.19256757
## 21    72        220 0.17229730
## 22    24        221 0.65543071
## 23    48        221 0.21722846
## 24    72        221 0.09363296
## 25    24        227 0.40000000
## 26    48        227 0.22033898
## 27    72        227 0.16949153
## 28    24        228 0.65671642
## 29    48        228 0.15298507

```

```
## 30 72 228 0.10447761
## 31 24 B728a 0.68041237
## 32 48 B728a 0.40549828
## 33 72 B728a 0.10996564
## 34 24 Cit7 0.75609756
## 35 48 Cit7 0.37630662
## 36 72 Cit7 0.17073171
## 37 24 Control 0.94777397
## 38 48 Control 0.87243151
## 39 72 Control 0.81678082
## 40 24 pisi 0.88250653
## 41 48 pisi 0.79634465
## 42 72 pisi 0.74151436
```

```
# subset data by time
surv_probs_72 <- surv_probs %>%
  filter(time == 72)

# If you need to save it to a file, you can use the following command
# write.csv(surv_probs, 'survival_probabilities.csv', row.names = FALSE)
```

Post-hoc test for survival

```
# Perform pairwise log-rank tests between treatment groups and the control
# group
pairwise_tests <- pairwise_survdif(Surv(time, censored) ~ treatment, data = aphid_virulence_data)

# Print the pairwise tests
print(pairwise_tests)
```


```
##
## Pairwise comparisons using Log-Rank test
##
## data: aphid_virulence_data and treatment
##
##      194      200      204      205      215      216      220      221      227
## 200 2.3e-12 - - - - - - - -
## 204 1.6e-08 0.26489 - - - - - -
## 205 3.7e-06 0.04009 0.38289 - - - - -
## 215 4.6e-05 < 2e-16 < 2e-16 7.8e-16 - - - -
## 216 0.20589 3.0e-06 0.00054 0.00915 1.3e-05 - - - -
## 220 1.2e-05 0.34987 0.95899 0.61067 7.5e-10 0.04787 - - -
## 221 0.06597 1.7e-06 0.00063 0.01560 3.0e-08 0.57084 0.05899 - -
## 227 0.00048 0.05275 0.34910 0.75895 1.7e-08 0.14997 0.65606 0.23547 -
## 228 0.02457 2.3e-05 0.00265 0.03730 5.6e-09 0.52684 0.02668 0.75895 0.15756
## B728a 0.30241 3.8e-15 2.0e-10 1.5e-07 0.00193 0.15635 0.00089 0.00913 0.00558
## Cit7 0.97833 6.8e-10 1.0e-06 8.4e-05 0.00044 0.38289 0.00217 0.11439 0.01459
## Control < 2e-16 < 2e-16 < 2e-16 < 2e-16 < 2e-16 < 2e-16 < 2e-16 < 2e-16
## pisi < 2e-16 < 2e-16 < 2e-16 < 2e-16 < 2e-16 < 2e-16 < 2e-16 < 2e-16
##      228      B728a      Cit7      Control
## 200 - - - -
```

```
## 204      -      -      -      -
## 205      -      -      -      -
## 215      -      -      -      -
## 216      -      -      -      -
## 220      -      -      -      -
## 221      -      -      -      -
## 227      -      -      -      -
## 228      -      -      -      -
## B728a    0.00265 -      -      -
## Cit7     0.05646 0.46912 -      -
## Control  < 2e-16 < 2e-16 < 2e-16 -
## pisi     < 2e-16 < 2e-16 < 2e-16 0.00042
##
## P value adjustment method: BH
```

Plot Survival Dataframe at different times

```
surv_plot_72 <- ggplot(data = surv_probs_72, aes(x = treatment, y = (1 - surv_prob),
  color = treatment, fill = treatment)) + geom_col() + labs(title = "72 hours",
  x = "-80 Strain #", y = "Aphid Mortality at 72 Hours (%)") + theme_minimal() +
  scale_fill_manual(values = strain_colors) + scale_color_manual(values = strain_colors) +
  theme(plot.title = element_text(hjust = 0.5), axis.text.x = element_text(angle = 45,
    hjust = 1), legend.position = "none")


surv_plot_72
```



Make Kaplan-Meier Plot

Cohort Survival Curve

```
survfit2(Surv(time, censored) ~ treatment, data = aphid_virulence_data) %>%
  ggsurvfit() + labs(x = "Hours", y = "Overall survival probability") + scale_color_manual(values = s
```



Epiphytic Growth Analysis

Calculate mean/variance epiphytic growth ability

```
# Replace NA with a lower value or remove them for visualization Remove rows
# with NA in CFU_per_10_leafdiscs
epi_growth_clean <- pseud_epi_growth_2024summer_R %>%
  filter(!is.na(CFU_per_10_leafdiscs))

# Convert CFU_per_10_leafdiscs to numeric, handling scientific notation
epi_growth_clean$CFU_per_10_leafdiscs <- as.numeric(gsub("<", "", epi_growth_clean$CFU_per_10_leafdiscs))

## Warning: NAs introduced by coercion

# Subset data to remove unfinished strains and extract the letter part from the
# 'plant_rep' column
epi_growth_clean <- epi_growth_clean %>%
  filter(!strain %in% c("pisi")) %>%
  mutate(plant_rep_letter = substr(plant_rep, 1, 1))

# Calculate the mean and SD CFU per strain for each plant rep letter and retain
# the specified columns
```

```

epi_growth_mean_per_rep <- epi_growth_clean %>%
  group_by(strain, plant_rep_letter) %>%
  summarise(mean_CFU_per_10_leafdiscs = mean(CFU_per_10_leafdiscs, na.rm = TRUE),
    sd_CFU = sd(CFU_per_10_leafdiscs, na.rm = TRUE), sample = first(sample),
    person = first(person), block = first(block), species = first(species), plant_rep = first(plant_rep),
    .groups = "drop")

# Calculate the mean and SD CFU per strain for each plant rep letter and retain
# the specified columns
epi_growth_mean_per_strain <- epi_growth_clean %>%
  group_by(strain) %>%
  summarise(mean_CFU_per_10_leafdiscs = mean(CFU_per_10_leafdiscs, na.rm = TRUE),
    sd_CFU = sd(CFU_per_10_leafdiscs, na.rm = TRUE), sample = first(sample),
    person = first(person), block = first(block), species = first(species), plant_rep = first(plant_rep),
    .groups = "drop")

epi_growth_mean_per_strain

```

```

## # A tibble: 12 x 8
##   strain mean_CFU_per_10_leafdiscs sd_CFU sample person block species plant_rep
##   <chr>                <dbl> <dbl> <chr> <chr> <chr> <chr> <chr>
## 1 194                156472. 1.43e5 194-A1 Havi 2-1 P. par~ A1
## 2 200                261214. 1.81e5 200-A1 Havi 2-6 P. flu~ A1
## 3 204                186888. 1.89e5 204-A1 Havi 2-3 P. flu~ A1
## 4 205                207750. 2.40e5 205-A1 Sara 3 P. flu~ A1
## 5 215                 1000 0 215-A1 Sara 3 P. syr~ A1
## 6 216                 6788. 7.61e3 216-A1 Sara 3 P. flu~ A1
## 7 220               172543. 1.89e5 220-A1 Sara 5 P. par~ A1
## 8 221               259556. 1.93e5 221-A1 Havi 2-7 P. flu~ A1
## 9 227                82872. 1.53e5 227-A1 Sara 5 P. flu~ A1
## 10 228               22875. 2.37e4 228-A1 Sara 5 P. flu~ A1
## 11 B728a             71144. 1.36e5 B728a~ Sara 4 P. syr~ A1
## 12 Cit7              61906. 1.17e5 Cit7~~ Havi 2-3 P. syr~ A1

```


Plot Epiphytic Growth

```

epi_growth_strain <- ggplot(data = epi_growth_mean_per_rep, aes(x = strain, y = mean_CFU_per_10_leafdiscs)) +
  geom_boxplot(outlier.shape = NA, alpha = 0.3) +
  geom_beeswarm(stroke = 0.5, size = 0.8, alpha = 0.8) +
  labs(title = "CFU per 10 Leaf Discs Across Samples",
    x = "-80 Strain #",
    y = "CFU per 10 Leaf Discs (Log10 Transformed)") +
  theme_minimal() +
  scale_fill_manual(values = strain_colors) +
  scale_color_manual(values = strain_colors) +
  scale_y_log10() + # Apply log transformation to y-axis
  theme(plot.title = element_text(hjust = 0.5),
    axis.text.x = element_text(angle = 45, hjust = 1), legend.position = "none")

epi_growth_strain

```





```

epi_growth_species <- ggplot(data = epi_growth_mean_per_rep, aes(x = strain, y = mean_CFU_per_10_leafdiscs)) +
  geom_boxplot(outlier.shape = NA, alpha = 0.3) +
  geom_beeswarm(stroke = 0.5, size = 0.8, alpha = 0.8) +
  labs(title = "CFU per 10 Leaf Discs Across Samples",
       x = "-80 Strain #",
       y = "CFU per 10 Leaf Discs (Log10 Transformed)") +
  theme_minimal() +
  scale_fill_manual(values = species_colors) +
  scale_color_manual(values = species_colors) +
  scale_y_log10() + # Apply log transformation to y-axis
  theme(plot.title = element_text(hjust = 0.5),
       axis.text.x = element_text(angle = 45, hjust = 1), legend.position = "bottom")

epi_growth_species

```



Epiphytic growth stats


```
epi_growth_mod = lm(mean_CFU_per_10_leafdiscs ~ strain, data = epi_growth_mean_per_rep)
emmeans(epi_growth_mod, pairwise ~ strain)
```

```
## $emmeans
##   strain emmean      SE df lower.CL upper.CL
##   194    156472 60399 25    32079  280866
##   200    261214 60399 25   136820  385608
##   204    193911 60399 25    69518  318305
##   205    200222 60399 25    75829  324616
##   215      1000 60399 25  -123394  125394
##   216      6511 60399 25  -117882  130905
##   220    195467 60399 25    71073  319860
##   221    259556 60399 25   135162  383949
##   227     82872 60399 25   -41521  207266
##   228     19625 52307 25   -88103  127353
##   B728a    71144 60399 25   -53249  195538
##   Cit7     61906 60399 25   -62488  186299
##
## Confidence level used: 0.95
##
```

```
## $contrasts
## contrast      estimate      SE df t.ratio p.value
## 194 - 200      -104742 85417 25  -1.226  0.9813
## 194 - 204       -37439 85417 25  -0.438  1.0000
## 194 - 205       -43750 85417 25  -0.512  1.0000
## 194 - 215       155472 85417 25   1.820  0.7929
## 194 - 216       149961 85417 25   1.756  0.8259
## 194 - 220       -38994 85417 25  -0.457  1.0000
## 194 - 221      -103083 85417 25  -1.207  0.9834
## 194 - 227        73600 85417 25   0.862  0.9990
## 194 - 228       136847 79900 25   1.713  0.8463
## 194 - B728a      85328 85417 25   0.999  0.9963
## 194 - Cit7       94567 85417 25   1.107  0.9914
## 200 - 204        67303 85417 25   0.788  0.9995
## 200 - 205        60992 85417 25   0.714  0.9998
## 200 - 215       260214 85417 25   3.046  0.1529
## 200 - 216       254703 85417 25   2.982  0.1725
## 200 - 220        65747 85417 25   0.770  0.9996
## 200 - 221         1658 85417 25   0.019  1.0000
## 200 - 227       178342 85417 25   2.088  0.6349
## 200 - 228       241589 79900 25   3.024  0.1596
## 200 - B728a     190069 85417 25   2.225  0.5480
## 200 - Cit7      199308 85417 25   2.333  0.4808
## 204 - 205        -6311 85417 25  -0.074  1.0000
## 204 - 215       192911 85417 25   2.258  0.5271
## 204 - 216       187400 85417 25   2.194  0.5678
## 204 - 220       -1556 85417 25  -0.018  1.0000
## 204 - 221      -65644 85417 25  -0.769  0.9996
## 204 - 227       111039 85417 25   1.300  0.9715
## 204 - 228       174286 79900 25   2.181  0.5758
## 204 - B728a     122767 85417 25   1.437  0.9441
## 204 - Cit7      132006 85417 25   1.545  0.9127
## 205 - 215       199222 85417 25   2.332  0.4814
## 205 - 216       193711 85417 25   2.268  0.5213
## 205 - 220         4756 85417 25   0.056  1.0000
## 205 - 221      -59333 85417 25  -0.695  0.9999
## 205 - 227       117350 85417 25   1.374  0.9584
## 205 - 228       180597 79900 25   2.260  0.5260
## 205 - B728a     129078 85417 25   1.511  0.9237
## 205 - Cit7      138317 85417 25   1.619  0.8861
## 215 - 216        -5511 85417 25  -0.065  1.0000
## 215 - 220      -194467 85417 25  -2.277  0.5158
## 215 - 221      -258556 85417 25  -3.027  0.1586
## 215 - 227       -81872 85417 25  -0.959  0.9974
## 215 - 228       -18625 79900 25  -0.233  1.0000
## 215 - B728a     -70144 85417 25  -0.821  0.9993
## 215 - Cit7      -60906 85417 25  -0.713  0.9998
## 216 - 220      -188956 85417 25  -2.212  0.5563
## 216 - 221      -253044 85417 25  -2.962  0.1788
## 216 - 227       -76361 85417 25  -0.894  0.9986
## 216 - 228       -13114 79900 25  -0.164  1.0000
## 216 - B728a     -64633 85417 25  -0.757  0.9997
## 216 - Cit7      -55394 85417 25  -0.649  0.9999
## 220 - 221       -64089 85417 25  -0.750  0.9997
```

```
## 220 - 227      112594 85417 25    1.318 0.9686
## 220 - 228      175842 79900 25    2.201 0.5635
## 220 - B728a    124322 85417 25    1.455 0.9394
## 220 - Cit7     133561 85417 25    1.564 0.9066
## 221 - 227      176683 85417 25    2.068 0.6470
## 221 - 228      239931 79900 25    3.003 0.1659
## 221 - B728a    188411 85417 25    2.206 0.5603
## 221 - Cit7     197650 85417 25    2.314 0.4927
## 227 - 228        63247 79900 25    0.792 0.9995
## 227 - B728a     11728 85417 25    0.137 1.0000
## 227 - Cit7      20967 85417 25    0.245 1.0000
## 228 - B728a    -51519 79900 25   -0.645 0.9999
## 228 - Cit7     -42281 79900 25   -0.529 1.0000
## B728a - Cit7      9239 85417 25    0.108 1.0000
##
## P value adjustment: tukey method for comparing a family of 12 estimates
```

```
hist(resid(epi_growth_mod))
```



Combine epiphytic and virulence data

```
# Assuming strain_stats has a column 'strain' and surv_probs has a column
# 'treatment' Rename columns if necessary to match the key for joining
```

```

epi_growth_mean_per_strain <- epi_growth_mean_per_strain %>%
  rename(treatment = strain)

# Combine strain_stats and surv_probs using left_join
epi_virulence_data <- left_join(epi_growth_mean_per_strain, surv_probs, by = "treatment")

# Print the combined data
print(epi_virulence_data)

```

```

## # A tibble: 36 x 10
##   treatment mean_CFU_per_10_leaf~1 sd_CFU sample person block species plant_rep
##   <chr>          <dbl>    <dbl> <chr>  <chr>  <chr> <chr>  <chr>
## 1 194          156472. 1.43e5 194-A1 Havi   2-1   P. par~ A1
## 2 194          156472. 1.43e5 194-A1 Havi   2-1   P. par~ A1
## 3 194          156472. 1.43e5 194-A1 Havi   2-1   P. par~ A1
## 4 200          261214. 1.81e5 200-A1 Havi   2-6   P. flu~ A1
## 5 200          261214. 1.81e5 200-A1 Havi   2-6   P. flu~ A1
## 6 200          261214. 1.81e5 200-A1 Havi   2-6   P. flu~ A1
## 7 204          186888. 1.89e5 204-A1 Havi   2-3   P. flu~ A1
## 8 204          186888. 1.89e5 204-A1 Havi   2-3   P. flu~ A1
## 9 204          186888. 1.89e5 204-A1 Havi   2-3   P. flu~ A1
## 10 205          207750. 2.40e5 205-A1 Sara    3     P. flu~ A1
## # i 26 more rows
## # i abbreviated name: 1: mean_CFU_per_10_leafdiscs
## # i 2 more variables: time <dbl>, surv_prob <dbl>

```

```

subset_data_72 <- epi_virulence_data %>%
  filter(time == 72)

# Calculate correlation coefficient between survival probability and epiphytic
# growth ability
correlation_72 <- -1 * cor(subset_data_72$surv_prob, subset_data_72$mean_CFU_per_10_leafdiscs,
  method = "pearson")

```

Plot it for different times


```

# Create scatter plot for 72 hours
epi_virulence_plot_strains <- ggplot(subset_data_72, aes(x = mean_CFU_per_10_leafdiscs, y = 1-surv_prob)) +
  geom_point(aes(color = treatment)) +
  geom_smooth(method = "lm", se = FALSE, color = "chocolate4", linewidth = 0.5) +
  labs(title = "72 Hours",
    x = "Mean CFU per 10 Leaf Discs (Log Transformed)",
    y = "Aphid Mortality at 72 Hours (%)",
    caption = paste("Pearson's Correlation Coefficient:", round(correlation_72, 2))) +
  scale_x_continuous(trans = "log10") + # Apply log transformation to x-axis
  scale_color_manual(values = strain_colors) +
  theme_minimal()

epi_virulence_plot_strains

```


```
## 'geom_smooth()' using formula = 'y ~ x'
```



```
epi_virulence_plot_species <- ggplot(subset_data_72, aes(x = mean_CFU_per_10_leafdiscs, y = (1-surv_prob))) +
  geom_point(aes(color = species)) +
  geom_smooth(method = "lm", se = FALSE, color = "black", linewidth = 0.5) +
  labs(title = "72 Hours",
       x = "Mean CFU per 10 Leaf Discs (Log Transformed)",
       y = "Aphid Mortality at 72 Hours (%)",
       caption = paste("Pearson's Correlation Coefficient:", round(correlation_72, 2))) +
  scale_color_manual(values = species_colors) +
  scale_x_continuous(trans = "log10") + # Apply log transformation to x-axis
  theme_minimal()

epi_virulence_plot_species
```

```
## 'geom_smooth()' using formula = 'y ~ x'
```



Session Information

```
devtools::session_info()
```

```
## - Session info -----
## setting value
## version R version 4.4.0 (2024-04-24)
## os macOS Ventura 13.4
## system x86_64, darwin20
## ui X11
## language (EN)
## collate en_US.UTF-8
## ctype en_US.UTF-8
## tz America/New_York
## date 2024-06-18
## pandoc 3.1.11 @ /Applications/RStudio.app/Contents/Resources/app/quarto/bin/tools/x86_64/ (via rm
##
## - Packages -----
## ! package * version date (UTC) lib source
## P abind 1.4-5 2016-07-21 [?] RSPM
```

##	P backports	1.4.1	2021-12-13	[?]	CRAN	(R 4.4.0)
##	P beeswarm	0.4.0	2021-06-01	[?]	CRAN	(R 4.4.0)
##	P bit	4.0.5	2022-11-15	[?]	CRAN	(R 4.4.0)
##	P bit64	4.0.5	2020-08-30	[?]	CRAN	(R 4.4.0)
##	P broom	1.0.6	2024-05-17	[?]	CRAN	(R 4.4.0)
##	P broom.helpers	1.15.0	2024-04-05	[?]	CRAN	(R 4.4.0)
##	P cachem	1.0.8	2023-05-01	[?]	CRAN	(R 4.4.0)
##	P car	3.1-2	2023-03-30	[?]	RSPM	
##	P carData	3.0-5	2022-01-06	[?]	RSPM	
##	P cellranger	1.1.0	2016-07-27	[?]	CRAN	(R 4.4.0)
##	P cli	3.6.2	2023-12-11	[?]	CRAN	(R 4.4.0)
##	P colorspace	2.1-0	2023-01-23	[?]	CRAN	(R 4.4.0)
##	P cowplot	* 1.1.3	2024-01-22	[?]	CRAN	(R 4.4.0)
##	P crayon	1.5.2	2022-09-29	[?]	CRAN	(R 4.4.0)
##	P data.table	1.15.4	2024-03-30	[?]	CRAN	(R 4.4.0)
##	P devtools	* 2.4.5	2022-10-11	[?]	RSPM	
##	P digest	0.6.35	2024-03-11	[?]	CRAN	(R 4.4.0)
##	P dplyr	* 1.1.4	2023-11-17	[?]	CRAN	(R 4.4.0)
##	P ellipsis	0.3.2	2021-04-29	[?]	RSPM	
##	P emmeans	* 1.10.2	2024-05-20	[?]	RSPM	
##	P estimability	1.5.1	2024-05-12	[?]	RSPM	
##	P evaluate	0.23	2023-11-01	[?]	CRAN	(R 4.4.0)
##	P fansi	1.0.6	2023-12-08	[?]	CRAN	(R 4.4.0)
##	P farver	2.1.2	2024-05-13	[?]	CRAN	(R 4.4.0)
##	P fastmap	1.1.1	2023-02-24	[?]	CRAN	(R 4.4.0)
##	P forcats	* 1.0.0	2023-01-29	[?]	CRAN	(R 4.4.0)
##	P formatR	* 1.14	2023-01-17	[?]	RSPM	
##	P fs	1.6.4	2024-04-25	[?]	CRAN	(R 4.4.0)
##	P generics	0.1.3	2022-07-05	[?]	CRAN	(R 4.4.0)
##	P ggbeeswarm	* 0.7.2	2023-04-29	[?]	CRAN	(R 4.4.0)
##	P ggplot2	* 3.5.1	2024-04-23	[?]	CRAN	(R 4.4.0)
##	P ggpubr	* 0.6.0	2023-02-10	[?]	RSPM	
##	P ggsignif	0.6.4	2022-10-13	[?]	RSPM	
##	P ggsvrfit	* 1.1.0	2024-05-08	[?]	CRAN	(R 4.4.0)
##	P glue	1.7.0	2024-01-09	[?]	CRAN	(R 4.4.0)
##	P gridExtra	* 2.3	2017-09-09	[?]	RSPM	
##	P gt	0.10.1	2024-01-17	[?]	CRAN	(R 4.4.0)
##	P gtable	0.3.5	2024-04-22	[?]	CRAN	(R 4.4.0)
##	P gtsummary	* 1.7.2	2023-07-15	[?]	CRAN	(R 4.4.0)
##	P here	* 1.0.1	2020-12-13	[?]	CRAN	(R 4.4.0)
##	P hms	1.1.3	2023-03-21	[?]	CRAN	(R 4.4.0)
##	P htmltools	0.5.8.1	2024-04-04	[?]	CRAN	(R 4.4.0)
##	P htmlwidgets	1.6.4	2023-12-06	[?]	CRAN	(R 4.4.0)
##	P httpuv	1.6.15	2024-03-26	[?]	RSPM	
##	P km.ci	0.5-6	2022-04-06	[?]	RSPM	
##	P KMsurv	0.1-5	2012-12-03	[?]	RSPM	
##	P knitr	* 1.46	2024-04-06	[?]	CRAN	(R 4.4.0)
##	P labeling	0.4.3	2023-08-29	[?]	CRAN	(R 4.4.0)
##	P later	1.3.2	2023-12-06	[?]	RSPM	
##	P lattice	0.22-6	2024-03-20	[?]	CRAN	(R 4.4.0)
##	P lifecycle	1.0.4	2023-11-07	[?]	CRAN	(R 4.4.0)
##	P lubridate	* 1.9.3	2023-09-27	[?]	CRAN	(R 4.4.0)
##	P magrittr	2.0.3	2022-03-30	[?]	CRAN	(R 4.4.0)
##	P Matrix	1.7-0	2024-03-22	[?]	CRAN	(R 4.4.0)

##	P memoise	2.0.1	2021-11-26	[?]	CRAN	(R 4.4.0)
##	P mgcv	1.9-1	2023-12-21	[?]	CRAN	(R 4.4.0)
##	P mime	0.12	2021-09-28	[?]	CRAN	(R 4.4.0)
##	P miniUI	0.1.1.1	2018-05-18	[?]	RSPM	
##	P munsell	0.5.1	2024-04-01	[?]	CRAN	(R 4.4.0)
##	P mvtnorm	1.2-5	2024-05-21	[?]	RSPM	
##	P nlme	3.1-164	2023-11-27	[?]	CRAN	(R 4.4.0)
##	P pacman	0.5.1	2019-03-11	[?]	CRAN	(R 4.4.0)
##	P paletteer	* 1.6.0	2024-01-21	[?]	RSPM	
##	P pillar	1.9.0	2023-03-22	[?]	CRAN	(R 4.4.0)
##	P pkgbuild	1.4.4	2024-03-17	[?]	RSPM	
##	P pkgconfig	2.0.3	2019-09-22	[?]	CRAN	(R 4.4.0)
##	P pkgload	1.3.4	2024-01-16	[?]	RSPM	
##	P prismatic	1.1.2	2024-04-10	[?]	RSPM	
##	P profvis	0.3.8	2023-05-02	[?]	RSPM	
##	P promises	1.3.0	2024-04-05	[?]	RSPM	
##	P purrr	* 1.0.2	2023-08-10	[?]	CRAN	(R 4.4.0)
##	P R6	2.5.1	2021-08-19	[?]	CRAN	(R 4.4.0)
##	P RColorBrewer	* 1.1-3	2022-04-03	[?]	CRAN	(R 4.4.0)
##	P Rcpp	1.0.12	2024-01-09	[?]	CRAN	(R 4.4.0)
##	P readr	* 2.1.5	2024-01-10	[?]	CRAN	(R 4.4.0)
##	P readxl	* 1.4.3	2023-07-06	[?]	CRAN	(R 4.4.0)
##	P rematch2	2.1.2	2020-05-01	[?]	CRAN	(R 4.4.0)
##	P remotes	2.5.0	2024-03-17	[?]	CRAN	(R 4.4.0)
##	P renv	1.0.7	2024-04-11	[1]	CRAN	(R 4.4.0)
##	P rlang	1.1.3	2024-01-10	[?]	CRAN	(R 4.4.0)
##	P rmarkdown	2.26	2024-03-05	[?]	CRAN	(R 4.4.0)
##	P rprojroot	2.0.4	2023-11-05	[?]	CRAN	(R 4.4.0)
##	P rstatix	0.7.2	2023-02-01	[?]	RSPM	
##	P rstudioapi	0.16.0	2024-03-24	[?]	CRAN	(R 4.4.0)
##	P scales	1.3.0	2023-11-28	[?]	CRAN	(R 4.4.0)
##	P sessioninfo	1.2.2	2021-12-06	[?]	RSPM	
##	P shiny	1.8.1.1	2024-04-02	[?]	RSPM	
##	P stringi	1.8.3	2023-12-11	[?]	CRAN	(R 4.4.0)
##	P stringr	* 1.5.1	2023-11-14	[?]	CRAN	(R 4.4.0)
##	P survival	* 3.6-4	2024-04-24	[?]	CRAN	(R 4.4.0)
##	P survminer	* 0.4.9	2021-03-09	[?]	RSPM	
##	P survMisc	0.5.6	2022-04-07	[?]	RSPM	
##	P tibble	* 3.2.1	2023-03-20	[?]	CRAN	(R 4.4.0)
##	P tidycmprsk	* 1.0.0	2023-10-30	[?]	CRAN	(R 4.4.0)
##	P tidyr	* 1.3.1	2024-01-24	[?]	CRAN	(R 4.4.0)
##	P tidyselect	1.2.1	2024-03-11	[?]	CRAN	(R 4.4.0)
##	P tidyverse	* 2.0.0	2023-02-22	[?]	CRAN	(R 4.4.0)
##	P timechange	0.3.0	2024-01-18	[?]	CRAN	(R 4.4.0)
##	P tzdb	0.4.0	2023-05-12	[?]	CRAN	(R 4.4.0)
##	P urlchecker	1.0.1	2021-11-30	[?]	RSPM	
##	P usethis	* 2.2.3	2024-02-19	[?]	RSPM	
##	P utf8	1.2.4	2023-10-22	[?]	CRAN	(R 4.4.0)
##	P vctrs	0.6.5	2023-12-01	[?]	CRAN	(R 4.4.0)
##	P vipor	0.4.7	2023-12-18	[?]	CRAN	(R 4.4.0)
##	P viridis	* 0.6.5	2024-01-29	[?]	RSPM	
##	P viridisLite	* 0.4.2	2023-05-02	[?]	CRAN	(R 4.4.0)
##	P vroom	1.6.5	2023-12-05	[?]	CRAN	(R 4.4.0)
##	P wesanderson	* 0.3.7	2023-10-31	[?]	RSPM	

```

## P withr          3.0.0    2024-01-16 [?] CRAN (R 4.4.0)
## P xfun           0.43     2024-03-25 [?] CRAN (R 4.4.0)
## P xml2           1.3.6     2023-12-04 [?] CRAN (R 4.4.0)
## P xtable         1.8-4     2019-04-21 [?] RSPM
## P yaml           2.3.8     2023-12-11 [?] CRAN (R 4.4.0)
## P zoo            1.8-12    2023-04-13 [?] RSPM
##
## [1] /Users/zahavahrojer/Desktop/Cornell/Hendry Lab/pseud-epi-growth/renv/library/macos/R-4.4/x86_64
## [2] /Users/zahavahrojer/Library/Caches/org.R-project.R/R/renv/sandbox/macos/R-4.4/x86_64-apple-darw
##
## P -- Loaded and on-disk path mismatch.
##
## -----

```