

# Home Page





# Code HomePage

```
@extends('Leyout.index')
@section('title', 'Page | Admin')
@section('Titles', ' HOME | PAGE')
@section('content')
<div class="col-md-12">
<div>
<hr>
<h3 class=" text-center">
List Computer
</h3>
```


```
<hr>
</div>
<main>
<div class="container-fluid</pre>
                              bq-trasparent my-4
                                                   p-3"
style="position: relative;">
<div class="row row-cols-1 row-cols-xs-2 row-cols-sm-2 row-</pre>
cols-lq-4 q-3">
@foreach ($showdata as $row)
<div class="col">
<div class="card h-100 shadow-sm"> <img width="250px"</pre>
height="250px"
src="{{ asset('/storage/uploads/' . $row->image_path) }}"
class="card-img-top"
alt="...">
<div class="card-body">
<div class="clearfix mb-3"> <span</pre>
class="float-start badge rounded-pill bg-success">{{ $row-
>price }}$</span>
<span class="float-end"><a href="#"</pre>
class="small text-muted">{{ $row->model }}</a></span>
</div>
{{ $row->discription }}
<span class="float-start mb-2">{{    $row->staff->staffname}
}}</span>
<span class="float-right ">Tel: {{    $row->staff->phone}
|}}</span>
<form action="{{ url('Computer/delete/' . $row->id) }}"
method="post">
@method('delete')
@csrf
<div class="text-center my-4"> <a href="#" class="btn btn-
warning">Check offer</a>
</div>
```

```
<div class="clearfix mb-1">
<li
             class="list-inline-item"><a</pre>
                                                  href="{{
url('Computer/edit/' . $row->id) }}"
class="social-link"><i class="fa fa-edit"></i>
<li
             class="list-inline-item"><a</pre>
                                                  href="{{
url('Computer/show/' . $row->id) }}"
class="social-link"><i class="fa fa-eye"></i>
<button type="submit" class="social-link show_confirm" data-</pre>
toggle="tooltip"
title='Delete'><i class="fa fa-trash"></i></button>
<li
             class="list-inline-item"><a</pre>
                                                   href="{{
route('Computer/add') }}"
class="social-link"><i class="fa fa-user-plus"></i></a>
</div>
</form>
</div>
</div>
</div>
@endforeach
</div>
</div>
</main>
<div class="row">
<div>
<hr>
<h3 class="text-center">List Sales Staff </h3>
<hr>
</div>
@foreach ($staffdata as $row)
<!-- Team item -->
<div class="col-xl-3 col-sm-5 mb-5 ">
<div class="card h-100 shadow-sm py-5 px-4"><imq
```

```
src="{{ asset('storage/uploads/' . $row->image_path) }}"
alt="" width="500"
class="img-fluid rounded-circle mb-3 img-thumbnail shadow-
sm">
<h5 class="mb-0">{{ $row->staffname }}</h5>
<span class="small text-uppercase text-muted">{{ $row->phone
}}</span>
<br>
<span class="small text-uppercase text-muted">{{    $row-
>address }}</span>
<form action="{{ url('Staff/delete/' . $row->id) }}"
method="post">
@method('delete')
@csrf
<a href="{{</pre>
url('Staff/edit/' . $row->id) }}"
class="social-link"><i class="fa fa-edit"></i>
title="Show" class="list-inline-item" ><a href="{{
url('Staff/show/' . $row->id) }}"
class="social-link"><i class="fa fa-eye"></i></a>
class="list-inline-item">
<button type="submit" class="social-link show_confirm" data-</pre>
toggle="tooltip"
title='Delete'><i class="fas fa-archive"></i></button>
<a href="{{
route('Staff/add') }}" class="social-link"><i</pre>
class="fa fa-user-plus"></i></a>
</form>
</div>
</div>
<!-- End -->
```

```
@endforeach
@endsection
```


# View page Staff



# Code (index.blade.php)

```
class="imq-fluid rounded-circle mb-3
img-thumbnail shadow-sm">
                  <h5 class="mb-0">{{ $row->staffname}
}}</h5>
                  <span class="small text-uppercase text-</pre>
muted">{{ $row->phone }}</span>
                  <br>
                  <span class="small text-uppercase text-</pre>
muted">{{ $row->address }}</span>
                  3">
                      <form action="{{ url('Staff/delete/'</pre>
. $row->id) }}" method="post">
                          @method('delete')
                          @csrf
                          title="Edit" class="list-
inline-item"><a href="{{ url('Staff/edit/' . $row->id) }}"
                                 class="social-link"><I</pre>
class="fa fa-edit"></i></a>
                          title="Show" class="list-
inline-item"><a href="{{ url('Staff/show/' . $row->id) }}"
                                 class="social-link"><I</pre>
class="fa fa-eye"></i></a>
                          <button type="submit"</pre>
class="social-link show_confirm" data-toggle="tooltip"
                                 title='Delete'><I
class="fas fa-archive"></i></button>
                          inline-item"><a href="{{ route('Staff/add') }}"</pre>
class="social-link"><i</pre>
                                     class="fa fa-user-
plus"></i></a>
                      </form>
```

### View Create Staff




# Code ( create.blade.php )

```
<div class="card-header">
                     <h3 class="card-title text-center"
">Create Staff </h3>
                 </div>
                 <!-- /.card-header -->
                 <!-- form start -->
                 <form method="POST" action="{{</pre>
url('Staff/store') }}" enctype="multipart/form-data">
                     @csrf
                     <div class="card-body">
                         <div class="row justify-content-</pre>
center">
                              <div class="col-5">
                                  <div class=" form-group">
                                      <label for="">Staff
Name</label>
                                      <input type="text"</pre>
class="form-control" value="" name="staffname"
placeholder="Name Staff">
                                      <span class=" text-</pre>
danger">@error('staffname')
                                              {{ $message }}
                                          @enderror</span>
                                  </div>
                              </div>
                              <div class="col-5">
                                  <div class=" form-group">
                                      <label for="">Phone
Number</label>
                                      <input type="number"</pre>
class=" form-control" placeholder="Staff Phone Number"
value="" name="phone">
                                      <span class=" text-</pre>
danger">@error('phone')
                                               {{ $message }}
                                          @enderror</span>
                                  </div>
                              </div>
```

```
<div class="col-10">
                                  <div class=" form-group">
                                      <label
for="">Address</label>
                                      <input type="text"</pre>
class="form-control" value="{{ old('address') }}"
name="address"
                                          placeholder="Staff
Address">
                                      <span class=" text-</pre>
danger">@error('address')
                                              {{ $message }}
                                          @enderror</span>
                                  </div>
                             </div>
                             {{-- < div class="col-5">
                                  </div>
                             </div> --}}
                              <div class="col-10">
                                  <div class=" form-group">
                                          <label
for="formFile" class="form-label">Upload Image Staff</label>
                                          <input class="form-</pre>
control" name="image_path" type="file" id="formfile" >
```

```
<span class=" text-</pre>
danger">@error('image_path')
                                              {{ $message }}
                                          @enderror</span>
                                 </div>
                             </div>
                         </div>
                     </div>
                     <!-- /.card-body -->
                     <div class="card-footer">
                         <button type="submit" class="btn</pre>
btn-primary">Add Now</button>
                         <a class=" btn btn-secondary float-
right" href="{{ route('myproduct') }}"> Back To</a>
                     </div>
                </form>
            </div>
        </div>
    </div>
@endsection
```

View Edit Staff




Code (edit.blade.php)

```
@extends('Leyout.index')
@section('title', 'Page | Edit')
@section('Titles', 'Edit Staff')
@section('content')
    <div class="row justify-content-center">
        <div class="col-md-12">
            <div class="card-primary">
                <div class="card-header">
                     <h3 class="card-title text-center">Edit
information Staff</h3>
                </div>
                <!-- /.card-header -->
                <!-- form start -->
                <form method="POST" action="{{</pre>
url('Staff/update/'.$editdata->id) }}"
enctype="multipart/form-data">
                     @method('put')
                    @csrf
                     <div class="card-body">
                         <div class="row justify-content-</pre>
center">
                             <div class="col-5">
                                 <div class=" form-group">
```

```
<label for="">Staff
Name</label>
                                      <input type="text"</pre>
class="form-control" value="{{ $editdata->staffname }}"
name="staffname" placeholder="Staff Name">
                                      <span class=" text-</pre>
danger">@error('name')
                                               {{ $message }}
                                          @enderror</span>
                                  </div>
                              </div>
                              <div class="col-5">
                                  <div class=" form-group">
                                      <label for="">Phone
Number</label>
                                      <input type="number"</pre>
class=" form-control" value="{{ $editdata->phone }}"
name="phone">
                                      <span class=" text-</pre>
danger">@error('phone')
                                               {{ $message }}
                                          @enderror</span>
                                  </div>
                              </div>
                              <div class="col-5">
                                  <div class=" form-group">
                                      <label
for="">Address</label>
                                      <input type="text"</pre>
class="form-control" value="{{ $editdata->address
}}" name="address"
                                          placeholder="Staff
Address">
                                      <span class=" text-</pre>
danger">@error('address')
                                               {{ $message }}
                                          @enderror</span>
                                  </div>
                              </div>
```

```
name="website"
                             </div>
                         </div> --}}
                         <div class="col-5">
                             <div class=" form-group">
                                    <label
for="formFile" class="form-label">Upload Image</label>
                                    <input class="form-</pre>
control" name="image_path" value="" placeholder="Staff
Image" type="file" id="formfile" >
                             </div>
                         </div>
                         <div class="col-10">
                             <div class="form-group">
                                  <imq
}}" width="200px">
                             </div>
                         </div>
                      </div>
                  </div>
                  <!-- /.card-body -->
```

### View Show Details



# Code ( show.blade.php )

```
@extends('Leyout.index')
@section('title', 'Show Detail')
@section('Titles', 'Show Details Staff')
@section('content')
{{-- @stack('showdetails') --}}
```

```
<div class="row justify-content-center">
          <div class="container" style="margin-top:50px;">
        <div class="row">
            <div class="col-md-3">
                <div class="card-sl">
                     <div class="card-image">
                         <imq
                             src="{{
asset('/storage/uploads/'.$details->image_path) }}" />
                     </div>
                     <a class="card-action" href="#"><i</pre>
class="fa fa-heart"></i></a>
                     <div class="card-heading">
                         Audi Q8
                     </div>
                     <div class="card-text">
                         <span>{{ $details->id }}</span>
                         <br>
                         <span>{{ $details->staffname
}}</span>
                         <br>
                         <span>{{ $details->phone }}</span>
                         <br>
                         <span>{{ $details->address }}</span>
                     </div>
                     <div class="card-text">
                     </div>
                     <a href="{{ route('Staff/index') }}"</pre>
class="card-button">Back to</a>
                 </div>
            </div>
        </div>
    </div>
```

```
@endsection
```

# Route Staff (web.php)

```
Route::prefix('Staff')->group(function () {
    Route::get('/index', [StaffController::class, 'index'])->name('Staff/index');
    Route::get('/create', [StaffController::class, 'create'])->name('Staff/add');
    Route::post('/store', [StaffController::class, 'store']);
    Route::get('/edit/{id}', [StaffController::class, 'edit']);
    Route::put('/update/{id}', [StaffController::class, 'update']);
    Route::get('/show/{id}', [StaffController::class, 'show']);
    Route::delete('/delete/{id}', [StaffController::class, 'destroy']);
    // Route::get('/upload', [StaffController::class, 'showphoto']);
    // Route::post('uploadp', [StaffController::class, 'addphoto']);
};
```

# Controller Staff (StaffController.php)

```
namespace App\Http\Controllers;

use App\Http\Requests\StorePostRequest;
use Illuminate\support\Facades\File;
use App\Models\Staff;
use Illuminate\Http\Request;

class StaffController extends Controller
{
    /**
    * Display a listing of the resource.
    *
    * @return \Illuminate\Http\Response
    */
    public function index()
```

```
$showdata = Staff::get();
        return
view('Tables.TblStaff.index',compact('showdata'));
    }
    * @return \Illuminate\Http\Response
    public function create()
    {
        return view('Tables.TblStaff.create');
    }
    * @param \Illuminate\Http\Request $request
    * @return \Illuminate\Http\Response
    public function store(Request $request)
    {
       $request->validate([
            'staffname' => 'required|max:50|min:5',
            'phone' => 'required|max:10|min:8',
            'address' => 'required|max:200|min:10',
            'image_path' => 'required',
    ],
                "staffname.required" => 'Please insert Your
name!',
                "staffname.min"
                                     => 'Name is at least 5
character!',
                "staffname.max"
                                     => 'Name is at least
50 character!',
```

```
"phone.required"
                                      => 'Please insert Your
Phone Number!',
                "phone.min"
                                      => 'Number is at least
8 Number!',
                "phone.max"
                                      => 'Name is at least
10 Number!',
                // Address Validations
                "address.required" => 'Please insert Your
Address!',
                "address.min"
                                      => 'Addess is at least
10 character!',
                "address.max"
                                      => 'Addess is at least
200 character!',
                'image_path.required' => 'Please insert your
image',
);
        $stores = new Staff();
        $stores->staffname = $request->input('staffname');
        $stores->phone = $request->input('phone');
        $stores->address = $request->input('address');
        if ($request->hasFile('image_path')) {
            $file = $request->file('image_path');
            $extention = $file-
>getClientOriginalExtension();
            $filename = time() . '.' . $extention;
            $file->move('storage/uploads/', $filename);
        }
        if ($request->file('image_path') != null) {
            $stores->image_path = $filename;
        }
```

```
$stores->save();
        return redirect('Staff/index');
    }
    * @param int $id
    * @return \Illuminate\Http\Response
    public function show($id)
        $details=Staff::find($id);
        return
view('Tables.TblStaff.show',compact('details'));
     * @param int $id
    * @return \Illuminate\Http\Response
    public function edit($id)
        $editdata = Staff::find($id);
       return view('Tables.TblStaff.edit',
compact('editdata'));
    }
    * @param \Illuminate\Http\Request $request
    * @param int $id
     * @return \Illuminate\Http\Response
    public function update(Request $request, $id)
```

```
$stores = Staff::find($id);
        $stores->staffname = $request->input('staffname');
       $stores->phone = $request->input('phone');
       $stores->address = $request->input('address');
        if ($request->hasFile('image_path')) {
            $destination = 'storage/uploads/' . $stores-
>image_path;
            if (File::exists('$destination')) {
               File::delete('$destination');
            $file = $request->file('image_path');
            $extention = $file-
>getClientOriginalExtension();
            $filename = time() . '.' . $extention;
           $file->move('storage/uploads/', $filename);
            $stores->image_path = $filename;
        }
        $stores->save();
       return redirect('Staff/index');
    * @param int $id
    * @return \Illuminate\Http\Response
   public function destroy($id)
   {
       $delete =Staff::find($id);
        $delete->delete();
       return redirect('Staff/index');
```

# Model (Staff.php)

```
<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Staff extends Model
{
    use HasFactory;

    public function computer()
    {
        return $this->hasMany(computers::class,'id');
    }
}
```

# **Migrations Staff**

```
vse Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class CreateStaffTable extends Migration
{
    /**
    * Run the migrations.
    *
    * @return void
    */
    public function up()
    {
        Schema::create('staff', function (Blueprint $table))
}
```

```
$table->id();
$table->string('staffname');
$table->string('phone');
$table->string('address');
$table->timestamps();
});
}

/**

* Reverse the migrations.

*

* @return void

*/
public function down()
{
    Schema::dropIfExists('staff');
}
```

#### Add Columns to table staff

```
});
}

/**

* Reverse the migrations.

*


* @return void

*/
public function down()
{

Schema::table('staff', function (Blueprint $table) {

$table->dropColumn('image_path');
});
}
}
```

### View Computer (index.php)




```
@extends('Leyout.index')
@section('title', 'Page | Store')
@section('Titles', 'List Computer')
@section('create', 'Compter | Page')
```

```
@section('content')
    <main>
        <div class="container-fluid bq-trasparent my-4 p-3"</pre>
style="position: relative;">
            <div class="row row-cols-1 row-cols-xs-2 row-</pre>
cols-sm-2 row-cols-lg-4 g-3">
                @foreach ($showdata as $row)
                    <div class="col">
                        <div class="card h-100 shadow-sm">
<img width="250px" height="250px" src="{{</pre>
asset('/storage/uploads/' . $row->image_path) }}"
                                class="card-imq-top"
alt="...">
                            <div class="label-top shadow-</pre>
<div class="card-body">
                                <div class="clearfix mb-3">
<span
                                        class="float-start
badge rounded-pill bg-success">{{ $row->price }}$</span>
<span
                                        class="float-end"><a
href="#"
                                            class="small
text-muted">{{ $row->model }}</a></span> </div>
                                {{
$row->discription }}
                                <span class="float-start mb-</pre>
2">{{ $row->staff->staffname }}</span>
                                <br>
                                <form action="{{
url('Computer/delete/' . $row->id) }}" method="post">
                                    @method('delete')
                                    @csrf
                                    <div class="text-center"
my-4"> <a href="#" class="btn btn-warning">Check offer</a>
```

```
</div>
                                    <div class="clearfix mb-</pre>
1">
                                       class="list-"
inline-item"><a href="{{ url('Computer/edit/' . $row->id)
}}"
                                               class="socia
l-link"><i class="fa fa-edit"></i></a>
                                       class="list-"
inline-item"><a href="{{ url('Computer/show/' . $row->id)
}}"
                                               class="socia
l-link"><i class="fa fa-eye"></i></a>
                                       class="list-"
inline-item">
                                            <but
type="submit" class="social-link show_confirm" data-
toggle="tooltip"
                                               title='Delet
e'><i class="fa fa-trash"></i></button>
                                       class="list-"
inline-item"><a href="{{ route('Computer/add') }}"</pre>
                                               class="socia
l-link"><i class="fa fa-user-plus"></i></a>
                                   </div>
                               </form>
                            </div>
                        </div>
                   </div>
                @endforeach
            </div>
        </div>
    </main>
```

### View Create (create.blade.php)




```
@extends('Leyout.index')
@section('title', 'Page | Computer')
@section('Titles', 'ADD POST')
@section('content')
    <div class="row justify-content-center">
        <div class="col-md-12">
            <div class=" card-primary">
                <div class="card-header ">
                     <h3 class="card-title text-center"
">Create Post Computer</h3>
                </div>
                <!-- /.card-header -->
                <!-- form start -->
                <form method="POST" action="{{</pre>
url('Computer/store') }}" enctype="multipart/form-data">
                    @csrf
                     <div class="card-body">
```

```
<div class="row justify-content-</pre>
center">
                              <div class="col-5">
                                  <div class=" form-group">
                                       <label for="">Computer
Name</label>
                                       <input type="text"</pre>
class="form-control" value="" name="name"
                                           placeholder="Compute"
r Name">
                                       <span class=" text-</pre>
danger">@error('name')
                                               {{ $message }}
                                           @enderror</span>
                                  </div>
                              </div>
                              <div class="col-5">
                                  <div class=" form-group">
                                       <label for="">Price
</label>
                                       <input type="number"</pre>
class=" form-control" value="" name="price">
                                       <span class=" text-</pre>
danger">@error('price')
                                               {{ $message }}
                                           @enderror</span>
                                  </div>
                              </div>
                              <div class="col-10">
                                  <div class=" form-group">
                                       <label for="">Model
Computer</label>
                                       <input type="text"</pre>
class="form-control" value="{{ old('model') }}" name="model"
                                           placeholder="Model
Computer">
                                       <span class=" text-</pre>
danger">@error('model')
```

```
{{ $message }}
                                           @enderror</span>
                                  </div>
                              </div>
                              <div class="col-5">
                                  <div class=" form-group">
                                      <label for="formFile"</pre>
class="form-label">Upload Image</label>
                                      <input class="form-</pre>
control" name="image_path" type="file" id="formfile">
                                      <span class=" text-</pre>
danger">@error('image_path')
                                               {{ $message }}
                                           @enderror</span>
                                  </div>
                              </div>
                              <div class="col-md-5">
                                  <div class="form-group">
                                      <label for="my-
select">Choose Staff</label>
                                      <select id="my-select"</pre>
class="form-control" name="staff_id">
                                           <option>Select
Staff</option>
                                           @foreach ($datacom
as $row)
                                               <option value="</pre>
{{ $row->id }}">{{ $row->staffname }}</option>
                                           @endforeach
                                            <span class=" text-</pre>
danger">@error('staff_id')
                                               {{ $message }}
                                           @enderror</span>
```

```
</select>
                                 </div>
                             </div>
                             <div class="col-10">
                                 <div class=" form-group">
                                     <label
for="exampleFormControlTextarea1" class="form-label">Details
Computer</label>
                                     <textarea class="form-
control" name="des" id="exampleFormControlTextarea1"
                                         rows="3"></textarea>
                                     <span class=" text-</pre>
danger">@error('des')
                                              {{ $message }}
                                         @enderror</span>
                                 </div>
                             </div>
                         </div>
                     </div>
                     <!-- /.card-body -->
                     <div class="card-footer">
                         <button type="submit" class="btn</pre>
btn-primary">Add Now</button>
                         <a class=" btn btn-secondary float-
right" href="{{ url('Computer/index') }}"> Back To</a>
                     </div>
                </form>
            </div>
        </div>
    </div>
@endsection
```

### View Edit (edit.blade.php)




```
@extends('Leyout.index')
@section('title', 'Page |Computer')
@section('Titles', 'EDIT COMPUTER')
@section('content')
    <div class="row justify-content-center">
        <div class="col-md-12">
            <div class="card-primary">
                <div class="card-header">
                     <h4 class=" text-center ">Edit
Infomation Computer</h4>
                </div>
                <!-- /.card-header -->
                <!-- form start -->
                <form method="POST" action="{{</pre>
url('Computer/update/' . $editdata->id) }}"
enctype="multipart/form-data">
                     @method('put')
                     @csrf
                     <div class="card-body">
                         <div class="row justify-content-</pre>
center">
```

```
<div class="col-5">
                             <div class=" form-group">
                                 <label for="">Computer
Name</label>
                                 <input type="text"</pre>
name="name"
                                    placeholder="Compute
r Name">
                                 <span class=" text-</pre>
danger">@error('name')
                                        {{ $message }}
                                    @enderror</span>
                             </div>
                         </div>
                          <div class="col-5">
                             <div class=" form-group">
                                 <label
for="">Price</label>
                                 <input type="number"</pre>
name="price">
                                 <span class=" text-</pre>
danger">@error('price')
                                        {{ $message }}
                                    @enderror</span>
                             </div>
                         </div>
                          <div class="col-5">
                             <div class=" form-group">
                                 <label for="">Model
Computer</label>
                                 <input type="text"</pre>
class="form-control" value="{{ $editdata->model }}"
name="model"
                                    placeholder="Model
Computer">
```

```
<span class=" text-</pre>
danger">@error('model')
                                               {{ $message }}
                                           @enderror</span>
                                  </div>
                              </div>
                              <div class="col-5">
                                  <div class=" form-group">
                                  <label for="my-</pre>
select">Choose Staff</label>
                                      <select id="my-select"</pre>
class="form-control" name="staff_id">
                                           @foreach ($allStaffs)
as $staff)
                                               <option</pre>
value="{{ $staff->id }}" @if($staff->id === $staff_id)
selected="selected" @endif>{{ $staff->staffname}}</option>
                                           @endforeach
                                      </select>
                                  </div>
                              </div>
                              <div class="col-5">
                                  <div class=" form-group">
                                      <label for="">Details
Computer</label>
                                      <input type="text"</pre>
class="form-control" value="{{ $editdata->discription }}"
                                           name="des"
placeholder="Description Computer">
                                      <span class=" text-</pre>
danger">@error('des')
                                               {{ $message }}
                                           @enderror</span>
                                  </div>
                              </div>
                              <div class="col-5">
```

```
<div class=" form-group">
                                      <label for="formFile"</pre>
class="form-label">Upload Image</label>
                                      <input class="form-</pre>
control" name="image_path" value="" type="file"
id="formfile">
                                  </div>
                             </div>
                             <div class="col-10">
                                 <div class="form-group">
                                       <img class=""
src="/storage/uploads/{{ $editdata->image_path }}"
                                          width="200px">
                                  </div>
                             </div>
                         </div>
                     </div>
                     <!-- /.card-body -->
                     <div class="card-footer">
                         <button type="submit" class="btn</pre>
btn-primary">Update</button>
                         <a class=" btn btn-secondary float-
right" href="{{ route('myproduct') }}"> Back To</a>
                     </div>
                </form>
            </div>
        </div>
    </div>
@endsection
```



```
@extends('Leyout.index')
@section('title', 'Show Detail')
@section('Titles', 'Show Datail Staff')
@section('content')
    <div class="row justify-content-center">
          <div class="container" style="margin-top:50px;">
        <div class="row">
            <div class="col-md-3">
                <div class="card-sl">
                    <div class="card-image">
                         <imq
                             src="{{
asset('/storage/uploads/'.$details->image_path) }}" />
                    </div>
                    <a class="card-action" href="#"><i</pre>
class="fa fa-heart"></i></a>
                    <div class="card-heading">
                        Audi Q8
                    </div>
                    <div class="card-text">
```

```
<span>{{ $details->id }}</span>
                         <br>
                         <span>{{ $details->name }}</span>
                         <br>
                         <span>{{ $details->model }}</span>
                         <br>
                         <span>{{ $details->discription
}}</span>
                     </div>
                     <div class="card-text">
                     </div>
                     <a href="{{ route('Staff/index') }}"</pre>
class="card-button">Back to</a>
                 </div>
            </div>
        </div>
    </div>
@endsection
```

# Route Compter (web.php)

```
Route::prefix('Computer')->group(function () {
    Route::get('/index', [ComputerController::class, 'index'])->name('Computer/index');
    Route::get('/create', [ComputerController::class, 'create'])->name('Computer/add');
    Route::post('/store', [ComputerController::class, 'store']);
    Route::get('/edit/{id}', [ComputerController::class, 'edit']);
    Route::put('/update/{id}', [ComputerController::class, 'update']);
    Route::get('/show/{id}', [ComputerController::class, 'show']);
    Route::delete('/delete/{id}', [ComputerController::class, 'destroy']);
    Route::get('/listcomputer', [ComputerController::class, 'listcomputer'])->name('list');
    ·//·Route::post('uploadp',·[ComputerController::class,·'addphoto']);
});
```

Controller Computer (ComputerController.php)

```
namespace App\Http\Controllers;
use App\Http\Requests\StorePostRequest;
use App\Models\Computer;
use App\Models\Staff;
use App\Rules\ValidateCus;
use Illuminate\Http\Request;
class ComputerController extends Controller
     * @return \Illuminate\Http\Response
    public function index()
        $showdata = Computer::get()->load('staff');
        return view('Tables.TblComputer.index',
compact('showdata'));
    }
     * @return \Illuminate\Http\Response
    public function create()
    {
        $datacom =Staff::all();
        return
view('Tables.TblComputer.create',compact('datacom'));
    }
```

```
* @param \Illuminate\Http\Request $request
     * @return \Illuminate\Http\Response
    public function store(Request $request)
        $stores = $request->validate(
            'name' => 'required|min:5|max:50',
            'price' => 'required|numeric',
'model' => 'required',
            'staff_id' => 'required',
            'des' => 'required',
            'image_path' =>'required'
        ],
        [
            "name.required" => 'Please Insert Name
Computer!',
            "name.min"
                               => 'Name Computer is at
least 5 character!',
            "name.max"
                             => 'Name Computer is at
least 50 character!',
            "price.required" => 'Please insert Price
Computer !',
            "model.required"
                                => "Please insert Model
Computer !",
            "staff_id.required" => 'Please select staff
computer !',
            "des.required" => 'Please insert
description computer !'
        ]
    );
        $stores = new Computer();
```

```
$stores->name = $request->input('name');
        $stores->price = $request->input('price');
       $stores->model = $request->input('model');
       $stores->discription = $request->input('des');
        $stores->staff_id = $request->input('staff_id');
        if ($request->hasFile('image_path')) {
            $file = $request->file('image_path');
            $extention = $file-
>qetClientOriginalExtension();
           $filename = time() . '.' . $extention;
           $file->move('storage/uploads/', $filename);
           $stores->image_path = $filename;
        }
        $stores->save();
       return redirect('Computer/index');
   }
    * Display the specified resource.
    * Oparam int $id
    * @return \Illuminate\Http\Response
   public function show($id)
   {
       $details = Computer::find($id);
       return view('Tables.TblComputer.show',
compact('details'));
   }
    * @param int $id
```

```
* @return \Illuminate\Http\Response
    public function edit($id)
    {
        $editdata = Computer::find($id);
       $staff_id = $editdata->staff_id;
        // $staff = Staff::findOrFail($staff_id);
        $allStaffs = Staff::all();
        return view('Tables.TblComputer.edit',
compact('editdata', 'allStaffs', 'staff_id'));
    * @param \Illuminate\Http\Request $request
    * @param int $id
    * @return \Illuminate\Http\Response
    public function update(Request $request, $id)
    {
        $updatedata =Computer::find($id);
        $updatedata->name = $request->input('name');
        $updatedata->price = $request->input('price');
        $updatedata->model = $request->input('model');
        $updatedata->discription = $request->input('des');
        $updatedata->staff_id = $request->input('staff_id');
        if ($request->hasFile('image_path')) {
            $file = $request->file('image_path');
            $extention = $file-
>qetClientOriqinalExtension();
            $filename = time() . '.' . $extention;
           $file->move('storage/uploads/', $filename);
            $updatedata->image_path = $filename;
```

```
$updatedata->update();
       return redirect('Computer/index');
    * @param int $id
    * @return \Illuminate\Http\Response
   public function destroy($id)
       $deletedata=Computer::find($id);
       $deletedata->delete();
       return redirect('Computer/index');
   public function listcomputer()
       $showdata = Computer::get()->load('staff');
       $staffdata = Staff::get();
       return view('Leyout.homepage', compact('showdata',
'staffdata'));
   }
```

# Model Computer (Compter.php)

```
<?php
namespace App\Models;
use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;
class Computer extends Model
{</pre>
```

## **Migrations Computer**

```
$table->string('model');
    $table->string('discription');
    $table->unsignedBigInteger('staff_id');
    $table->timestamps();

    $table->foreign('staff_id')->references('id')-
>on('staff')->onDelete('cascade');
    });
}

/**
    * Reverse the migrations.
    *
          * @return void
          */
    public function down()
    {
          Schema::dropIfExists('computers');
    }
}
```

## Add columns Image to table computer

```
vse Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

class AddImageToComputersTable extends Migration
{
    /**
    * Run the migrations.
    *
    * @return void
    */
    public function up()
```

Form Request validation

**Noted: this one website not using** 

<u>If you want you can change class name Request -> Class name StorePostRequest</u>

```
<?php
namespace App\Http\Requests;
use Illuminate\Foundation\Http\FormRequest;
class StorePostRequest extends FormRequest
{
    /**</pre>
```

```
* Determine if the user is authorized to make this
* @return bool
public function authorize()
   return true;
* @return array
public function rules()
{
   return [
        'staffname' => 'required|max:50|min:5',
        'phone' => 'required|max:10|min:8',
        'address' => 'required|max:200|min:10',
        'image_path' => 'required',
        'name' =>'required|min:5|max:50',
                 =>'required|numeric',
        'price'
        'model' =>'required',
        'staff_id' =>'required',
        'des' =>'required'
   ];
}
public function messages()
{
   return[
```

```
"staffname.required" => 'Please insert Your
name!',
           "staffname.min" => 'Name is at least 5
character!',
           "staffname.max" => 'Name is at least 50
character!',
           "phone.required" => 'Please insert Your Phone
Number!',
           "phone.min" => 'Number is at least 8
Number!',
           "phone.max" => 'Name is at least 10
Number!',
           "address.required" => 'Please insert Your
Address!',
           "address.min" => 'Addess is at least 10
character!',
           "address.max" => 'Addess is at least 200
character!',
           'image_path.required'=>'Please insert your
image',
           "name.required" =>'Please Insert Name
Computer!',
                       => 'Name Computer is at
           "name.min"
least 5 character!',
                             => 'Name Computer is at
           "name.max"
least 50 character!',
```

### Database my SQL Name Database: Laravel

#### Table staff





Table computer



Thanks You