

# Fieldactivity: A shiny app to collect field management events

Henri Kajasilta<sup>\*1</sup>, Otto Kuusela<sup>†2</sup>, Tuomas Mattila<sup>3</sup>, Olli Niemitalo<sup>4</sup>,  
Jenni Jääskeläinen<sup>5</sup>, Jari Liski<sup>1</sup>, and Istem Fer<sup>1</sup>

1 Finnish Meteorological Institute 2 University of Amsterdam 3 SYKE 4 HAMK 5 BSAG

DOI:

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Submitted:

Published:

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC-BY](#)).

## Summary

The usability of agro-ecosystem models depends crucially on input information availability. Field-level activity data, such as those on timing and methods of planting, tillage, irrigation, fertilization, or harvesting, are crucial as they affect field properties significantly. Farmers work the fields several times in a year. From a modeling point of view, bookkeeping and digesting all the information relating to these events that are relevant for field simulations with agro-ecosystem models is highly important. Digital agriculture technology solutions (e.g. tractor mounted sensors) are becoming increasingly available and can track the field events to some extent. However, this type of field management activity information is still difficult to detect automatically, but can easily be reported by humans. Farmers and field operators indeed keep count of field management data electronically and otherwise. However, using this data flow to field monitoring and modeling activities is inefficient and slow (due to the time lag between data collection and availability). Here we present a Shiny application R package which allows farmers to report their field activities through a user-friendly online interface as they occur. Under the hood, the application reformats and harmonizes field activity data in ICASA 2.0 standard format that can be readily utilized in the field monitoring and modeling activities.


## Statement of need

Fieldactivity enables farmers and field operators to fill in field management activity information through a user-friendly interface to aid bookkeeping of such events. There are not many software applications for prompt retrieval of coherent and sufficient field activity data to be utilized in carbon cycle monitoring and modeling of individual fields (Nevalainen et al., 2022). Such information is a crucial component of measurement/monitoring, reporting and verification (MRV) frameworks and can open more ways to mitigate climate change (Smith et al., 2020).

Without precise and practical information on field management activities, MRV frameworks have limited applicability. Collecting such information is bottlenecked by cumbersome file formats (e.g. spreadsheets that are hard to fill and parse), user errors (e.g. ambiguity in vocabulary and units), as well as lack of automation and machine-accessibility. Fieldactivity provides a structured, human and machine readable solution that increases interoperability and reusability of the field management activity data. Fieldactivity formats and stores the inputted management data in flexible JavaScript Object Notation

<sup>\*</sup>Co-first author, [henri.kajasilta@fmi.fi](mailto:henri.kajasilta@fmi.fi)

<sup>†</sup>Co-first author



**Figure 1:** The four cornerstones of developing the app (1) to utilizing the gathered data (4). The application is designed to have a user-friendly interface (2) for anyone to use, while flexibility in data storing (3) provides leverage for several users to have access to the data.

(json) files which adopt the International Consortium for Agricultural Systems Applications (ICASA) standards (White et al. (2013)).

Among the CRAN packages in R, existing agricultural related packages are focused on analyzing already available datasets (e.g. agriTutorial (Edmondson, Piepho, & Yaseen, 2019) and agricolae (Mendibury, 2021)) or providing more information to support different agricultural analyses such as package agridat (Wright, 2021). While agricultural applications for data collecting and storing are also available, these have been typically built around a business idea to provide farmers a virtual ecosystem that helps them to manage their farms. Examples of these ecosystems are AGRIVI (“Agrivi,” n.d.), Agworld (“Agworld,” n.d.) and Conservis (“Conservis,” n.d.), which are approaching agricultural bookkeeping from a productivity and profitability point of view. These services are not, however, freely available. On the other hand, there are open software such as FarmOS (Stenta, 2022) and Tania (Ika & Asep, 2022), both of which are available to be installed from GitHub and provide an interface for keeping track of farm operations broader than field management events (e.g. list of upcoming tasks or information of assets). While data collected and reported in these applications can also be repurposed, these applications are not structured to inform downstream carbon monitoring and modeling activities. Instead, Fieldactivity presents users a curated set of questions which are tailored towards improving field-specific carbon estimations. In return, Fieldactivity also serves as a facilitator for farmer participatory research which is particularly associated with improved soil health and productivity (Lacoste et al., 2022; Mattila, Hagelberg, Söderlund, & Joona, 2022).

## The process flow


- 1) Application Fieldactivity is created by following the Golem framework. It is made to be highly modularised, which helps in the application’s maintenance and development in the future. Detailed information of the application’s structure and functionality can for example be found from the application github pages (“Fieldactivity,” n.d.).
- 2) The application provides an easy to use interface with two different language options (English and Finnish). Dropdown menus for the site and block/plot names as well as for the topics of the field management events guard against typing errors. Specific information regarding the selected management event in the chosen site is then filled in. The saved management inputs can be verified from the summary of events table that is visible and editable for the user the whole time during which the application is running.
- 3) Data are initially stored locally, but the application can be integrated to a server. The stored data are separated to different directories based on the given site and

block/plot information. However, all of the events for the same site and block are stored into a single stand-alone json file which uses the ICASA 2.0 standard format coding. The event entries can also be exported as a flat (no formatting) csv file, or as json files, from the app.

- 4) Ecosystem models have their model-specific ways and formats of inputting management events (Fer et al., 2021), therefore the produced format would not suit for direct use in all models. However, as Fieldactivity follows the standard data format (ICASA) it provides a clear framework for passing the json files generated by Fieldactivity to the modeling workflows without excessive labor to the modellers.

## Field Observatory use case

Monitored data from carbon farming fields within the Field Observatory Network (FiON) are disseminated via the FieldObservatory website ("Fieldobservatory," n.d.; Nevalainen et al., 2022). For the FiON sites, management events are collected through the Fieldactivity app, which is linked from fieldobservatory.org/fieldapp. The stored json files (Fig 2 left panel) are visualized accordingly and used for informing modeling workflows (Fig 2 right panel).



**Figure 2:** (Left) How it is stored: Example of a harvest event in a field management event file adopting the ICASA standards, collected and processed by the fieldactivity app. (right) How it is used: The event information is then marked with specific icons (e.g. tractor icon for fertilization) on respective graphs with enabled pop-up windows, and informed modeling workflows for the field.

## Acknowledgements

We thank the people who tested the app and gave valuable feedback on how to develop the application further; Annalea Lohila, Juuso Joona, Liisa Kulmala, Åsa Stam, especially to those who participated in the hackathon for entering historical field management events through the fieldactivity app, Tuuli Hakala and Olli Nevalainen, and to the Carbon Action farmers who reported their field activity data.

## References

- Agrivi: Farm management software for digital agriculture. (n.d.). <https://www.agrivi.com/>.
- Agworld: Farm management software. (n.d.). <https://www.agworld.com/eu/>.
- Conservis. (n.d.). <https://conservis.ag/>.
- Edmondson, R., Piepho, H.-P., & Yaseen, M. (2019). *agriTutorial: Tutorial analysis of some agricultural experiments*. Retrieved from <https://cran.r-project.org/web/packages/agriTutorial/agriTutorial.pdf>
- Fer, I., Gardella, A. K., Shiklomanov, A. N., Campbell, E. E., Cowdery, E. M., De Kauwe, M. G., Desai, A., et al. (2021). Beyond ecosystem modeling: A roadmap to community cyberinfrastructure for ecological data-model integration. *Global Change Biology*, 27(1), 13–26.
- Fieldactivity: A shiny app to collect field management events, GitHub-pages. (n.d.). <https://pecanproject.github.io/fieldactivity/>.
- Fieldobservatory: Online field data. (n.d.). <https://www.fieldobservatory.org/en/online-field-data/>.
- Ika, R., & Asep, B. (2022). Tania: Farm management software. *GitHub repository*. GitHub. Retrieved from <https://github.com/usetania/tania-core/tree/2.0-dev>
- Lacoste, M., Cook, S., McNee, M., Gale, D., Ingram, J., Bellon-Maurel, V., MacMillan, T., et al. (2022). On-farm experimentation to transform global agriculture. *Nature Food*, 3(1), 11–18.
- Mattila, T. J., Hagelberg, E., Söderlund, S., & Joona, J. (2022). How farmers approach soil carbon sequestration? Lessons learned from 105 carbon-farming plans. *Soil and Tillage Research*, 215, 105204.
- Mendibury, F. (2021). *Agricolae: Statistical procedures for agricultural research*. Retrieved from <https://cran.r-project.org/web/packages/agricolae/agricolae.pdf>
- Nevalainen, O., Niemitalo, O., Fer, I., Juntunen, A., Mattila, T., Koskela, O., Kukkamäki, J., et al. (2022). Towards agricultural soil carbon monitoring, reporting, and verification through the field observatory network (FiON). *Geoscientific Instrumentation, Methods and Data Systems*, 11(1), 93–109.
- Smith, P., Soussana, J.-F., Angers, D., Schipper, L., Chenu, C., Rasse, D. P., Batjes, N. H., et al. (2020). How to measure, report and verify soil carbon change to realize the potential of soil carbon sequestration for atmospheric greenhouse gas removal. *Global Change Biology*, 26(1), 219–241.
- Stenta, M. (2022). farmOS: Web-based application for farm management, planning, and record keeping. *GitHub repository*. GitHub. Retrieved from <https://github.com/farmOS/farmOS>
- White, J. W., Hunt, L., Boote, K. J., Jones, J. W., Koo, J., Kim, S., Porter, C. H., et al. (2013). Integrated description of agricultural field experiments and production: The ICASA version 2.0 data standards. *Computers and electronics in agriculture*, 96, 1–12.
- Wright, K. (2021). *Agridat: Agricultural datasets*. Retrieved from <https://cran.r-project.org/web/packages/agridat/agridat.pdf>