



BUSINESS REQUEST SUMMARY / 2026-08-25

More programs. Only after proof.

Hobbeast v1.11.0 adds a responsible Hungarian event feed pipeline while keeping every native event, provider integration and strong brand message intact.

185 candidates

Every workbook row is imported as pending review and disabled.

67 HTTPS

Strict URLs can be probed only after exact host confirmation.

118 on HOLD

Incomplete or non HTTPS endpoints require operator review first.

The request

Collect useful Hungarian programs every day from RSS 1.0/2.0, Atom, ICS, Schema.org Event and carefully bounded HTML sources. Normalize them into Hobbeast, add searchable category labels, poll politely and show only records that are complete, safe and reviewable.

The non negotiable decision

- The workbook is a discovery list, not legal permission and not technical approval.
- No source is enabled, scheduled or publicly visible by the seed migration.
- Good marketing copy is versioned and retained instead of silently overwritten.
- Native events and Eventbrite, Ticketmaster and SeatGeek stay fully available.

More supply is valuable only when trust, relevance and control grow with it.



From candidate to public event

Every layer narrows authority. A successful HTTP response is never enough to publish.



Probe is not publish.

A pending source can produce only quarantine and audit evidence. Normal sync must pass the full database gate again.



Safety is a product feature

The pipeline is designed to be polite to publishers, resistant to misuse and understandable to an operator.

Network boundary

Caller supplied URLs, credentials, IP literals, private DNS answers, cross host redirects and non HTTPS requests are rejected.

Robots on every path

Initial endpoint, redirect target and discovered feed each receive a fresh RFC 9309 oriented decision.

Data boundary

Raw bodies are service only, hash addressed, observed per run and expire after 14 days. Browser roles cannot read them.

Scheduler boundary

HMAC and replay checks precede two-at-a-time claims; a hard deadline aborts resolver and network work.

An admin can see the truth

- Candidate, review, legal, robots, enabled and health states remain separate.
- Published is labelled as a run counter, not proof of current public visibility.
- Approval is disabled until every required piece of evidence is present.
- A source can be paused without deleting its run and quarantine history.

Strong copy stays ours

Canonical now

Kezdjük egy közös délutánnal.

Eligible and preserved

Készen állsz, hogy új embereket és közös élményeket találj?

The hero heading, CTA names and routes remain locked by characterization tests.



Verified locally. Deployed safely.

Repository proof, hosted deployment and a running approved feed remain three different claims.

GATE	OBSERVED RESULT
Repository and CI	PASS - GitHub CI 32791459453
TypeScript and ESLint	PASS - zero errors; 14 existing warnings
Vitest	PASS - 71 files / 428 tests
Security and database	PASS - 233/44 audit; 97/17 fresh DB
Seed	PASS - 185 remote; 67 HTTPS; 118 held
Build and browser	PASS - budgets plus live Home / Events smoke
Hosted deployment	PASS - DB current; Edge v1; Vercel
Approved source run	NOT RUN - no secret, cron, approval or enable

Remaining activation checklist

- Provision the same strong HMAC value in Edge secrets and Supabase Vault.
- Review one source at a time, run a quarantine probe, then approve and enable.
- Create the daily schedule only after one hosted run and public projection are observed.
- Monitor freshness, quarantine and quality before expanding the approved source set.

Release boundary

The pipeline is deployed but inert: no bulk approval, no cron and no source enable. Daily approved polling remains on HOLD.