

Hobbeast — Üzleti kérés összefoglaló

Verzió: 1.7.0 Dátum: 2026-09-05

Added

Sprint 1.1 – canonical README.md, canonical CHANGELOG.md, RELEASE_PROCESS.md, scripts/validate-release.mjs, npm run release:validate. docs/releases/ archive for legacy CHANGELOG_APPEND_*.md, UPLOAD_README*.md, and the Pubapp-era changelog. Sprint 1.2 – Zod frontend runtime config validator (src/lib/env.ts), shared Edge Function env helper (supabase/functions/shared/env.ts) with requireEnv, MissingEnvError, and redact, and a secret-rotation runbook (docs/SECRETS_ROTATION.md). Sprint 1.3 – characterization test foundation: Vitest suites for passwordValidation, utils.cn, eventParticipantStats, and hobbyCategories under src/lib/__tests__/, a Playwright smoke spec (e2e/smoke.spec.ts), and a testing guide (docs/TESTING.md). Sprint 1.4 – route-level React.lazy for every non-landing page and Vite manualChunks split (react-vendor, radix-ui, supabase, query, leaflet, motion, forms); docs/BUILD.md documents the strategy. docs/SPRINT_STATUS.md – single source of truth tracking the 5-sprint program with □ / □ / □ per sub-prompt.

Changed

package.json name set to hobbeast, version bumped to 1.7.0 reflecting the Sprint 1 governance + build-hygiene release. Initial JS payload for the landing page reduced from ~1.35 MB to ~136 KB (41 KB gzipped) after chunk splitting.

Security

.env.example documents variable names only; .env and supabase/.temp/ remain gitignored; runbook forbids logging secret values and bundling server-only keys.

Fixed

Restored buildability by patching a broken FunctionInvokeResult import in the Supabase client shim and two type mismatches surfaced by the target DB schema (AdminUsers hub-member cast, CreateEventDialog insert payload cast).

Deferred (documented, not shipped)

Sprints 1.5 (edge-function env-helper migration), 2 (Address Manager refactor + clamp bug), 3 (OrganizerDashboard / AdminUsers refactor), and 4 (community/notification refactor) are tracked in docs/SPRINT_STATUS.md. They require characterization tests around the target components before a safe refactor and will land behind targeted product asks, not a blanket rewrite, per the repo's non-negotiable "never break working functionality" rule.

Ez az összefoglaló 2026-09-05-én készült visszamenőleg, a CHANGELOG.md megfelelő bejegyzéséből származtatva, mert ehhez a verzióhoz eredetileg nem készült versioning-artefaktum. A tartalma a changeloból ellenőrizhető; nem a kiadás napján kelt dokumentum.