



## BUSINESS REQUEST SUMMARY / 2026-08-25

# More programs. Only after proof.

Hobbeast v1.11.0 adds a responsible Hungarian event feed pipeline while keeping every native event, provider integration and strong brand message intact.

**185 candidates**

Every workbook row is imported as pending review and disabled.

**67 HTTPS**

Strict URLs can be probed only after exact host confirmation.

**118 on HOLD**

Incomplete or non HTTPS endpoints require operator review first.

## The request

Collect useful Hungarian programs every day from RSS 1.0/2.0, Atom, ICS, Schema.org Event and carefully bounded HTML sources. Normalize them into Hobbeast, add searchable category labels, poll politely and show only records that are complete, safe and reviewable.

## The non negotiable decision

- The workbook is a discovery list, not legal permission and not technical approval.
- No source is enabled, scheduled or publicly visible by the seed migration.
- Good marketing copy is versioned and retained instead of silently overwritten.
- Native events and Eventbrite, Ticketmaster and SeatGeek stay fully available.

**More supply is valuable only when trust, relevance and control grow with it.**



# From candidate to public event

Every layer narrows authority. A successful HTTP response is never enough to publish.



## Probe is not publish.

A pending source can produce only quarantine and audit evidence. Normal sync must pass the full database gate again.



# Safety is a product feature

The pipeline is designed to be polite to publishers, resistant to misuse and understandable to an operator.

## Network boundary

Caller supplied URLs, credentials, IP literals, private DNS answers, cross host redirects and non HTTPS requests are rejected.

## Robots on every path

Initial endpoint, redirect target and discovered feed each receive a fresh RFC 9309 oriented decision.

## Data boundary

Raw bodies are service only, hash addressed, observed per run and expire after 14 days. Browser roles cannot read them.

## Scheduler boundary

HMAC and replay checks precede two-at-a-time claims; a hard deadline aborts resolver and network work.

## An admin can see the truth

- Candidate, review, legal, robots, enabled and health states remain separate.
- Published is labelled as a run counter, not proof of current public visibility.
- Approval is disabled until every required piece of evidence is present.
- A source can be paused without deleting its run and quarantine history.

## Strong copy stays ours

Canonical now

**Kezdjük egy közös délutánnal.**

Eligible and preserved

**Készen állsz, hogy új embereket és közös élményeket találj?**

The hero heading, CTA names and routes remain locked by characterization tests.



# Verified locally. Activated deliberately.

Repository proof, hosted deployment and a running approved feed are three different claims.

| GATE                   | OBSERVED RESULT                                |
|------------------------|------------------------------------------------|
| Dependency and secrets | PASS - frozen install, high audit, secret scan |
| TypeScript and ESLint  | PASS - zero errors; 14 existing warnings       |
| Vitest                 | PASS - 71 files / 428 tests                    |
| Security definer       | PASS - 233 definitions / 44 migrations         |
| Fresh database         | PASS - 97 migrations / 17 fixtures             |
| Seed                   | PASS - 185 unique; 67 HTTPS; 118 held          |
| Build and budget       | PASS - CSS 20,467 gzip; main JS 49,213 gzip    |
| Playwright             | PASS - 14 passed; 1 authenticated NOT RUN      |

## Production activation checklist

- Deploy all three migrations and the Edge function to the verified canonical project.
- Provision the same strong HMAC value in Edge secrets and Supabase Vault.
- Review one source at a time, run a quarantine probe, then approve and enable.
- Create the daily schedule only after one hosted run and public projection are observed.

### Release boundary

No source is bulk approved. No cron job is created by migration. Local PASS is not hosted proof.