


Business Component Function

A Business Component Function allows the user to call DELMIA Apriso Business Components (BCs) from DFCs.

To Add the Business Component Function

1. Drag the Business Component Function from the **Toolbox** to the Function Navigation diagram, or double-click the Business Component icon in the Toolbox.
2. The system displays a list of Business Component Methods (except the retired ones) from which the user is able to choose. When the user enters a part of Business Component Method name, the system suggests a list of matching entries from the database.



3. After the selection of the Business Component Method, the system adds Inputs (Required Inputs) and Outputs to the function based on the Inputs and Outputs of the Method. Additionally some Business Components Methods can have Dynamic Inputs which can be added to the Function by selecting check boxes on the Dynamic Inputs list.


Name	Type
☒ WorkOrderStatus	Integer
☒ ParentWipOrderNo	Char
☒ ParentWipOrderType	Integer
☒ ParentOprSequenceNo	Char
☒ ProjectCode	Char
☒ Description	Char
☒ ProductionLineNo	Char
☒ ResourceName	Char
☒ ResourceType	Integer
☒ ReleasedFacility	Char
☒ ProcessId	Integer
☒ RecipId	Integer
☒ LotNo	Char
☒ OrderNo	Char
☒ OrderType	Integer
☒ OrderLineNo	Integer
☒ BomNumber	Char
☒ ExplodeOrder	Boolean
Dynamic Inputs	
☐ ReceiptLocationID	Integer
☐ LaborProrateType	Integer
☒ OrderCategory	Integer
☐ TargetOrderQuantity	Decimal
☐ ProjectID	Integer
☐ SchedulePayday	DateTime

Name	Description
Business Component Category	Category of the Business Component.
Business Component	The full name of the Business Component class.
Method	The name of the Method.
Version	Business Component version information.
Link button	Opens a window with the Business Components Methods to be linked.
Repository button	Provides access to the Business Component Repository , where it is possible to link other Business Component Methods.
Refresh Inputs and Outputs button	Refreshes the list of Inputs and Outputs available for the Business Component Method.


Passing Values from Function to Business Components Function

The configuration described in this section is for advanced users only.

In some cases, a Business Component consumes many values.



Instead of linking each Output to an Input separately, you can use the DynamicOutputs Output and pass its values to the DynamicInputs Input in a Business Component Function. See an example below.



The DynamicOutputs Output (of the Char Scalar type) can be added to the following Function types in Process Builder:

- ▶ Sub-DFC
- ▶ User Formula
- ▶ SQL Query
- ▶ Screen Interface

This Output contains a JSON string with all other Outputs of the Function. In case of the User Formula, you can create a formula that will take only the selected outputs and serialize them to JSON. See an example below.

```

1  var ParamList = new Dictionary<string, object>();
2  ParamList.Add("Quantity", 3);
3  ParamList.Add("UomCode", "KGM");
4
5  JSON = Serializer.SerializeToJson(ParamList);

```

The DynamicOutputs Output can be decoded using the DecodeDynamicParameters Business Component. For examples of using this Business Component, refer to [Sub-DFC Function](#).

When the JSON string is passed to the DynamicInputs Input, it will set values for the specific Dynamic Inputs. The string does not override the values of the Dynamic Inputs that were

configured manually on the Properties Pane.