


Enhance Performance of Screen Flows Client Mode

The tables below present the list of improvements that can be introduced in order to enhance the screen flows client mode performance.


Refresh Functionality

Use the [refresh](#) functionality only when necessary.

In the screen flows server mode, every action causes a refresh. In the screen flows client mode, you can choose between a refresh and no action.

Functionality	Server Mode Behavior	Client Mode Behavior
The Go to Screen navigation action does not refresh the screen when the action has no screen linked (in the server mode, the Refresh action is performed).	Example of the configuration in the server and client modes: 	
	Server mode behavior: The screen will be refreshed (the Refresh action will be executed), which is not needed every time.	Client mode behavior: The Refresh action will not be executed, which can speed up the screen's functioning. If the Refresh action must be executed, it is necessary to change the Portal Action type from Go to Screen to Refresh.
Submitting the view does not refresh the screen when no Action was returned from any view (in the server mode, the Refresh action is performed).	Example of the configuration in the server and client modes: A screen with a view linked, and the user submits the view. This is an example: 1. A DFC with the Grid Business Control (the Row Double Click Mode set as default to Select and Submit) and the User Formula Function with an External Output.	

2. The value of the External Output is the name of the Action to be executed. It can be empty when no Action is to be executed.



Server mode behavior: If a DFC does not return the Action External Output or the External Output's value is empty, the Refresh action is performed (it is not needed in every case).

Client mode behavior: If a DFC does not return the Action External Output or the External Output's value is empty, the Refresh action will not be performed.

If the refresh action must be executed, it is necessary to return the Action name of the Refresh type using the Action External Output.

Go to Screen Functionality

Use the Go to Screen functionality only when it is necessary.

Functionality	Server Mode Behavior	Client Mode Behavior
The difference between the Change View and Go to Screen functionality performance is not significant in the server mode. However, in the client mode, it is better to use Change Views (if applicable) rather than Go to Screen.	Example of the configuration in the server and client modes: 1. A screen has two views linked: View1 and View2. 2. After executing an action on View1, the user wants to change View2 to View3. View1 - REV.001.000 View2 - REV.001.000 It will be changed to View3	
	Server mode behavior: It is possible to use either the Change View functionality to change View2 into View3 or the Go to Screen functionality in order to navigate to the screen that displays View2 and	Client mode behavior: It is possible to use the Change View or Go to Screen functionality.

View3. In both cases, the screen is reloaded.

It is important to remember that a Change View will change only the selected View without changing the other ones; therefore, fast application performance can be achieved. The Go to Screen functionality will reload all the Views.