


Manage Work Instructions

You can display work instructions in a form of session variables using **DFCs** or **DFC steps**.


To Use Work Instructions

The following scenario illustrates the use of session variables to display work instructions using a DFC step:


1. Create an **Input to Output** function and add a pair of an input and output.
2. In the input properties, select the list of char type.
3. Display the **Constant List Editor** and enter either one or more work instruction names or FUIDs of specific work instruction revisions.



4. Set the function output as a session variable by adding a session routing.
5. In the step properties, go to the **Work Instructions** tab and configure the options of displaying work instructions in runtime.
6. In the **Work Instructions from Session Variable** section, choose a session variable created in step 4.



7. Runtime displays work instructions as configured (in this example: sidebar, on the right side of the screen):



To Handle a Work Instruction with a Document of an Unsupported Type

1. Click **Test Run** to see the linked work instructions in the Test Run view.
2. Click the "Use following extension ([.extension]) to save this file on local disc" link (unsupported file type).

Depending on the file type, it might be necessary to refer to information on how to configure a browser or a server to support a given file type.

Bugs

1. No windows appears wh
2. ELAN field should be
3. If company prefix len
4. UI issue: Mandatory f
5. Online help is not li
6. GID General Manager i

[Use following extension \(.txt\) to save this file on local disc.](#)

[Use following extension \(.m1v\) to save this file on local disc.](#)

Text

Input1

OK

3. The Save File pop-up window might appear.
4. Change the file name to its original extension as was written in the link (by default it is ShowDocuments.aspx), and save it locally.