

Output Destination: User

General Tab

The general properties available for all outputs are described in the [Output Properties](#) topic.

Properties

General

Advanced UI

Name

Output2

Description

Data Type

Char

☒ Char

☐ Integer

☐ Decimal

☐ Boolean

☐ DateTime

☐ Complex

☐ Scalar

☐ List

Default Value

Routing Dispositions

User

External

Session

Machine

Remove

Type

Comment

► User

User Interface Control

Text

Dictionary Item

Code:

+

↺

↻

≡

Device

Prompt

► Desktop

Output2

Mobile

Output2

Text

Output2

Control properties for device

Width:

Pixel

Formatting

☒ CSS-based

☐ Direct

Prompt:

Prompt

☐ Hide Prompt

Value:

OutputVal.

Attributes...

Advanced text control properties

Mask

Maximum length

0

Properties

General

Advanced UI

Layout and icon

Layout

Simple

Icon

(None)

Position

☐ Absolute Position

Offset

Alignment

Horizontal

0

Left

Vertical

0

Top

Field	Description
User Interface Control	The type of control to render on the output: ► Text – displays the value as regular text

- ▶ **HTML** – displays the HTML output without replacing special characters; plain HTML Output can be enabled using "RenderPlainHtmlOutput" key located in the "FunctionInterpreter" section of the Central Configuration file (for details, see [Central Configuration Documentation](#))
- ▶ **Link** – displays the value as a link or embedded content, see **Display Mode**

Be aware that using HTML or Link mode as the User Output type from functions or from the Selection Grid Business Control will be rendered as pure HTML on the DELMIA Apriso page. In case the value of such output is JavaScript code, then the script will be executed.

Dictionary Item

- ▶  – Adds Dictionary Item (written in the text box) to the dictionary and links it to the Output.
- ▶  – Opens a Reusable Dictionary Items suggestion lookup window which is a list of existing Dictionary Items that the user may choose from. When the user enters a part of the Dictionary Item name, the system suggests a list of matching entries from the database. The chosen Dictionary Item is linked to the Output.

When you duplicate a DFC to a new revision or a new entity, links to Dictionary Items are copied too.

- ▶  – Unlinks the Dictionary Item.
- ▶  – Opens the Dictionary Translations screen. For more information on this screen, refer to the [Dictionary Translations topic in the Dictionary Help](#) .

The prompts associated with the Function Outputs you are defining:

- ▶ **Desktop** – the prompt string (text) to be used with this Output as rendered on a desktop browser
- ▶ **Mobile** – the prompt string (text) to be used with this Output as rendered on a mobile browser
- ▶ **Text** – the prompt string (text) to be used with this Output as rendered on a text client device

Mobile and Text platforms are no longer supported.

Control properties for device (Desktop, Mobile)

Width – the size of the Output. Text longer than the width that has been set will be cut.

Hide Prompt check box – if selected, the prompt will not be displayed.

Attributes button – opens a pop-up [window](#) for configuration of additional HTML attributes.

Formatting

- ▶ **Direct** – allows the user to define the fonts, colors, etc. of the prompt on a desktop or mobile:

- ▶ Prompt – the formatting that applies to the desktop prompt string
- ▶ Value – the formatting that applies to the value field on a desktop
- ▶ CSS-based – the user may specify a CSS class (by selecting an item from the drop-down list or typing its name) or multiple classes (separated by spaces) to be used for the following Output elements:
 - ▶ Prompt
 - ▶ Value

Classes used are based on the default theme. Using multiple classes is beneficial when there is a need to combine certain properties. For example, when text Outputs (being Value) are to be centered rather than left-aligned, in addition to the default “Prompt” class you should type “AlignCenter.”

Dassault Systèmes recommends combining classes over substituting default ones (default classes will be always set for Input prompt even in CSS class is not specified) – unless you know what you are doing! The functionality of certain controls depend on them having specific class names.

In the case of the Input Controls in Layout Editor, it is possible to assign a CSS class to a container (HTML object directly hosting the [Input/Output](#) control) in the Value style field with the syntax `Container.ProperCSSClass` and using the classes "AlignCenter," "AlignLeft," "AlignRight".

Control properties for device (Text)

- ▶ Characters – enables the defining of the number of characters which will be displayed
- ▶ Breaks – enables the defining of the number of new lines after the user control


Advanced text control properties

These options are available when the Text User Interface Control is chosen:

- ▶ Mask – the user can specify a Function Output format mask, which displays the appropriate formatted value (e.g., N3 displays 3 decimal places) (refer to *Formatting Types* at Microsoft Docs for details)
- ▶ Maximum Length

Display Mode	If Link (type of User Interface Control) is chosen, a new field called Display Mode (the method for displaying the link) is displayed: ▶ Regular Link – a regular link will be displayed as a hyperlink ▶ Automatically Browse Link – opens a window to display the link as if the hyperlink was manually selected ▶ Embed Link Content in Workspace – opens and display the object in the content of the workspace If the Output value contains an incorrect link (i.e., it does not link an existing page or file), the HTTP 404 error ("The webpage cannot be found") will be displayed. If Embed Link Content in Workspace is selected, a new option is displayed: Embedding Area Size – the size of the embedded object ▶ Width – the width of the embedded object (in pixels) ▶ Height – the height of the embedded object (in pixels)
--------------	---

Advanced UI Tab



Field	Description
Layout and Icon	An icon displayed to the immediate left of the Output prompt on the Desktop. Available icons include: ▶ Information ▶ Question ▶ Warning ▶ Error
Position	If the Absolute Position check box is selected, the user may change the position of the control in Layout Editor. The user specifies the offset (in pixels) and the alignment of the control.