


Preview

The Preview tool pane gives the ability to preview a screen created in the HTML, JavaScript and CSS tabs (after conversion to [HTML Layout](#) or within an [HTML View](#)). It is also possible to preview certain screen flows entities.

You can display the preview for:



- ▶ DFCs with defined [Step shown on Preview](#) property
- ▶ Views that have linked DFC with defined [Step shown on Preview](#) property
- ▶ [HTML Views](#)
- ▶ Screens (only in the Entity Manager)
- ▶ Layouts (only in the Entity Manager)



It is possible to unpin this pane and show it on the second monitor.

AJAX calls are only available in runtime (not in the Preview tool pane).

To Enable/Disable Options:

Click  button to show more options. Click  button to hide options.

Field	Description
Open in Browser	The ability to preview code from HTML Layout Editor in the chosen browser. The preview is saved locally in <code>Preview.html</code> file located in your Temp folder. To see the current preview in the browser, you have to refresh the browser.
	It enables to see the preview of the screen written in HTML tab. The button appears only when the Auto Refresh check box is cleared.
Options	
Re-Render Sub-DFCs	The button refreshes the preview of the current Step with all its sub-DFCs. The sub-DFC will not be displayed if the Hide on Preview check box is selected. Preview is

	generated based on the following priorities: 1. Custom Image – If an Image for visualization check box on a sub-DFC pane is selected. 2. HTML preview – If a sub-DFC has a Step shown on preview functionality used (HTML Layout only). 3. Default image – If none of the above-mentioned options is set.
Auto Refresh	If selected, the preview parses code from HTML Layout Editor automatically on every change (selected by default).
Browser	The drop-down contains browsers installed on your client.
Language	Used to select the language that will be used to display the Preview content. The languages that are available in the drop-down menu are those that are selected on the Translation Settings screen (main language and target languages). For more information on this screen, refer to the Translations Settings topic in the Dictionary Help .
Include JavaScript	If selected, the JavaScript code will be included and executed in preview tool pane (the check box is cleared by default). The check box appears only when HTML Layout Editor is used. Because of the JavaScript complexity and DFC design (main DFC may include Script variables used in sub-DFCs) script errors may be only validated on Preview (if Include JavaScript check box is selected) or Test Mode view.

If there is an error in HTML (scripts), the line number with the invalid code is displayed. Note that this line number is the number of the line in the generated HTML (view HTML Source in the browser or in the preview).

Labels Translation

If the Preview tool pane is visible and you open the DFC, screen, or view in the **Dictionary Links** screen (using the **Translate** option), you can use the tool pane to translate labels. Clicking the preview element highlights it in the pane and automatically selects it in the **Text/Literal Item** list.

