


Rich Text Description

You can define a rich text description of a category, process, operation, DFC, step, screen, view, and layout. Rich text description appears in a separate tool pane, which includes a window for an extended description.

You can define templates for the description of a category, process, operation, DFC, step, screen, view, and layout. Templates may be changed according to specific needs. Changes in templates affect only the entity descriptions that have not been altered. Altering an entity description causes the creation of a specific description instance to no longer be linked to the template.



The screenshot shows a window titled "Rich Text Description" with a toolbar containing icons for undo, redo, bold, italic, and link. The main content area is divided into three sections:

- Brief Description**
[Include in this section the detailed description of each Screen, Sub-DFC, Business Component, Function, or any logic block that requires further explanation.]
- Screen**
[Explain every input and output in the screen if such exist, with as much detailed as necessary, including the prompts, data types, default values, source of outputs, etc.]
- Business Logic Flow**
[Include detailed business logic flow for the screen. All the "get" and "do" actions should be categorized in sub-]

The content of the rich text description can be defined in the HTML editor. Importing an HTML file that can be used as a rich text description is also possible.

You can export the description prepared in the HTML editor and save it as an HTML file.

Rich Text Description

```

<body>
  <h1><font color=#000000 size=4 face="Century Gothic">Brief Description</font></h1>
  <p><font color=#808080 face="Arial" size=4>[Include in this section the detailed description of each Screen, Sub-DFC, Business Component, Function, or any logic block that requires further explanation.]</font></p>

  <p><font face="Arial" size=4></font>&nbsp;</p>
  <h1><font color=#000000 size=4 face="Century Gothic">Screen</font></h1>
  <p><font color=#808080 face="Arial" size=4>[Explain every input and output in the screen if such exist, with as much detailed as necessary, including the prompts, data types, default values, source of outputs, etc.]</font></p>
  <p><font face="Arial" size=4></font>&nbsp;</p>

  <h1><font color=#000000 size=4 face="Century Gothic">Business Logic Flow</font></h1>
  <p><font color=#808080 face="Arial" size=4>[Include detailed business logic flow for the screen. All the "get" and "do" actions should be categorized in sub-DFCs. The naming convention for sub-DFCs should be ProjectCode_BusinessObjectName.Action, for instance HON_WorkOrder.GetAllReleasedOrders.]</font></p>
  <p><font face="Arial" size=4></font>&nbsp;</p>

  <h1><font color=#000000 size=4 face="Century Gothic">Initialization</font></h1>
  <p><font color=#808080 face="Arial" size=4>[Explain the algorithm, sub-DFCs or the business component that is called to initialize data for the screen.]</font></p>
  <p><font face="Arial" size=4></font>&nbsp;</p>

  <h1><font color=#000000 size=4 face="Century Gothic">Processing Business Logic</font></h1>
  <p><font color=#808080 face="Arial" size=4>[Explain the algorithm, sub-DFCs or the business component that is called. Include details about the source of each input when necessary. Explain every input and output for sub-DFCs/business component with as much detailed as necessary. For rich GUI functionality screen include processing to be done for each UI action - (button click, double click grid, etc.)</font></p>
  <p><font face="Arial" size=4></font>&nbsp;</p>
</body>

```

Brief Description

[Include in this section the detailed description of each Screen, Sub-DFC, Business Component, Function, or any logic block that requires further explanation]

Screen

[Explain every input and output in the screen if such exist, with as much detailed as necessary, including the prompts, data types, default values, source of outputs, etc.]

Business Logic Flow

How to Modify a Template (e.g., for a Step)

1. Go to <drive>\Program Files\Dassault Systemes\DELMIA Apriso 2025\WebSite\Resources\ProcessDocumentationTemplates\
2. Choose StepRichDescriptionTemplate.htm and change its content, for example:

```

1  <body>
2  <h1><font color=#000000 size=4 face="Century Gothic">Brief Description</font></h1>
3  <p><font color=#808080 face="Arial" size=4>[XXXXXXXXXXXXXXXXXXXX] Include in this section the detailed description of each
4  Screen, Sub-DFC, Business Component, Function, or any logic block that requires further explanation.]</font></p>
5  <p><font face="Arial" size=4></font>&nbsp;</p>
6  <h1><font color=#000000 size=4 face="Century Gothic">Screen</font></h1>
7  <p><font color=#808080 face="Arial" size=4>[Explain every input and output in the screen if such exist, with as much
8  detailed as necessary, including the prompts, data types, default values, source of outputs, etc.]</font></p>
9  <p><font face="Arial" size=4></font>&nbsp;</p>
10 <h1><font color=#000000 size=4 face="Century Gothic">Business Logic Flow</font></h1>
11 <p><font color=#808080 face="Arial" size=4>[Include detailed business logic flow for the screen. All the "get" and
    "do" actions should be categorized in sub-DFCs. The naming convention for sub-DFCs should be ProjectCode_
    BusinessObjectName.Action, for instance HON_WorkOrder.GetAllReleasedOrders.]</font></p>
    <p><font face="Arial" size=4></font>&nbsp;</p>
    <h1><font color=#000000 size=4 face="Century Gothic">Initialization</font></h1>

```

Modify the content (for example, add text)

3. Save changes, and restart DELMIA Apriso Services on your server.
4. Reconnect to Process Builder.
5. See the changes that have been made:

Rich Text Description

Brief Description

[XXXXXXXXXXXXXXXXXX] Include in this section the detailed description of each Screen explanation.]

Screen

Text added in step 2

[Explain every input and output in the screen if such exist, with as much detailed as

Business Logic Flow