

Screen Flow Processing Diagram

Screen Navigation

A standard flow consists of three elements:

- ▶ A display screen (UI)
- ▶ Execute Action(s) (business logic)
- ▶ Navigating the user to the next Screen

Proper Screen navigation is essential for maintaining a clean, simple solution and for an excellent user experience.

Screen Stack

There is an associated Screen stack called by each Portal Session. When navigating between Screens, a Screen can be pushed to the stack or pulled from the stack and presented to the user. When navigating to a normal Screen, the Screen is placed on the Screen stack and can be returned to later on. However, you can change how the Screens interact with the Screen stack using the navigation types. Another way to control the Screen stack is by using standard navigation from the Action properties.

To define the Screen navigation, use the Portal Actions in the Action properties. Here you can define what to do after executing an Action.

The screenshot shows the configuration for a Portal Action. The 'Portal Action' dropdown menu is set to 'Go to Screen'. Below this, there are two sections: 'Go to Screen' and 'Open Pop-up View'. Each section has a 'Name' text field and a 'Revision' dropdown menu. To the right of the 'Revision' dropdowns are four icons: a circular arrow (refresh), a square with a circle (stop), a double arrow (undo/redo), and a hamburger menu icon.

The following options are available:

- ▶ **Portal Action** drop-down menu values
 - ▶ **Go to Screen** – select this option to navigate to other Screens (see the [Refresh](#) option section for more information)
 - ▶ All other options are used to navigate in the Screen stack (for details on all of the Portal Action options, see [View Action: General Tab](#))
- ▶ **Open Pop-up View** definition section
 - ▶ On every Screen, you can define a modal pop-up window that usually contains some additional context-based information
 - ▶ Every View defined in Process Builder can be used as a pop-up View
 - ▶ By default, pop-up Views are not shown when entering the Screen (you can change this using the [Screen: Change Flow Tab](#) and the pop-up Views will disappear after navigating from the Screen)

Standard Navigation


Simple examples of standard navigation actions are described below.

The diagrams below present Screen transitions, not the contents of the Screen stack.

Back


The "back" scenario will go back to the previous Screen in a given Screen stack. Portal Session Variables from the previous Screen will be used. For example, when going back from SCR-31 to SCR-30, the variables from SCR-30 will be restored and used. If there is no previous Screen, the flow will exit to a higher-level Screen stack.

In this example, you can see that the "Intermediate" Screens are bypassed because they are not part of any Screen stack.




Close All

The "close all" scenario closes all the Screen stacks and will exit to the DELMIA Apriso Portal.




Exit

The "exit" scenario will exit to a higher level screen stack.



Loop Close (2, 3)


The "loop close" scenario closes all the Screens from the stack up to the Screen which has the navigation type set to the respective loop level (as in, 2 or 3). When no Screen is found with the proper loop level, the Portal is exited.



Pop-Up Close (refresh screen)

The "pop-up close" scenario closes the pop-up window and stays on the same Screen. After the pop-up is closed, the Screen is refreshed.

To close the pop-up and navigate to another Screen, use the **Go to Screen** option (see [Screen Stack](#) for more information). Pop-ups are automatically closed when navigating to a different Screen.



Pop-Up Close


This scenario is similar to the previous one, except the Screen is not refreshed automatically after closing the pop-up.

This action only works in client mode. In server mode, the Screen is always refreshed after closing the pop-up.

Return


The "return" scenario will go back to the last Screen with a different Screen code. Portal Session Variables from the "later" Screen will be preserved. For example, when returning from SCR-31 to SCR-30, variables from SCR-31 will be kept and used in SCR-30. If there is no previous Screen, the flow will exit to a higher-level Screen stack.

Returning from SCR-34 to SCR-33 would be another example. The XYZ data is preserved in SCR-33. The SCR-34 Screen with the ABC data is bypassed in this scenario because its Screen code is also SCR-34.



Screen Close


The "screen close" scenario removes the Screen from the stack but without restoring the Portal Session Variables from the snapshot.



Refresh


For the "refresh" scenario, the Screen stays the same and is refreshed.

For example, there is an Input box for the Container ID and a list below of all the added Containers. Once a Container is added in the Input box and the **ADD** button is clicked, an Action triggers a DFC to add the Container to the database. The "refresh" scenario displays the same Screen, and since the list reads data dynamically from the database, the list is refreshed and now includes the Container that was just added.



Replace Screen

In this scenario, the last item on the Screen Stack is replaced with the target Screen. This action gives the ability to switch between Screens without adding new items to the stack, but still having the "Back" option available.



Header Navigation

When using the DELMIA header, the user can click on the breadcrumb items. This will make a jump from the Screen being currently presented to the one clicked. All the Screens that are above the target Screen in the Screen stack will be removed from it.