


Screen Interface Function

A Screen Interface Function cannot be created manually. It shows up automatically when the HTML Layout Editor functionality is used.



Screen Interface Function Limitations

1. The Screen Interface Function cannot be iterated, duplicated, etc.
2. The Step can contain only one Screen Interface Function.
3. It is not possible to copy only the Screen Interface Function. To do this you need to copy the entire Step.
4. The Screen Interface Function cannot contain User Inputs/Outputs.
5. Deleting a Screen Interface Function from the Function Navigation Editor is not possible, as the Screen Interface Function is an integral part of HTML Layout Editor. To delete this Function, you have to switch back to the Layout Editor (see [HTML Layout Editor Right-Click Menu](#)).

Screen Interface Function Properties

General Tab

Properties [General] [Advanced]

Screen Interface Function Inputs

Name	Type	Test Value
Input1	Char	

Screen Interface Function Outputs

Name	Type	Auto Submit
Output1	Char	☐

Screen Literals

Code:

Code: [Add] [Remove] [Reset] [Menu]

Device	Prompt
Desktop	Sample Screen Name
Mobile	Sample Screen Name
Text	Sample Screen Name

Field	Description
Screen Interface Function Inputs	The list of Inputs added to the Screen Interface Function (it is possible to change its type and set its value). Refer to Screen Interface Input .
Screen Interface Function Outputs	The list of Outputs added to the Screen Interface Function (it is possible to change its type and set the Auto Submit functionality). Auto Submit check box – the screen submits automatically right after the value is saved to the Input. This functionality is used to simplify the routing. You may link one Output to many Inputs. Refer to the Screen Interface Output .
Screen Literals	The list of Screen Literals added to the Screen Function. Refer to Screen Literals . The  (Remove) button is available only if the literal is not used in the HTML text. Mobile and Text platforms are no longer supported.

Advanced Tab

Properties [General] [Advanced]

☐ Hide OK Button

☐ Hide Work Instruction Button

☐ Cache Results

Invoke DFCs / AJAX

Code	Revision
FLX_ReportNonSerial	FLEXNET_MASTER
FLX_StartTask	FLEXNET_MASTER
FLX_StartWipSerial	FLEXNET_MASTER

Field	Description
Hide OK Button	If selected, the OK button will not be displayed in runtime. If you want to use the WI Button or OK Button functionality when the Hide OK Button and Hide Work Instruction Button check boxes are selected, it is possible to apply them using functions: <code>\$Context.submit()</code> and <code>\$Context.showWorkInstructions()</code> . For more information, see Displaying the Submit and Work Instructions buttons .
Hide Work Instruction Button	If selected, the Show Work Instructions button will not be displayed in runtime.
Cache Results	See Function Properties .

Invoke DFCs / AJAX	Contains a list of DFCs that can be called asynchronously from the scripts. The invoked DFC revision must be unique. See Using AJAX .
---------------------------	---