

Set As Default Revision

1. Launch [Entity Manager](#) or [Project Entity Manager](#) (in case of [Projects](#)).
2. Select the entity from the list and choose the **Set As Default Revision** from the [Entity Manager Right-Click Menu](#) or [Project: Entity Manager Right-Click Menu](#).

When duplicating an existing entity to [create a new entity revision](#), the new revision can also be set as default by checking the appropriate box (**Set as default revision**).

In the case of Project entities, setting the default revision is also possible in the **Project Compare** tab by using the **Set as Default Revision after Merge** option from the [right-click](#) menu.

The default revision is marked with:

- ▶ An overlay indicator in the upper-right corner of the icon (i.e., .
- ▶ The selected **Default Revision** check box on the General tab of the entity properties (displayed from the Entity Manager [Right-Click Menu](#)).
- ▶ The selected **Default Revision** check box on the General tab of the [entity properties](#) pane.


Default DFC Revision

Default DFC revision can be used in following areas:

- ▶ Sub-DFC
- ▶ Screen
- ▶ View
- ▶ Machine Integrator
- ▶ UOM Conversion
- ▶ Dynamic Lists
- ▶ Web Services
- ▶ EMR
- ▶ KPI
- ▶ Determination
- ▶ Sequencing
- ▶ WIP Operation
- ▶ Job Action
- ▶ Dispatching Board

When the **none-revision determined at runtime** option is selected, the revision will be determined dynamically in runtime. It means that the system will select the revision set as default. See [Algorithm for Detecting Dynamic Revision of Entity](#).

Below is an example of that option on [Sub-DFC](#) function properties pane.



DFC

☒ Selected by name

Name

APR_3DX_EmployeeInformation

Revision

(none - revision determined at runtime) 