

Show Message Function

Use the Show Message function to define a set of messages that are shown on the screen. You can define info, success, warning, or error messages.

To Add the Show Message Function

- 1. Drag the Show Message function from the [Toolbox](#) to the Function Navigation diagram, or double-click the Show Message icon in the Toolbox.
- 2. Define the message codes and choose their severity type.
- 3. Define the prompts that will be displayed for the message codes.

Properties

General

Name

ShowMessage1

Description

Type

Show Message

☐ Log Events

Messages

Add

Remove

Code	Severity
LOCATION_ADDED	Info
LOCATION_MISSING	Error
MESSAGE CODE	Error

Code:

+

∞

↺

≡

Device	Prompt
Desktop	
Mobile	
Text	

Field	Description
Add	Adds a new message code (the name of the error) to the list. You can define the following message types: Info Success Warning Error
Remove	Removes the selected message code.

Code	▷  – Adds a dictionary item (written in the field) to the dictionary and links it to the message. ▷  – Opens a lookup window that lists available dictionary items to choose from. When you enter a part of the dictionary item name, the system suggests a list of matching entries from the database. The chosen dictionary item is linked to the message. When you duplicate a DFC to a new revision or a new entity, links to dictionary items are copied too. ▷  – Unlinks the dictionary item. ▷  – Opens the Dictionary Translations screen in the context of a linked dictionary item. For more information on this screen, refer to the <i>Dictionary Translations</i> topic in Dictionary Help.
User Interface Prompts	The prompts associated with the message code that are displayed respectively on the following devices: ▷ Desktop ▷ Mobile ▷ Text The names of the function inputs can be used in the prompts by placing them in braces "{ }" for text concatenating. Mobile and Text platforms are no longer supported.

Show Message Function Inputs

Input/Output	Description
Code	The code of the message to be displayed. This input is required.
ShowMessage	If set to True, the error message will be shown. Otherwise, the function is ignored . This input is required.
ShowAsModal	If set to True, the error message will be shown with a grayed-out background. Anything below the message will not be available for any interaction until the message is acknowledged by clicking it.

There is a possibility to display error messages using [User Formula Function](#). However, the Show Message function is recommended because of easier navigation of the error message placement. In addition, the linked dictionary items are automatically added to the GPM package.

Show Message Function with Parameters

Additional inputs can be added in the Show Message function to generate an error message with parameters (for example, **OrderNo** and **OrderStatus**).

ShowMessage	
INVALID_ORDER	Code
True	ShowMessage
False	ShowAsModal
SampleOrder	OrderNo
1	OrderStatus

In the **Code** field, link a dictionary item with parameters.

The Input names must correspond to the parameter names.

Code: APR_DictionaryItemCode

	Device	Prompt
▶	Desktop	Selected Order: {OrderNo} is in invalid status: {OrderStatus}.
	Mobile	Selected Order: {OrderNo} is in invalid status: {OrderStatus}.
	Text	Selected Order: {OrderNo} is in invalid status: {OrderStatus}.

In this example, the displayed error message is: *SelectedOrder: SampleOrder is in invalid status: 1.*