Introduction to LATEX A very short briefing

Henry Yip

Co-Founder
Physical Sciences Coordinator
Regional Organizer: Asia and Oceania
Head of Website Maintenance
University of Edinburgh Mathematical Physics Y1

Table of Contents

Introduction

Sample frame title

Language. Indeed, this very slide itself is created using LATEX beamer.

Sample frame title

LATEX is a very popular and useful Language. Indeed, this very slide itself is created using LATEX beamer. If you are learning Physical Sciences, it is absolutely necessary to gain basic fluency.

Sample frame title

LATEX is a very popular and useful Language. Indeed, this very slide itself is created using LATEX beamer. If you are learning Physical Sciences, it is absolutely necessary to gain basic fluency. If you are learning Life Sciences, you are still somehow recommended to learn this.

Sample LATEXfile




Figure 1: Advertisment ALERT: This image is created jointly by Henry Yip and Lorian Richmond. If you want to create Physics or Math documents with them please contact Henry Yip

1.1 Document class

On the first line you can see \documentclass{}. As we are writing articles, we always put \documentclass{articles} in the brackets. If you want to include a report later on, you should put \documentclass{report}

1.2 Packages

 Packages are extensions of L^ATEXthat allows you to to include all sorts of things, like graphs, hyperlinks, math symbols and so on

1.2.1 Math Articles

• \usepackage{amsmath} and \usepackage{amssymb} are almost always required.



Introduction

- Introduction
- Preample

- Introduction
- Preample
- Math Symbols

- Introduction
- Preample
- Math Symbols
- Inserting Images

- Introduction
- Preample
- Math Symbols
- Inserting Images
- Hyperlinks

- Introduction
- Preample
- Math Symbols
- Inserting Images
- Hyperlinks
- Footnote

- Introduction
- Preample
- Math Symbols
- Inserting Images
- Hyperlinks
- Footnote
- Bonus Session for Texmaker Users

• Below is an example of a **Preample**

```
\documentclass{article}
\usepackage(amsmath)
\usepackage(amsmath)
\usepackage(amssymb)
\usepackage(parskip)
\usepackage(titlesec)
\usepackage(titlesec)
\setcounter(secnumdepth){4}
\titleformat{\paragraph}{\normalfont\normalsize\bfseries}{\theparagraph}{lem}{}
\titlespacing*{\paragraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\toparagraph}{\top
```

Components

\documentclass{}

• Below is an example of a **Preample**

```
\documentclass{article}
\usepackage(amsmath)
\usepackage(amssymb)
\usepackage(parskip)
\usepackage(parskip)
\usepackage(titlesec)
\setcounter(secnumdepth){4}
\titleformat(\paragraph)
{\normalfont\normalsize\bfseries}{\theparagraph}{lem}{})
\frac{0pt}{3.25ex plus lex minus .2ex}{1.5ex plus .2ex}
\newcommand(\ie){\textit(i).\textit(e).}
\title{Introductory Astrophysics (PHYS08050) Notes}
\author{Henry Yip}
$2231321@ed.ac.uk
}
```

Components

- \documentclass{}
- \usepackage{}

• Below is an example of a **Preample**

```
\documentclass{article}
\usepackage(amsmath)
\usepackage(amssymb)
\usepackage(parskip)
\usepackage(parskip)
\usepackage(titlesec)
\setcounter(secnumdepth){4}
\titleformat(\paragraph)
{\normalfont\normalsize\bfseries}{\theparagraph}{lem}{}
\usepackage [vitlesec)
\setcounter(secnumdepth){4}
\titleformat(\paragraph)
{\normalfont\normalsize\bfseries}{\theparagraph}{lem}{}
\underset \frac{1.5ex}{3.25ex} \text{ plus .2ex}
\newcommand(\ie){\textit(i).\textit(e).}
\title{\textit(firroductory Astrophysics (PHYS08050) Notes}
\author{\text{Henry Yip}}
\text{ s231321@ed.ac.uk}
\end{article}
\]
```

Components

- \documentclass{}
- \usepackage{}
- Title, Author, Date...

• Below is an example of a **Preample**

```
\documentclass{article}
\usepackage(amsanth)
\usepackage(amssymb)
\usepackage(parskip)
\usepackage(parskip)
\usepackage(titlesec)
\setcounter(secnumdepth){4}
\titleformat{\paragraph}
{\normalfort\normalsize\bfseries}{\theparagraph}{lem}{}
\uperagraph}
{\titlespacing*(\paragraph)}
{\titlespacing*(\paragraph)}
{\titlespacing*(\paragraph)}
{\titlespacing*(\paragraph)}
\uperagraph)
\uperagraph
\upe
```

Components

- \documentclass{}
- \usepackage{}
- Title, Author, Date...
- \begin{document}

Document class?

• On the first line you can see \documentclass{}. As we are writing articles, we always put \documentclass{articles} in the brackets

Document class?

- On the first line you can see \documentclass{}. As we are writing articles, we always put \documentclass{articles} in the brackets
- If you want to include a report later on, you should put \documentclass{report}

More Features

Document class?

- On the first line you can see \documentclass{}. As we are writing articles, we always put \documentclass{articles} in the brackets
- If you want to include a report later on, you should put \documentclass{report}
- Go for books if you are writing a book

More Features

Documentclass?

- On the first line you can see \documentclass{}. As we are writing articles, we always put \documentclass{articles} in the brackets
- If you want to include a report later on, you should put \documentclass{report}
- Go for books if you are writing a book

More Features

 You can include some global changes, including double columns, font sizes, etc. by inserting a square bracket in the middle.

Documentclass?

- On the first line you can see \documentclass{}. As we are writing articles, we always put \documentclass{articles} in the brackets
- If you want to include a report later on, you should put \documentclass{report}
- Go for books if you are writing a book

More Features

- You can include some global changes, including double columns, font sizes, etc. by inserting a square bracket in the middle.
- Example: \documentclass[Option 1, Option 2]{article}

Packages

• Packages are extensions of LATEX that allows you to to include all sorts of things, like graphs, hyperlinks, math symbols and so on

Packages

- Packages are extensions of LaTeXthat allows you to to include all sorts of things, like graphs, hyperlinks, math symbols and so on
- \usepackage{amsmath} and \usepackage{amssymb} are almost always required.

Packages

- Packages are extensions of LaTeXthat allows you to to include all sorts of things, like graphs, hyperlinks, math symbols and so on
- \usepackage{amsmath} and \usepackage{amssymb} are almost always required.
- Tikz is preferred if you want to draw graphs
- Below is a beautiful example!




Figure: Advertisment **ALERT**: This image is created jointly by **Henry Yip** and **Lorian Richmond**. If you want to create Physics or Math documents with them please contact **Henry Yip**

More on Packages

You can include hyperlinks through \usepackage{href}

More on Packages

- You can include hyperlinks through \usepackage{href}
- There are pretty much all sorts of packages anywhere. For example, the \usepackage{parskip}

More on Packages

- You can include hyperlinks through \usepackage{href}
- There are pretty much all sorts of packages anywhere. For example, the \usepackage{parskip}
- You can always find your answer in Stackexchange

Sidenote: Wait what is a beamer?!

Preample

 $\bullet \ \, \backslash documentclass\{beamer\}$

Sidenote: Wait what is a beamer?!

Preample

- \documentclass{beamer}
- \usetheme{Madrid}

Important Notice

Try not to use powerpoint slides for your Math-related presentations

Sidenote: Wait what is a beamer?!

Preample

- \documentclass{beamer}
- \usetheme{Madrid}
- \usecolortheme{default}

Important Notice

Try not to use powerpoint slides for your Math-related presentations

 The Sample document has Sample as the default title, feel free to change to anything you want

- The Sample document has Sample as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.

- The Sample document has Sample as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.
- \\ allows you to skip lines

- The Sample document has Sample as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.
- \\ allows you to skip lines
- For the date, set as today
 - \date{today}

- The Sample document has Sample as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.
- \\ allows you to skip lines
- For the date, set as today
 - \date{today}
- After all these, start the document by \begin{document}.
 Remember to \end{document} when you finish

Title, Date, Author, Etc.

- The Sample document has Sample as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.
- \\ allows you to skip lines
- For the date, set as today
 - \date{today}
- After all these, start the document by \begin{document}.
 Remember to \end{document} when you finish
- Always include \maketitle after \begin{document}

Abstract?

You can include an Abstract by \begin{abstract}

Abstract?

- You can include an Abstract by \begin{abstract}
- This can only be added after \begin{document}

Abstract?

- You can include an Abstract by \begin{abstract}
- This can only be added after \begin{document}
- Always remember to \end{abstract}

One should search online for the math symbols supported by LATEX.
 Here is a good guide

- One should search online for the math symbols supported by LATEX.
 Here is a good guide
- More symbols can be downloaded through extra packages. For example, \hbar , \measuredangle

- One should search online for the math symbols supported by LATEX.
 Here is a good guide
- More symbols can be downloaded through extra packages. For example, \hbar , \measuredangle
- a \$ sign is required to show that you are entering math mode. For example: \$\measuredangle\$ will show as ∠

- One should search online for the math symbols supported by LATEX.
 Here is a good guide
- \bullet More symbols can be downloaded through extra packages. For example, $\hbar,~ \measuredangle$
- a \$ sign is required to show that you are entering math mode. For example: \$\measuredangle\$ will show as ∠
- You can make your equations aligned also:

$$\Delta K = \frac{dK}{dR} \Delta R \tag{1}$$

$$= -\frac{GM\Delta m}{2R^2}\Delta R \tag{2}$$

$$\Delta U = \frac{dU}{dR} \Delta R \tag{3}$$

$$= -\frac{GM\Delta m}{R^2} \Delta R \tag{4}$$

More on Math Symbols

You can use the \begin{align} and \end{align} to achieve this.
 Remember to include a & before every = sign so equations can be actually aligned

More on Math Symbols

- You can use the \begin{align} and \end{align} to achieve this.
 Remember to include a & before every = sign so equations can be actually aligned
- Below is an example:

```
\begin{align}
\Delta U& =\dfrac{dU}{dR} \Delta R\\
&=-\frac{GM\Delta m}{R^2} \Delta R
\end{align}
```

More on Math Symbols

- You can use the \begin{align} and \end{align} to achieve this.
 Remember to include a & before every = sign so equations can be actually aligned
- Below is an example:

```
\begin{align}
\Delta U& =\dfrac{dU}{dR} \Delta R\\
&=-\frac{GM\Delta m}{R^2} \Delta R
\end{align}
```

You can find more in Overleaf's website

Inserting pics

• First, upload your images to **Overleaf**

Inserting pics

- First, upload your images to Overleaf
- Second, include this line:

First include the following packages in the Preamble

```
\usepackage{hyperref}
\hypersetup{
    colorlinks=true,
    linkcolor=blue,
    filecolor=magenta,
    urlcolor=cyan,
    pdftitle={Overleaf Example},
    pdfpagemode=FullScreen,
    }
```

• There are many ways to change all sorts of settings. You should refer to the Overleaf page for reference

• First include the following packages in the **Preamble**

```
\usepackage{hyperref}
\hypersetup{
    colorlinks=true,
    linkcolor=blue,
    filecolor=magenta,
    urlcolor=cyan,
    pdftitle={Overleaf Example},
    pdfpagemode=FullScreen,
    }
```

- There are many ways to change all sorts of settings. You should refer to the Overleaf page for reference
- Obviously, change the colours as you like

• First include the following packages in the **Preamble**

```
\usepackage{hyperref}
\hypersetup{
    colorlinks=true,
    linkcolor=blue,
    filecolor=magenta,
    urlcolor=cyan,
    pdftitle={Overleaf Example},
    pdfpagemode=FullScreen,
    }
```

- There are many ways to change all sorts of settings. You should refer to the Overleaf page for reference
- Obviously, change the colours as you like

First include the following packages in the Preamble

```
\usepackage{hyperref}
\hypersetup{
    colorlinks=true,
    linkcolor=blue,
    filecolor=magenta,
    urlcolor=cyan,
    pdftitle={Overleaf Example},
    pdfpagemode=FullScreen,
    }
```

- There are many ways to change all sorts of settings. You should refer to the Overleaf page for reference
- Obviously, change the colours as you like
- Whenever you use hyperlink, type: \href{Your URL}{the text}
- Below is an example:

```
\begin{itemize}
\item Go to \href{https://www.overleaf.com/login}{the login page of Overleaf}
\item Create a New Account \footnote{You'll likely obtain a professional account \footnote{You'll likely obtain account \footnote{You'll likely \footnote{You'll likely \footnote{You'll likely \footnote
```

Footnotes

 $\bullet \ \, \mathsf{Just \ type \ down \ } \backslash \mathsf{footnote} \ \{\}$

Footnotes

- Just type down \footnote {}
- The formatting is automatic

```
\begin{itemize}
\item Go to \href{\https://www.overleaf.com/login}{the login page of Overleaf}
\item Create a New Account \footnote{You'll likely obtain a professional account \footnote
```

Table

• You can make very nice tables with LATEX

Time	Activity	Remarks
7:00	Train in Glascow /Paris	
12:00	Arriving in King's Cross Station	
12:30	Check in	
13:00-14:00	Lunch	
15:00-18:45	Hong Kong Disneyland	Walk Around
19:15-20:45	Dinner	

More on Tables

```
\begin{table}[H]
  \begin{center}
    \begin{tabular}{c|c|c}
      \textbf{Time} & \textbf{Activity}&\textbf{Remarks}\\
      \hline\hline
      7:00 & Train in \textbf{Glascow}/Paris& \\
      \hline
      12:00 & Arriving in \textbf{King's Cross Station}&\\
      \hline
      12:30 & Check in & \\
      \hline
      13:00-14:00 & Lunch \\
      \hline
      15:00-18:45 & Hong Kong Disneyland & Walk Around\\
      \hline
      19:15-20:45 & Dinner &\\
      \hline
    \end{tabular}
  \end{center}
\end{table
```

Above is how you should type

More on Tables

```
\begin{table}[H]
  \begin{center}
    \begin{tabular}{c|c|c}
      \textbf{Time} & \textbf{Activity}&\textbf{Remarks}\\
      \hline\hline
      7:00 & Train in \textbf{Glascow}/Paris& \\
      \hline
      12:00 & Arriving in \textbf{King's Cross Station}&\\
      \hline
      12:30 & Check in & \\
      \hline
      13:00-14:00 & Lunch \\
      \hline
      15:00-18:45 & Hong Kong Disnevland & Walk Around \\
      \hline
      19:15-20:45 & Dinner &\\
      \hline
    \end{tabular}
  \end{center}
\end{table
```

- Above is how you should type
- To adjust position please download \usepackage{float}

 I understand that most of you are Overleaf users, but this section is for TexMaker users

- I understand that most of you are Overleaf users, but this section is for TexMaker users
- Save your document as nameofyourdocument.tex. Download MikTeX (The Source Code is available in GitHub), go to comamnd prompt and cd to the place you stored your tex file

- I understand that most of you are Overleaf users, but this section is for TexMaker users
- Save your document as nameofyourdocument.tex. Download MikTeX (The Source Code is available in GitHub), go to comamnd prompt and cd to the place you stored your tex file
- Then type pdflatex nameofyourdocument.tex

- I understand that most of you are Overleaf users, but this section is for TexMaker users
- Save your document as nameofyourdocument.tex. Download MikTeX (The Source Code is available in GitHub), go to comamnd prompt and cd to the place you stored your tex file
- Then type pdflatex nameofyourdocument.tex
- You can also click "View" in TexMaker, then "print" and then "Microsoft Print to Pdf". However, at least for me, the hyperlinks may be lost.

Approaching The End!

Questions

If you have any Questions feel free to ask me now!

Thank You!