

Introduction to \LaTeX

A very short briefing

Henry Yip

Co-Founder

Physical Sciences Coordinator

Regional Organizer: Asia and Oceania

Head of Website Maintenance

University of Edinburgh **Mathematical Physics Y1**

Table of Contents

1 Introduction

\LaTeX is a very popular and useful Language. Indeed, this very slide itself is created using \LaTeX beamer.

\LaTeX is a very popular and useful Language. Indeed, this very slide itself is created using \LaTeX beamer. If you are learning Physical Sciences, it is absolutely necessary to gain basic fluency.

\LaTeX is a very popular and useful Language. Indeed, this very slide itself is created using \LaTeX beamer. If you are learning Physical Sciences, it is absolutely necessary to gain basic fluency. If you are learning Life Sciences, you are still somehow recommended to learn this.

Sample L^AT_EX file




Figure 1: Advertisement **ALERT**: This image is created jointly by **Henry Yip** and **Lorian Richmond**. If you want to create Physics or Math documents with them please contact **Henry Yip**

1.1 Documentclass

- On the first line you can see `\documentclass{}`. As we are writing articles, we always put `\documentclass{articles}` in the brackets. If you want to include a report later on, you should put `\documentclass{report}`

2

1.2 Packages

- Packages are extensions of L^AT_EX that allows you to include all sorts of things, like graphs, hyperlinks, math symbols and so on

1.2.1 Math Articles

- `\usepackage{amsmath}` and `\usepackage{amssymb}` are almost always required.

- Introduction

Features

- Introduction
- Preamble

Features

- Introduction
- Preamble
- Math Symbols

Features

- Introduction
- Preamble
- Math Symbols
- Inserting Images

Features

- Introduction
- Preamble
- Math Symbols
- Inserting Images
- Hyperlinks

Features

- Introduction
- Preamble
- Math Symbols
- Inserting Images
- Hyperlinks
- Footnote

- Introduction
- Preamble
- Math Symbols
- Inserting Images
- Hyperlinks
- Footnote
- Bonus Session for Texmaker Users

Preamble

- Below is an example of a **Preamble**

```
\documentclass{article}
\usepackage{amsmath}
\usepackage{amssymb}
\usepackage{parskip}
\usepackage[utf8]{inputenc}
\usepackage{titlesec}
\setcounter{secnumdepth}{4}
\titleformat{\paragraph}
{\normalfont\normalsize\bfseries}{\theparagraph}{1em}{}
\titlespacing*{\paragraph}
{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
\newcommand{\ie}{\textit{i}. \textit{e}. }
\title{Introductory Astrophysics (PHYS08050) Notes}
\author{Henry Yip
s2231321@ed.ac.uk
}
```

Components

- `\documentclass{}`

Preamble

- Below is an example of a **Preamble**

```
\documentclass{article}
\usepackage{amsmath}
\usepackage{amssymb}
\usepackage{parskip}
\usepackage[utf8]{inputenc}
\usepackage{titlesec}
\setcounter{secnumdepth}{4}
\titleformat{\paragraph}
{\normalfont\normalsize\bfseries}{\theparagraph}{1em}{}
\titlespacing*{\paragraph}
{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
\newcommand{\ie}{\textit{i}.\textit{e}. }
\title{Introductory Astrophysics (PHYS08050) Notes}
\author{Henry Yip
s2231321@ed.ac.uk
}
```

Components

- `\documentclass{}`
- `\usepackage{}`

Preamble

- Below is an example of a **Preamble**

```
\documentclass{article}
\usepackage{amsmath}
\usepackage{amssymb}
\usepackage{parskip}
\usepackage[utf8]{inputenc}
\usepackage{titlesec}
\setcounter{secnumdepth}{4}
\titleformat{\paragraph}
{\normalfont\normalsize\bfseries}{\theparagraph}{1em}{}
\titlespacing*{\paragraph}
{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
\newcommand{\ie}{\textit{i}.\textit{e}. }
\title{Introductory Astrophysics (PHYS08050) Notes}
\author{Henry Yip
s2231321@ed.ac.uk
}
```

Components

- `\documentclass{}`
- `\usepackage{}`
- Title, Author, Date...

Preamble

- Below is an example of a **Preamble**

```
\documentclass{article}
\usepackage{amsmath}
\usepackage{amssymb}
\usepackage{parskip}
\usepackage[utf8]{inputenc}
\usepackage{titlesec}
\setcounter{secnumdepth}{4}
\titleformat{\paragraph}
{\normalfont\normalsize\bfseries}{\theparagraph}{1em}{}
\titlespacing*{\paragraph}
{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
\newcommand{\ie}{\textit{i}.\textit{e}. }
\title{Introductory Astrophysics (PHYS08050) Notes}
\author{Henry Yip
s2231321@ed.ac.uk
}
```

Components

- `\documentclass{}`
- `\usepackage{}`
- Title, Author, Date...
- `\begin{document}`

Documentclass?

- On the first line you can see `\documentclass{}`. As we are writing articles, we always put `\documentclass{articles}` in the brackets

Documentclass?

- On the first line you can see `\documentclass{}`. As we are writing articles, we always put `\documentclass{articles}` in the brackets
- If you want to include a report later on, you should put `\documentclass{report}`

More Features

Documentclass?

- On the first line you can see `\documentclass{}`. As we are writing articles, we always put `\documentclass{articles}` in the brackets
- If you want to include a report later on, you should put `\documentclass{report}`
- Go for books if you are writing a book

More Features

Documentclass?

- On the first line you can see `\documentclass{}`. As we are writing articles, we always put `\documentclass{articles}` in the brackets
- If you want to include a report later on, you should put `\documentclass{report}`
- Go for books if you are writing a book

More Features

- You can include some global changes, including double columns, font sizes, etc. by inserting a square bracket in the middle.

Documentclass?

- On the first line you can see `\documentclass{}`. As we are writing articles, we always put `\documentclass{articles}` in the brackets
- If you want to include a report later on, you should put `\documentclass{report}`
- Go for books if you are writing a book

More Features

- You can include some global changes, including double columns, font sizes, etc. by inserting a square bracket in the middle.
- Example: `\documentclass[Option 1, Option 2]{article}`

- Packages are extensions of \LaTeX that allows you to include all sorts of things, like graphs, hyperlinks, math symbols and so on

- Packages are extensions of \LaTeX that allows you to include all sorts of things, like graphs, hyperlinks, math symbols and so on
- `\usepackage{amsmath}` and `\usepackage{amssymb}` are almost always required.

Packages

- Packages are extensions of \LaTeX that allows you to include all sorts of things, like graphs, hyperlinks, math symbols and so on
- `\usepackage{amsmath}` and `\usepackage{amssymb}` are almost always required.
- **Tikz** is preferred if you want to draw graphs
- Below is a beautiful example!

More on Packages

- You can include hyperlinks through `\usepackage{href}`

More on Packages

- You can include hyperlinks through `\usepackage{href}`
- There are pretty much all sorts of packages anywhere. For example, the `\usepackage{parskip}`

More on Packages

- You can include hyperlinks through `\usepackage{href}`
- There are pretty much all sorts of packages anywhere. For example, the `\usepackage{parskip}`
- You can **always** find your answer in [Stackexchange](#)

Sidenote: Wait what is a beamer?!

Preamble

- `\documentclass{beamer}`

Sidenote: Wait what is a beamer?!

Preamble

- `\documentclass{beamer}`
- `\usetheme{Madrid}`

Important Notice

Try not to use powerpoint slides for your Math-related presentations

Sidenote: Wait what is a beamer?!

Preamble

- `\documentclass{beamer}`
- `\usetheme{Madrid}`
- `\usecolortheme{default}`

Important Notice

Try not to use powerpoint slides for your Math-related presentations

- The Sample document has **Sample** as the default title, feel free to change to anything you want

Title, Date, Author, Etc.

- The Sample document has **Sample** as the default title, feel free to change to anything you want
- You can include several authors if you use the `and` function.

Title, Date, Author, Etc.

- The Sample document has **Sample** as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.
- `\\` allows you to skip lines

Title, Date, Author, Etc.

- The Sample document has **Sample** as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.
- `\\` allows you to skip lines
- For the date, set as today
 - `\date{today}`

Title, Date, Author, Etc.

- The Sample document has **Sample** as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.
- `\\` allows you to skip lines
- For the date, set as today
 - `\date{today}`
- After all these, start the document by `\begin{document}`. Remember to `\end{document}` when you finish

Title, Date, Author, Etc.

- The Sample document has **Sample** as the default title, feel free to change to anything you want
- You can include several authors if you use the and function.
- `\\` allows you to skip lines
- For the date, set as today
 - `\date{today}`
- After all these, start the document by `\begin{document}`. Remember to `\end{document}` when you finish
- Always include `\maketitle` after `\begin{document}`

Abstract?

- You can include an Abstract by `\begin{abstract}`

Abstract?

- You can include an Abstract by `\begin{abstract}`
- This can only be added after `\begin{document}`

Abstract?

- You can include an Abstract by `\begin{abstract}`
- This can only be added after `\begin{document}`
- Always remember to `\end{abstract}`

Math Symbols

- One should search online for the math symbols supported by \LaTeX .
[Here](#) is a good guide

Math Symbols

- One should search online for the math symbols supported by \LaTeX . [Here](#) is a good guide
- More symbols can be downloaded through extra packages. For example, \hbar , \angle

Math Symbols

- One should search online for the math symbols supported by \LaTeX . [Here](#) is a good guide
- More symbols can be downloaded through extra packages. For example, \hbar , \sphericalangle
- a $\$$ sign is **required** to show that you are entering math mode. For example: $\$ \backslash \text{measuredangle} \$$ will show as \sphericalangle

Math Symbols

- One should search online for the math symbols supported by L^AT_EX. [Here](#) is a good guide
- More symbols can be downloaded through extra packages. For example, \hbar , \angle
- a \$ sign is **required** to show that you are entering math mode. For example: `\measuredangle` will show as \angle
- You can make your equations aligned also:

$$\Delta K = \frac{dK}{dR} \Delta R \quad (1)$$

$$= -\frac{GM\Delta m}{2R^2} \Delta R \quad (2)$$

$$\Delta U = \frac{dU}{dR} \Delta R \quad (3)$$

$$= -\frac{GM\Delta m}{R^2} \Delta R \quad (4)$$

More on Math Symbols

- You can use the `\begin{align}` and `\end{align}` to achieve this. Remember to include a `&` before every `=` sign so equations can be actually aligned

More on Math Symbols

- You can use the `\begin{align}` and `\end{align}` to achieve this. Remember to include a `&` before every `=` sign so equations can be actually aligned
- Below is an example:

```
\begin{align}
\Delta U &= \frac{dU}{dR} \Delta R \\
&= -\frac{GM}{m} \Delta m \{R^2\} \Delta R \\
\end{align}
```

More on Math Symbols

- You can use the `\begin{align}` and `\end{align}` to achieve this. Remember to include a `&` before every `=` sign so equations can be actually aligned

- Below is an example:

```
\begin{align}
\Delta U &= \frac{dU}{dR} \quad \Delta R \\
&= -\frac{GM}{m} \frac{d}{dR} \left( \frac{1}{R^2} \right) \Delta R
\end{align}
```

- You can find more in Overleaf's website

- First, upload your images to **Overleaf**

- First, upload your images to **Overleaf**
- Second, include this line:
 - `\includegraphics[scale= 1]{Preamble.png}`

- First include the following packages in the **Preamble**

```
\usepackage{hyperref}
\hypersetup{
  colorlinks=true,
  linkcolor=blue,
  filecolor=magenta,
  urlcolor=cyan,
  pdftitle={Overleaf Example},
  pdfpagemode=FullScreen,
}
```

- There are many ways to change all sorts of settings. You should refer to the Overleaf page for reference

- First include the following packages in the **Preamble**

```
\usepackage{hyperref}  
\hypersetup{  
  colorlinks=true,  
  linkcolor=blue,  
  filecolor=magenta,  
  urlcolor=cyan,  
  pdftitle={Overleaf Example},  
  pdfpagemode=FullScreen,  
}
```

- There are many ways to change all sorts of settings. You should refer to the Overleaf page for reference
- Obviously, change the colours as you like

- First include the following packages in the **Preamble**

```
\usepackage{hyperref}  
\hypersetup{  
  colorlinks=true,  
  linkcolor=blue,  
  filecolor=magenta,  
  urlcolor=cyan,  
  pdftitle={Overleaf Example},  
  pdfpagemode=FullScreen,  
}
```

- There are many ways to change all sorts of settings. You should refer to the Overleaf page for reference
- Obviously, change the colours as you like
- Whenever you use hyperlink, type: `\href{Your URL}{the text}`

- First include the following packages in the **Preamble**

```
\usepackage{hyperref}
\hypersetup{
  colorlinks=true,
  linkcolor=blue,
  filecolor=magenta,
  urlcolor=cyan,
  pdftitle={Overleaf Example},
  pdfpagemode=FullScreen,
}
```

- There are many ways to change all sorts of settings. You should refer to the Overleaf page for reference
- Obviously, change the colours as you like
- Whenever you use hyperlink, type: `\href{Your URL}{the text}`
- Below is an example:

```
\begin{itemize}
\item Go to \href{https://www.overleaf.com/login}{the login page of Overleaf}
\item Create a New Account \footnote{You'll likely obtain a professional acco
```

- Just type down `\footnote {}`

- Just type down `\footnote {}`
- The formatting is automatic

```
\begin{itemize}  
\item Go to \href{https://www.overleaf.com/login}{the login page of Overleaf}  
\item Create a New Account \footnote{You'll likely obtain a professional acco
```

- You can make very nice tables with \LaTeX

Time	Activity	Remarks
7:00	Train in Glasgow /Paris	
12:00	Arriving in King's Cross Station	
12:30	Check in	
13:00-14:00	Lunch	
15:00-18:45	Hong Kong Disneyland	Walk Around
19:15-20:45	Dinner	

More on Tables

```
\begin{table}[H]
\begin{center}
\begin{tabular}{c|c|c}
\textbf{Time} & \textbf{Activity}&\textbf{Remarks}\\
\hline\hline
7:00 & Train in \textbf{Glasgow}/Paris& \\
\hline
12:00 & Arriving in \textbf{King's Cross Station}&\\
\hline
12:30 & Check in & \\
\hline
13:00-14:00 & Lunch & \\
\hline
15:00-18:45 & Hong Kong Disneyland & Walk Around\\
\hline
19:15-20:45 & Dinner & \\
\hline
\end{tabular}
\end{center}
\end{table}
```

- Above is how you should type

More on Tables

```
\begin{table}[H]
\begin{center}
\begin{tabular}{c|c|c}
\textbf{Time} & \textbf{Activity}&\textbf{Remarks}\\
\hline\hline
7:00 & Train in \textbf{Glasgow}/Paris& \\
\hline
12:00 & Arriving in \textbf{King's Cross Station}&\\
\hline
12:30 & Check in & \\
\hline
13:00-14:00 & Lunch & \\
\hline
15:00-18:45 & Hong Kong Disneyland & Walk Around\\
\hline
19:15-20:45 & Dinner & \\
\hline

\end{tabular}
\end{center}
\end{table}
```

- Above is how you should type
- To adjust position please download `\usepackage{float}`

- I understand that most of you are Overleaf users, but this section is for TexMaker users

- I understand that most of you are Overleaf users, but this section is for TexMaker users
- Save your document as `nameofyourdocument.tex`. Download MikTeX (The Source Code is available in GitHub), go to command prompt and `cd` to the place you stored your tex file

- I understand that most of you are Overleaf users, but this section is for TexMaker users
- Save your document as `nameofyourdocument.tex`. Download MikTeX (The Source Code is available in GitHub), go to command prompt and `cd` to the place you stored your tex file
- Then type **`pdflatex nameofyourdocument.tex`**

- I understand that most of you are Overleaf users, but this section is for TexMaker users
- Save your document as `nameofyourdocument.tex`. Download MikTeX (The Source Code is available in GitHub), go to command prompt and `cd` to the place you stored your tex file
- Then type **`pdflatex nameofyourdocument.tex`**
- You can also click "View" in TexMaker, then "print" and then "Microsoft Print to Pdf". However, at least for me, the hyperlinks may be lost.

Approaching The End!

Questions

If you have any Questions feel free to ask me now!

Thank You!