

00-S12000-IHD22

*013: 3 * 440V - 50/60Hz.*

110: D.W.L.S.

SETTER

00-S12000-IHD22

SERIAL NUMBERS:

HD12SHD-0006-I  HD12SHD-0015-I

SETTER 00-S12000-IHD22

Contents

Description	page
<i>Titlepage</i>	<i>1</i>
<i>Contents</i>	<i>2</i>
<i>Info terminal</i>	<i>3</i>
<i>Info Bio-Iris I/O board</i>	<i>4</i>
<i>Heatingelements</i>	<i>5</i>
<i>Pulsatormotor</i>	<i>6</i>
<i>Ventilator & light</i>	<i>7</i>
<i>Supply controlsystem</i>	<i>8</i>
<i>Supply controlsystem UPS</i>	<i>9</i>
<i>Emergencyrelay</i>	<i>10</i>
<i>Valves, relays / PES</i>	<i>11</i>
<i>Valves, relays / AES</i>	<i>12</i>
<i>Valves manifold</i>	<i>13</i>
<i>Alarm</i>	<i>14</i>
<i>Alarm inputs</i>	<i>15</i>
	<i>16</i>
	<i>17</i>
	<i>18</i>
	<i>19</i>
<i>Sensors console</i>	<i>20</i>
<i>Externe sensors, WLS</i>	<i>21</i>
<i>Ovoscan</i>	<i>22</i>
<i>Free connections</i>	<i>23</i>
	<i>24</i>
<i>Left consoleplate</i>	<i>25</i>
<i>Right consoleplate</i>	<i>26</i>
<i>Consoledoordry zone</i>	<i>27</i>
<i>Inside & top-view</i>	<i>28</i>
<i>Hydropneumatic diagram without ADS</i>	<i>29</i>
<i>Hydropneumatic diagram with ADS</i>	<i>30</i>
<i>Inside view hydropneum plate</i>	


petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11




X1: 2 -> 35 / 50 - 79
X2: 33-34 => 40-43





B08779

X2: 6-7




B08799

X1: 80
X2: 25




B10293

SS-011381




X1:1

B09601




X2: 10 -> 15

B09602




X2: 1 -> 5




B09387(grey)
B09762(blue)
B09798(yellow-green)

X1: FB

B10899




X1: 39 -> 45



B09363

X1: terminal console

X2: terminal board



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: **00-S12000-IHD22**
Name: **Heatingselements**

Date: 9/06/2014

Corr.: Rev_01

Init.: LL


Function:

Location:

Page: 5

Tot: 26

Plotdate: 3/12/2014
Tot: 26
Plotpage: 5



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: **00-S12000-IHD22**
Name: **Ventilator & Light**

Date: 9/06/2014

Corr.: Rev_01


Init.: LL

Function:

Location:

Page: 7
Tot: 26

Plotpage: 7 Tot: 26 Plotdate: 3/12/2014



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: **00-S12000-IHD22**

Name: **Supply controlsystem**

Date: 9/06/2014

Function:


Corr.: Rev_01

Location:

Init.: LL

Page: 8
Tot: 26

Plotpage: 8 Tot: 26 Plotdate: 3/12/2014



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11




Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: **00-S12000-IHD22**

Name: **Supply controlsystem UPS**

Date:	9/06/2014	Corr.:	Rev_01	Init.:	LL
Function:		Location:		Page:	9
				Tot :	26




Petersime



Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Petersime



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11

Project: **00-S12000-IHD22**
Name: **Valves, Relays / AES**

Date: 9/06/2014

Corr.: Rev_01

Init.: LL


Function:

Location:

Page: 12

Tot: 26

Plotpage: 12 Tot: 26 Plotdate: 3/12/2014



Petersime



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11

Project: **00-S12000-IHD22**

Name: **Valves manifold**

Date: 9/06/2014

Function:


Corr.: Rev_01

Location:

Init.: LL

Page: 13
Tot: 26

Plotpage: 13 Tot: 26 Plotdate: 3/12/2014



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: 00-S12000-IHD22

Name: Alarm

Date: 9/06/2014

Corr.: Rev_01

Init.: LL


Function:

Location:

Page: 14

Tot: 26

Plotdate: 3/12/2014
Tot: 26
Page: 14



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: **00-S12000-IHD22**

Name: **Alarm inputs**

Date: 9/06/2014

Function:


Corr.: Rev_01

Location:

Init.: LL

Page: 15
Tot: 26

Plotpage: 15 Tot: 26 Plotdate: 3/12/2014



Petersime



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11

Project: 00-S12000-IHD22
Name: **Sensors console**

Date: 9/06/2014

Corr.: Rev_01


Init.: LL

Function:

Location:

Page: 19
Tot: 26

Plotpage: 16 Tot: 26 Plotdate: 3/12/2014



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: 00-S12000-IHD22

Name: Ovoscanner

Date: 9/06/2014

Corr.: Rev_01

Init.: LL

Function:


Location:

Page: 21

Tot: 26

Plotpage: 18 Tot: 26 Plotdate: 3/12/2014

Free cablewires and terminals



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: 00-S12000-IHD22

Name: Free connections

Date: 9/06/2014

Corr.: Rev_01


Init.: LL

Function:

Location:

Page: 22
Tot: 26

Plotpage: 19 Tot: 26 Plotdate: 3/12/2014



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: 00-S12000-IHD22

Name: Left consoleplate

Date: 9/06/2014

Function:


Corr.: Rev_01

Location:


Init.: LL

Page: 24
Tot : 26

- 1) B13846 = Power supply 120W - 24Vdc
- 2) B13847 = UPS module
- 3) B13850 = Battery 12Vdc / 7Ah
- 4) B13012 = Bio-Iris base I/O board




- 1) SS-011289 = Controller
- 2) B14602 = Proximity switch
- 3) B13638 = Contactbody emergency switch
- 4) B13636 = Pushbutton emergency switch





INSIDE VIEW

KH1 = R1+R2+R3 (Heatinggroup 1)
 KH2 = R4+R5+R6 (Heatinggroup 2)



TOPVIEW





Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: 00-S12000-IHD22

Name: Hydropneumatic without ADS

Date: 3/11/2014

Function:


Corr.: Rev_01

Location:

Init.: LL

Page: 28
Tot: 26

Plotpage: 24 Tot: 26 Plotdate: 3/12/2014



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: 00-S12000-IHD22

Name: **Hydropneumatic with ADS**

Date: 3/11/2014

Function:

Corr.: Rev_01


Location:

Init.: LL

Page: 29
Tot: 26


Plotpage: 25 Tot: 26 Plotdate: 3/12/2014

- 15) B13827 = valve Y10 / waterhammer
- 16) B09285 = valve Y3 / watercooling
- 17) B14648 = flow regulator



- 1) Assembly supply compressed air
- 2) SD-031240 = Assembly supply water
- 3) SI-029122 = Assembly humidity
- 4) B14363 = Valve Y1 (G1/8 - 1.6mm) / Humidity water
- 5) B14525 = Valve Y2(12) / humidity compressed air
- 6) B14525 = Pilotvalve Y4(12) watercooling
- 6) B14525 = Valve Y22(14) / PWM
- 7) B14526 = Valve Y23(14) - (NO) / Air inlet ventilation
- 7) B14526 = Valve Y24(12) - (NC) / Air inlet ventilation
- 8) B14523 = Valve Y7:12 (pneum turning / left cilinder)
- 8) B14523 = Valve Y7:14 (pneum turning / left cilinder)
- 9) B14523 = Valve Y17:12 (pneum turning / right cilinder)
- 9) B14523 = Valve Y17:14 (pneum turning / right cilinder)

LED-indication Y7:14 Y17:12 Y17:14 Y4:12 Y24:12 Y23:14 LED-indication:
Y7:12 Y22:14 Y2:12 Free/14



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
110: DWLS.

Project: 00-S12000-IHD22

Name: Inside view hydropneum. plate

Date: 3/11/2014

Function:

Corr.: Rev_01

Location:

Init.: LL


Page: 30
Tot: 26

Plotdate: 3/12/2014
Tot: 26
Page: 26

X2:BS12S-HD (ed_00 / rev_01 / 3 * 440V)

ITEM	CABLE	CONN:X2			CABLE	TYPE
POWER SUPPLY 3 * 440V 50/60Hz	L1	d	1	a	BK	4mm ²
	L2	d	2	a	BK	4mm ²
	L3	d	3	a	BK	4mm ²
		d	4	a	BU	4mm ²
	PE	d	5	a	YE/GN	4mm ²
VENTILATOR 230VAC	BK	d	6	c	BN	0,75mm ²
	BU	e		b	BU	0,75mm ²
		f		a		
	PE	g				
HEATINGRESISTOR 1 GROUP 1	BK	d	10	c	BK	2.50mm ²
	BK	e		b		
EARTHING COLUMN	YE/GN	f		a		
HEATINGRESISTOR 2 GROUP 1	BK	d	11	c	BK	2.50mm ²
	BK	e		b		
		f		a		
HEATINGRESISTOR 3 GROUP 1	BK	d	12	c	BK	2.50mm ²
	BK	e		b		
		f		a		
HEATINGRESISTOR 4 GROUP 2	BK	d	13	c	BK	2,50mm ²
	BK	e		b		
		f		a		
HEATINGRESISTOR 5 GROUP 2	BK	d	14	c	BK	2,50mm ²
	BK	e		b		
		f		a		
HEATINGRESISTOR 6 GROUP 2	BK	d	15	c	BK	2,50mm ²
	BK	e		b		
		f		a		
POWER SUPPLY SENSORS			25	c	BK	1,50mm ²
				d	RD	1,50mm ²
TURNERSENSOR 1 LEFTSIDE	BK	b	26	a	WH	8*0,5mm ²
	BU	c				
	BN	d				
TURNERSENSOR 2 RIGHTSIDE	BK	b	27	a	BN	8*0,5mm ²
	BU	c				
	BN	d				
		b	28	a	GN	8*0,5mm ²
		c				
		d				
Weightloss (WLS)	YE	b	32	a	GY	8*0,5mm ²
	GN	c				
	BN	d				

VENTILATORCONTROL	RD	d	33	a		
	WH	c		b		
	BU	d	34	a	PK	8*0,5mm ²
	YE	c		b	BU	8*0,5mm ²
OVOSCAN UPPER L1+	RD	d	40	a	RD	10*0,75mm ²
OVOSCAN UPPER L2-	GY	c		b	GY	10*0,75mm ²
OVOSCAN MIDDLE L1+	VT	d	41	a	VT	10*0,75mm ²
OVOSCAN MIDDLE L2-	WH	c		b	WH	10*0,75mm ²
OVOSCAN LOWER L1+	GN	d	42	a	GN	10*0,75mm ²
OVOSCAN LOWER L2-	YE	c		b	YE	10*0,75mm ²
OVOSCAN 24VDC	BN	d	43	a	BN	10*0,75mm ²
OVOSCAN 0V	BU	c		b	BU	10*0,75mm ²
0V BATTERY		c	50			
12VDC BATTERY		d				
ALARM BELL (EXTERN)		e				
ALARMLAMP (RD/EXT)		b	51	a	YE	6*0,75mm ²
LAMP "Run On" (GN/EXT)		b	52	a	GY	6*0,75mm ²
				c	WH	6*0,75mm ²
				d	BN	6*0,75mm ²
				e	GN	6*0,75mm ²
PULSATORSENSOR	BU	d	100	a		
	BN	e		b	+	
	BK	f		c	-	



Ed_00 Rev_01/3*440V/BS12S-HD TERMINALROW X1:E			
Lighting Lamp (230V)	H03- VV 3G0.75	BN	X1:91b
		BU	X1:91a
		YE/GN	X1:PE
Ed_00 Rev_01/3*440V/BS12S-HD TERMINALROW X1:F			
Alarmlamp	LIYY 4*0.25	WH	X1:11a
		BN	X1:11b
		YE	X1:12a
		GN	X1:12b
Ed_00 Rev_01/3*440V/BS12S-HD TERMINALROW X1:G			
Temperature sensor	LIYY 4*0.50	WH	X1:81b
		BN	X1:81c
			X1:81d
Mastercontrol sensor		GN	X1:82b
		YE	X1:82c
			X1:82d
Humidity sensor	LIYCY 4*0.25	GN	X1:83b
		WH	X1:83c
		BN	X1:83d
CO2-sensor	LIYY 4*0.7.5	YE	X1:84b
		WH	X1:84c
		BN	X1:84d

Transformer 440V => 230V			
		Cable	
		Color	Type
Primair 440V	0V	BN	HO5VV-F 5G1.5mm ²
	480V	GY	
Secundair 230V	0V	BU	
	230V	BK	

VARIABLE SPEED DRIVES, VARIATEURS DE VITESSE, FREQUENZUMRICHTER, FREQUENTIE OMVORMER			
	TERMINAL	COLOR	CABLE
Power terminal 3 X 400V	R/L1	BN	LIYCY-J 4*1.5
	S/L2	BK	
	R/L3	GY	
	PE	YE/GN	
Motor terminal	U/T1	BN	LIYCY-J 4*1.5
	V/T2	BK	
	W/T3	GY	
	PE	YE/GN	
Control terminal	COM	WH	LIYCY-O 8*0.5
	AI1	BN	
	+24V	GN	
	LI1	YE	
	R2C	GY	
	R2A	RD	
	NOT USED	PK	
	NOT USED	BU	