

00-H40000-IHD22

*013: 3 * 440V - 50/60Hz.*

111: Synchro-Hatch.

HATCHER

00-H40000-IHD22

SERIALNUMBERS:

BioS4HHD-0007-H  BioS4HHD-0012-H

HATCHER 00-H40000-IBS22


Contents

Description	page
<i>Titlepage</i>	<i>1</i>
<i>Contents</i>	<i>2</i>
<i>Info terminal</i>	<i>3</i>
<i>Info Bio-Iris I/O board</i>	<i>4</i>
<i>Heatingelements</i>	<i>5</i>
<i>Pulsatormotor</i>	<i>6</i>
<i>Ventilator & light</i>	<i>7</i>
<i>Supply control/system</i>	<i>8</i>
<i>Supply control/system UPS</i>	<i>9</i>
<i>Emergencyrelay</i>	<i>10</i>
<i>Valves, relays / PES</i>	<i>11</i>
<i>Valves, relays / AES</i>	<i>12</i>
<i>Alarm</i>	<i>13</i>
<i>Alarm inputs</i>	<i>14</i>
<i>Servomotor</i>	<i>16</i>
<i>Synchrohatch</i>	<i>17</i>
<i>Sensors console</i>	<i>18</i>
<i>Externe sensors</i>	<i>19</i>
<i>Free connections</i>	<i>20</i>
<i>Left console/plate</i>	<i>21</i>
<i>Right console/plate</i>	<i>22</i>
<i>Console/door dry zone</i>	<i>23</i>
<i>Inside & top-view</i>	<i>24</i>
<i>Hydropneumatic diagram with ADS</i>	<i>25</i>
<i>Hydropneumatic diagram without ADS</i>	<i>26</i>
<i>Inside view hydropneumatic</i>	<i>27</i>
	<i>28</i>
	<i>29</i>


petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11




X1: 2 => 35 / 50 - 79/89-90
X2: 37 - 38



B08779


X2: 6




B08799

X1: 80
X2: 25

X1: 85 - 87
X2: 26 -> 30
X2: 50 - 52




B10293




B10295

X2: 1 -> 5




B08387(grey)
B08782(blue)
B08798(yellow-green)

X1: 65




B09602

X1: 92 => 94
X2: 10 => 12




B09601

X1:1




SS-011381

X1: FB



B10899

X1: 39 -> 45



B09363

X1: terminal console

X2: terminal board

Petersime



Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11

Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: 00-H40000-IHD22

Name: Info terminal

Date: 9/06/2014


Function:

Corr.: Rev_01

Location:

Init.: LL

Page: 3 Tot: 26



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)


Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: **00-H40000-IHD22**
Name: **Ventilator & Light**

Date:	9/06/2014	Corr.:	Rev_01	Init.:	LL
Function:		Location:		Page:	Tot :
				7	26



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11




Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: 00-H40000-IHD22

Name: Supply controlsystem UPS

Date:	9/06/2014	Corr.:	Rev_01	Init.:	LL
Function:		Location:		Page:	9
				Tot :	26



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: **00-H40000-IHD22**
Name: **Emergencyrelay**

Date: 9/06/2014

Function:


Corr.: Rev_01

Location:

Init.: LL

Page: 10
Tot: 26

Plotpage: 10 Tot: 26 Plotdate: 3/12/2014



Petersime



Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11

Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: **00-H40000-IHD22**

Name: **Alarm**

Date: 9/06/2014

Corr.: Rev_01

Init.: LL


Function:

Location:

Page: 13

Tot: 26

Plotdate: 3/12/2014
Tot: 26
Page: 13



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: **00-H40000-IHD22**

Name: **Alarm inputs**

Date: 9/06/2014

Function:


Corr.: Rev_01

Location:

Init.: LL

Page: 14
Tot: 26

Plotpage: 14 Tot: 26 Plotdate: 3/12/2014



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: **00-H40000-IHD22**

Name: **Servo-motor**

Date: 9/06/2014

Function:

Corr.: Rev_01


Location:

Init.: LL

Page: 16
Tot : 26

Plotpage: 15 Tot: 26 Plotdate: 3/12/2014





Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: **00-H40000-IHD22**

Name: **Extern sensors**

Date: 9/06/2014

Function:

Corr.: Rev_01

Location:

Init.: LL

Page: 19
Tot: 26


Plotdate: 3/12/2014
Tot: 26
Page: 18

Free cablewires and terminals

	WH	D0 / Turner1 (L) / Reserve setter
	BN	D0 / Turner1 (R) / Reserve setter
	GN	D0 / Turner2 (L) / Reserve setter
	YE	D0 / Turner2 (R) / Reserve setter
	BN/BU	DI / WLS inclino / Reserve setter
	GY/GN	DI / Turner L / Reserve setter
	YE/GY	DI / Turner R / Reserve setter
	BU/BK	AI / Weightloss / Reserve setter
	WH/BN/BK	A0 / Blower hatcher turkey
	GY/PK/BK	A0 / Blower setter / Reserve setter
	BU/RD/BK	Ovoscan upper + / Reserve setter
	WH/GN/BK	Ovoscan upper - / Reserve setter
	GN/BN/BK	Ovoscan middle + / Reserve setter
	WH/YE/BK	Ovoscan middle - / Reserve setter
	YE/BN/BK	Ovoscan lower + / Reserve setter
	WH/GY/BK	Ovoscan lower - / Reserve setter
	WH/BU/BK	Free right side I/O pcb
	BN/BU/BK	Free right side I/O pcb
	WH/RD/BK	Free left side I/O pcb
	BN/RD/BK	Free left side I/O pcb
	BK/WH	Free left side I/O pcb

-W1000
LIYY 61*0.75

23bc 25ad 77bc



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.


Project: 00-H40000-IHD22
Name: Left consoleplate

Date: 9/06/2014
Function:


Corr.: Rev_01
Location:

Init.: LL
Page: 23
Tot : 26


- 1) B13846 = Power supply 120W - 24Vdc
- 2) B13847 = UPS module
- 3) B13850 = Battery 12Vdc / 7Ah
- 4) B13012 = Bio-Iris base I/O board




- 1) SS-011289 = Controller
- 2) B14602 = Proximity switch
- 3) B13638 = Contactbody emergency switch
- 4) B13636 = Pushbutton for emergency switch




INSIDE VIEW



TOPVIEW





Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax. 32 (0)9 388 84 58
Tel. 32 (0)9-388 96 11



Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: **00-H40000-IHD22**

Name: **Hydropneumatic without ADS**

Date: 9/06/2014

Corr.: Rev_01

Init.: LL


Function:

Location:

Page: 27

Tot: 26

Plotpage: 24 Tot: 26 Plotdate: 3/12/2014



Petersime

Centrumstraat 125
B-9870 Zulte (Belgium)

Fax: 32 (0)9 388 84 58
Tel: 32 (0)9-388 96 11




Options: 013: 3 * 440V - 50/60Hz.
111: Synchro-Hatch.

Project: **00-H40000-IHD22**

Name: **Hypropneumatic with ADS**

Date:	9/06/2014	Corr.:	Rev_01	Init.:	LL
Function:		Location:		Page:	Tot :
				28	26



X2: BS4H-HD (ed_00 / rev_01 / 3 * 440V)

ITEM	CABLE	CONN:X2			CABLE	TYPE
POWER SUPPLY 3 * 440V 50/60Hz	L1	d	1	a	BK	4mm ²
	L2	d	2	a	BK	4mm ²
	L3	d	3	a	BK	4mm ²
		d	4	a	BU	4mm ²
	PE	d	5	a	YE/GN	4mm ²
VENTILATOR H03-VV 4G1mm²	BK	d	6	c	BK	5G0.75mm ²
	GY	e		b	BU	5G0.75mm ²
	BN	f		a	BN	5G0.75mm ²
	YE/GN	g			YE/GN	5G0.75mm ²
SUPPLY SENSORS			25	c	BK	1.5mm ²
				d	RD	1.5mm ²
TEMPERATURE SENSOR	WH	b	26	a	GY	8*0.75mm ²
	BN	c				
MASTERCONTROL SENSOR	GN	b	27	a	PK	8*0.75mm ²
	YE	c				
		b	28	a	WH	8*0.75mm ²
		c				
		d				
HUMIDITY SENSOR	GN	b	29	a	BU	8*0.75mm ²
	WH	c				
	BN	d				
CO2 SENSOR	YE	b	30	a	RD	8*0.75mm ²
	WH	c				
	BN	d				
VALVE COOLING / Y3 H03-VV 2*0.75mm²	BN	d	37	a	BN	8*0.75mm ²
	BU	c		b	GN	8*0.75mm ²
VALVE COOLING / Y4 H03-VV 2*0.75mm²	BN	d	38	a		
	BU	c		b		
0V BATTERY		c	50			
12Vdc BATTERY		d				
ALARMBELL (EXTERN)		e				
ALARMLAMP (RD/EXTERN)		b	51	a	YE	6*0.75mm ²
LAMP "Machine On" (GN/EXT)		b	52	a	GY	6*0.75mm ²
				c	WH	6*0.75mm ²
				d	BN	6*0.75mm ²
				e	GN	6*0.75mm ²
PULSATORSENSOR	BU	d	100	a		
	BN	e		b	+	
	BK	f		c	-	

Ed_00 Rev_01/3*440V/BS4H-HD TERMINALROW X1:D			
Lighting lamp (230V)	H03- VV 3G0.75	BN	X1:91b
		BU	X1:91a
		YE/GN	X1:PE
Heating Frontside	H05-VV 5G1.5	BK	X1:92d
		BN	X1:93d
		GY	X1:94d
			X1:94e
		YE/GN	X1:94f
Ed_00 Rev_01/3*440V/BS4H-HD TERMINALROW X1:E			
Alarmlamp	LIYY 4*0.25	WH	X1:11a
		BN	X1:11b
		YE	X1:12a
		GN	X1:12b

VARIABLE SPEED DRIVES, VARIATEURS DE VITESSE, FREQUENZUMRICHTER, FREQUENTIE OMVORMER			
	TERMINAL	COLOR	CABLE
Power terminal 3 X 400V	R/L1	BN	LIYCY-J 4*1.5
	S/L2	BK	
	R/L3	GY	
	PE	YE/GN	
Motor terminal	U/T1	BN	LIYCY-J 4*1.5
	V/T2	BK	
	W/T3	GY	
	PE	YE/GN	
Control terminal	COM	WH	LIYCY-O 8*0.5
	AI1	BN	
	+24V	GN	
	LI1	YE	
	R2C	GY	
	R2A	RD	
	NOT USED	PK	
	NOT USED	BU	

Transformer 440V => 230V			
		Cable	
		Color	Type
Primair 440V	0V	BN	HO5VV-F 5G1.5mm ²
	480V	GY	
Secundair 230V	0V	BU	
	230V	BK	