

Subj: **Red-shouldered Hawk**
 Date: 01/11/2000 11:12:28 PM Mountain Standard Time
 From: oly@ecentral.com
 To: NCSWPL@aol.com (Bill Lisowsky)
 CC: flammowl@juno.com (Brandon K. Percival)

File: Redshoul.mim (145007 bytes)
 DL Time (50666 bps): < 1 minute

This message is a multi-part MIME message and will be saved with the default filename Redshoul.mim

Colorado Field Ornithologists Sight Record Form (This is a two-page report.
 Please print or type. Attach photographs and additional pages if necessary.)
 Each table cell will automatically enlarge as you type!

CFO-RC FILE X:

RESULTS:

Species:(Common Name) Red Shouldered Hawk (Scientific Name) Buteo lineatus

Date(s) of occurrence: Jan 8, 2000

Number of birds seen: one Sex: ? Plumage: Immature (juvenile)

Exact location: In trees on the east side of the S. Platte River approx.
 100 yards south of the York St. bridge (at 58th ave) over the S. Platte
 River in Adams county.

County: Nearest town: Denver Elevation: 5050 feet

Length of observation: Approx 15 minutes Time(s) of observation: 7:40 a.m.

Other observers who saw the bird(s) with you: Dave Quesenberry, Erik and
 Justin Olson

Other Observers who independently saw the bird(s):

Light Conditions (quality; direction relative to bird(s); position: Sunny,
 20 minutes after sunrise, sun at the back of the observers, wind light and
 variable. cold.

Optical equipment used: Ziess 10 X 40 binocs, Kowa TSN4 20 X 60 zoom
 scope, Sony digital Handicam

Distance from bird(s) (estimated unless otherwise noted): approx 40 yards

Was bird(s) photographed? Yes If so, have you submitted photos? yes (poor
 quality - distance at back light)

Who took the photographs? Ric Olson

Describe the general and specific habitat in which the bird(s) occurred:

River riparian (Cottonwood trees with down fall and grasses)

Describe the bird's behavior (flying, feeding, habits, behaviors used in
 identifying the Species or in supporting the identification): The bird was
 found siting on a perch at about 30 yards away. It stayed there for approx
 2 - 4 minutes the flew to a similar perch about 10 yards further away. It
 remained there until we left.

Describe the bird in detail. This is the most important part of this report.

Include the overall size and shape and how you placed the bird in the
 general group that you did. Give complete details of plumage, including
 head, throat, undersides, nape, back, wings and tail. Give particular
 emphasis to marks you used to identify the bird(s). Describe other important
 details, such as color and shape of bill, legs, eye, (etc.) that were
 important in making the identification. (Fill out this portion even if
 photographs are submitted; you may attach additional sheets, drawings, field
 sketches or copy field notes): The bird was a medium to small raptor. When
 perched it sat very erect. When the bird flew the white patches at the base
 of the primaries were very noticeable on this brown bird, the was also
 banded. The bird was basically brown mottled with white on the back and
 white streaked with brown on the front. The head was brown and white
 streaked with come white patches above and below the dark eye. Bill was

small and hooked, it appeared lighter at the base and darker at the tip. The back and the wings were brown with cream colored edges giving the bird a scaly look. A slight amount of rust coloring was observed in the shoulder area. The throat, breast and belly were an off white color with intermixed brown feathers lined up in a vertical fashion giving the underside a streaked appearance. The tail was banded. The tip had a narrow whitish band, followed by a thick dark band (by far the thickest), the alternating tan and dark narrow bands. The tan bands were slightly (but noticeably) narrower than the dark bands. The feet were yellow.

Describe bird's call or song: none heard

Discuss similar species and how you eliminated them: Broad-winged Hawk was eliminated by the narrow bands on the tail and the white patches seen at the base of the primaries. Gray Hawk was eliminated mainly by range but also by facial markings and tail pattern.

What is your prior experience with this and similarly appearing species? I have fairly limited experience with juveniles of either RS Hawk or BW Hawk.

List books, guides, recordings or other sources consulted and how this influenced your identification (during and after observation): Nat. Geo 3rd edition

This report is from notes made during or after observation or later

X from memory (And reviewing the video)

Date of written report: Jan 11, 2000

Reporting observer: Ric Olson Signature:

Reporting Observer's Address 9450 N. Heather Dr, Castle Rock, Co 80104, 303-790-7753, oly@ecentral.com

City: State: Zip:

Send report to: Colorado Birds Record Committee c/o Bill Lisowsky 2919 Silverplume Dr. Ft. Collins, Co. 80526

Headers

Return-Path: <oly@ecentral.com>

Received: from rly-za05.mx.aol.com (rly-za05.mail.aol.com [172.31.36.101]) by air-za05.mail.aol.com (v67.7) with ESMTP; Wed, 12 Jan 2000 01:12:27 -0500

Received: from preytor.ecentral.com (preytor.ecentral.com [206.64.70.3]) by rly-za05.mx.aol.com (v67.7) with ESMTP; Wed, 12 Jan 2000 01:11:54 -0500

Received: (qmail 22222 invoked from network); 12 Jan 2000 06:10:59 -0000

Received: from ppp96.ecentral.com (HELO oly) (206.64.70.96)

by preytor.ecentral.com with SMTP; 12 Jan 2000 06:10:59 -0000

Message-ID: <001801bf5cc3\$e8379c80\$604640ce@oly>

From: <oly@ecentral.com>

To: "Bill Lisowsky" <NCSWPL@aol.com>

Cc: "Brandon K. Percival" <flammowl@juno.com>