



## ✓ Congratulations! You passed!

TO PASS 80% or higher

**Keep Learning** 

GRADE 100%

## **CSS Quiz**

## TOTAL POINTS 11

<ul> <li>□ External Style Sheet</li> <li>□ Using the <style> tag inline in the HTML document</li>     <li>⑤ Using the <font> tag to enclose other tags</li>     <li>□ Directly on an HTML tag using the style= attribute</li>     <li>✓ Correct</li>     <li>2. Which HTML tag does nothing to the text it surrounds and has as its sole purpose to create a "handle" so as to be able to apply CSS to the text.</li>     <li>□ handle</li>     <li>⑥ span</li>     <li>□ h1</li>     <li>□ embed</li>     <li>✓ Correct</li> </ul></th><th></th><th></th><th></th></tr><tr><td>Using the <style> tag inline in the HTML document  Using the <font> tag to enclose other tags  Directly on an HTML tag using the style= attribute  ✓ Correct  Which HTML tag does nothing to the text it surrounds and has as its sole purpose to create a "handle" so as to be able to apply CSS to the text.  handle  span  h1  embed  ✓ Correct  Why is there more than one font listed in the following CSS rule?  1 body { font-family: "Trebuchet MS", Nelvetica, Arial, sans-serif; }  This is a syntax error, the rule should start with "font-name"  They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  This is a syntax error, square braces [] should be used for the CSS rule</td><td>1.</td><td>Which of the following is NOT a way to include CSS in an HTML page?</td><td>1/1 poir</td></tr><tr><td><ul>     <li>● Using the <font> tag to enclose other tags</li>     <li>○ Directly on an HTML tag using the style= attribute</li>     <li>✓ Correct</li>     <li>2. Which HTML tag does nothing to the text it surrounds and has as its sole purpose to create a "handle" so as to be able to apply CSS to the text.</li>     <li>○ handle</li>     <li>● span</li>     <li>○ h1</li>     <li>○ embed</li>     <li>✓ Correct</li>     <li>3. Why is there more than one font listed in the following CSS rule?</li>     <li>1 body { font-family: "Trebuchet NS", Helvetica, Arial, sans-serif; }</li>     <li>○ This is a syntax error, the rule should start with "font-name"</li>     <li>○ They are the preferred fonts for Windows, Mac, Linux, and "Other" systems</li>     <li>○ This is a syntax error, square braces [] should be used for the CSS rule</li> </ul></td><td></td><td>External Style Sheet</td><td></td></tr><tr><td><ul>     <li>Directly on an HTML tag using the style= attribute</li>     <li>✓ Correct</li>     <li>Which HTML tag does nothing to the text it surrounds and has as its sole purpose to create a "handle" so as to be able to apply CSS to the text.</li>     <li>handle</li>     <li>span</li>     <li>h1</li>     <li>embed</li>     <li>✓ Correct</li>     <li>Why is there more than one font listed in the following CSS rule?</li>     <li>1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }</li>     <li>This is a syntax error, the rule should start with "font-name"</li>     <li>They are the preferred fonts for Windows, Mac, Linux, and "Other" systems</li>     <li>This is a syntax error, square braces [] should be used for the CSS rule</li> </ul></td><td></td><td>Using the <style> tag inline in the HTML document</td><td></td></tr><tr><td><ul> <li>✓ Correct</li> <li>Which HTML tag does nothing to the text it surrounds and has as its sole purpose to create a "handle" so as to be able to apply CSS to the text.</li> <li>handle</li> <li>span</li> <li>h1</li> <li>embed</li> <li>✓ Correct</li> <li>Why is there more than one font listed in the following CSS rule?</li> <li>1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }</li> <li>This is a syntax error, the rule should start with "font-name"</li> <li>They are the preferred fonts for Windows, Mac, Linux, and "Other" systems</li> <li>This is a syntax error, square braces [] should be used for the CSS rule</li> </ul></td><td></td><td>Using the <font> tag to enclose other tags</td><td></td></tr><tr><td>2. Which HTML tag does nothing to the text it surrounds and has as its sole purpose to create a "handle" so as to be able to apply CSS to the text.    handle   span   h1   embed    </td><td></td><td>Oirectly on an HTML tag using the style= attribute</td><td></td></tr><tr><td>2. Which HTML tag does nothing to the text it surrounds and has as its sole purpose to create a "handle" so as to be able to apply CSS to the text.    handle   span</td><td></td><td></td><td></td></tr><tr><td>to apply CSS to the text.  handle  span  h1  embed  Correct  Why is there more than one font listed in the following CSS rule?  1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }  This is a syntax error, the rule should start with "font-name"  They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  This is a syntax error, square braces [] should be used for the CSS rule</td><td></td><td>✓ Correct</td><td></td></tr><tr><td>to apply CSS to the text.  handle  span  h1  embed  Correct  Why is there more than one font listed in the following CSS rule?  1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }  This is a syntax error, the rule should start with "font-name"  They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  This is a syntax error, square braces [] should be used for the CSS rule</td><td></td><td></td><td></td></tr><tr><td><ul>     <li>span</li>     <li>h1</li>     <li>embed</li>     <li>✓ Correct</li>     <li>Why is there more than one font listed in the following CSS rule?</li>     <li>1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }</li>     <li>This is a syntax error, the rule should start with "font-name"</li>     <li>They are the preferred fonts for Windows, Mac, Linux, and "Other" systems</li>     <li>This is a syntax error, square braces [] should be used for the CSS rule</li> </ul></td><td>2.</td><td></td><td>1 / 1 poi</td></tr><tr><td>h1 embed  Correct  Why is there more than one font listed in the following CSS rule?  1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }  This is a syntax error, the rule should start with "font-name"  They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  This is a syntax error, square braces [] should be used for the CSS rule</td><td></td><td>handle</td><td></td></tr><tr><td>→ correct 3. Why is there more than one font listed in the following CSS rule? 1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; } This is a syntax error, the rule should start with "font-name" They are the preferred fonts for Windows, Mac, Linux, and "Other" systems This is a syntax error, square braces [] should be used for the CSS rule</td><td></td><td>span</td><td></td></tr><tr><td>Correct  3. Why is there more than one font listed in the following CSS rule?  1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }  1 This is a syntax error, the rule should start with "font-name"  1 They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  1 This is a syntax error, square braces [] should be used for the CSS rule</td><td></td><td>○ h1</td><td></td></tr><tr><td>3. Why is there more than one font listed in the following CSS rule?  1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }  O This is a syntax error, the rule should start with "font-name"  O They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  O This is a syntax error, square braces [] should be used for the CSS rule</td><td></td><td>embed</td><td></td></tr><tr><td>3. Why is there more than one font listed in the following CSS rule?  1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }  O This is a syntax error, the rule should start with "font-name"  O They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  O This is a syntax error, square braces [] should be used for the CSS rule</td><td></td><td></td><td></td></tr><tr><td><pre>body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }  This is a syntax error, the rule should start with "font-name"  They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  This is a syntax error, square braces [] should be used for the CSS rule</pre></td><td></td><td>✓ Correct</td><td></td></tr><tr><td><pre>body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }  This is a syntax error, the rule should start with "font-name"  They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  This is a syntax error, square braces [] should be used for the CSS rule</pre></td><td></td><td></td><td></td></tr><tr><td><ul>     <li>This is a syntax error, the rule should start with "font-name"</li>     <li>They are the preferred fonts for Windows, Mac, Linux, and "Other" systems</li>     <li>This is a syntax error, square braces [] should be used for the CSS rule</li> </ul></td><td>3.</td><td>Why is there more than one font listed in the following CSS rule?</td><td>1 / 1 poi</td></tr><tr><td>They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  This is a syntax error, square braces [] should be used for the CSS rule</td><td></td><td>1 body { font-family: "Trebuchet MS", Helvetica, Arial, sans-serif; }</td><td></td></tr><tr><td>They are the preferred fonts for Windows, Mac, Linux, and "Other" systems  This is a syntax error, square braces [] should be used for the CSS rule</td><td rowspan=4></td><td></td><td></td></tr><tr><td>This is a syntax error, square braces [] should be used for the CSS rule</td><td>This is a syntax error, the rule should start with "font-name"</td><td></td></tr><tr><td></td><td>They are the preferred fonts for Windows, Mac, Linux, and "Other" systems</td><td></td></tr><tr><td>They are listed in descending preference order if the fonts specified are not present in the browser</td><td>This is a syntax error, square braces [] should be used for the CSS rule</td><td></td></tr><tr><td></td><td></td><td>They are listed in descending preference order if the fonts specified are not present in the browser</td><td></td></tr></tbody></table></style></li></ul>
---

	✓ Correct	
4.	Which CSS selector controls how a link (anchor tag) looks while the user mouses over the link (i.e., while hovering)?  :hover  a:hover hover	1 / 1 point
	✓ Correct	
5.	Which of these CSS rules make text appear in a bold face font?  font-expand: 10%  strong: yes  font-weight: bold  font-bold: on  font-style: bold  Correct	1 / 1 point
6.	What CSS selector would style a tag that looks like this:  1	1 / 1 point
	puppy {  %puppy {  puppy !important {  Correct	

1 / 1 point

7. What CSS rule allows you include a tag in markup but hide it from view in the browser?

Ciaht. O.

	Tight: 0;	
	display: block;	
	status: off;	
	of font-size: -1px;	
	visibility: hidden;	
	✓ Correct	
8.	Which of the following CSS selectors is between the content area and the border? (CSS box model)  margin	1 / 1 point
	edge	
	padding	
	pixels	
	perimeter	
	✓ Correct	
9.	What tag is used to import a style sheet into an HTML document?	1 / 1 point
	<pre><li><li><li></li></li></li></pre>	
	○ <li><li>&lt; link</li></li>	
	● link	
	✓ Correct	
10	Which of the following statements are true?	1 / 1 point
	A tag can only have a "class" attribute or an "id" attribute but not both	
	It is recommended to use an "id" attribute many times in an HTML file	
	A "class" attribute can be used many times in an HTML file	
	✓ Correct	
	A "class" attribute can only be used once in an HTML file	

•	"id" attribute should only be used once in an HTML file	
	Correct	
11. F	following HTML, which description of the "style=" attribute is most accurate?	/ 1 point
	<pre></pre>	
	s an HTML syntax error and will be ignored	

✓ Correct	
-----------	--

It changes the color of the tab for this page in the browser to be red

It allows the application of the specified CSS rule to the content of the paragraph

It contains JavaScript to be executed when the user's mouse hovers over the paragraph

It changes the background color of the paragraph to red