

```
[1]: #code for LAT num row
for i in range (1,5):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print(i,end=" ")
    print()
```

```
    1
   2 2
  3 3 3
 4 4 4 4
```

```
[2]: #code for LAT num col
for i in range (1,5):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print(k,end=" ")
    print()
```

```
    0
   0 1
  0 1 2
 0 1 2 3
```

```
[3]: #code for LAT star
for i in range (1,5):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print("*",end=" ")
    print()
```

```
    *
  * *
* * *
* * * *
```

```
[7]: #code for LAT upper row
for i in range (1,5):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print(chr(i+64),end=" ")
    print()
```

```
    A
  B B
C C C
D D D D
```

```
[9]: #code for LAT upper col
for i in range (1,5):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print(chr(k+65),end=" ")
    print()
```

```
      A
     A B
    A B C
   A B C D
```

```
11]: #code for LAT Lower row
for i in range (1,5):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print(chr(i+96),end=" ")
    print()
```

```
      a
     b b
    c c c
   d d d d
```

```
[12]: #code for LAT lower col
for i in range (1,5):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print(chr(k+97),end=" ")
    print()
```

```
    a
   a b
  a b c
a b c d
```

```
•[13]: #code for num row pyramid
for i in range (1,5):
    for j in range (5,i,-1):
        print("",end=" ")
    for k in range (0,i):
        print(i,end=" ")
    print()
```

```
    1
   2 2
  3 3 3
 4 4 4 4
```

•[16]: *#code for num col pyramid*

```
for i in range (1,5):  
    for j in range (5,i,-1):  
        print("",end=" ")  
    for k in range (0,i):  
        print(k,end=" ")  
    print()
```

```
0  
0 1  
0 1 2  
0 1 2 3
```

•[17]: *#code for num star pyramid*

```
for i in range (1,5):  
    for j in range (5,i,-1):  
        print("",end=" ")  
    for k in range (0,i):  
        print("*",end=" ")  
    print()
```

```
*  
* *  
* * *  
* * * *
```

•[18]: *#code for upper row pyramid*

```
for i in range (1,5):
    for j in range (5,i,-1):
        print("",end=" ")
    for k in range (0,i):
        print(chr(i+64),end=" ")
    print()
```

A
B B
C C C
D D D D

[21]: *#code for upper col pyramid*

```
for i in range (1,5):
    for j in range (5,i,-1):
        print("",end=" ")
    for k in range (0,i):
        print(chr(k+65),end=" ")
    print()
```

A
A B
A B C
A B C D

```
[22]: #code for lower row pyramid
for i in range (1,5):
    for j in range (5,i,-1):
        print("",end=" ")
    for k in range (0,i):
        print(chr(i+96),end=" ")
    print()
```

```
  a
 b b
c c c
d d d d
```

```
[23]: #code for lower col pyramid
for i in range (1,5):
    for j in range (5,i,-1):
        print("",end=" ")
    for k in range (0,i):
        print(chr(k+97),end=" ")
    print()
```

```
  a
 a b
a b c
a b c d
```



```
[24]: #code for inverse LAT ROW
for i in range (5,0,-1):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print(i,end=" ")
    print()
```

```
5 5 5 5 5
 4 4 4 4
  3 3 3
   2 2
    1
```

```
[25]: #code for inverse LAT col
for i in range (5,0,-1):
    for j in range (5,i,-1):
        print(" ",end=" ")
    for k in range (0,i):
        print(k,end=" ")
    print()
```

```
0 1 2 3 4
 0 1 2 3
   0 1 2
    0 1
     0
```


~

•[26]: *#code for inverse col pyramid*

```
for i in range (5,0,-1):
    for j in range (5,i,-1):
        print("",end=" ")
    for k in range (0,i):
        print(k,end=" ")
    print()
```

```
0 1 2 3 4
 0 1 2 3
  0 1 2
   0 1
    0
```

•[27]: *#code for inverse pyramid*

```
for i in range (5,0,-1):
    for j in range (5,i,-1):
        print("",end=" ")
    for k in range (0,i):
        print("*",end=" ")
    print()
```

```
* * * * *
 * * * *
  * * *
   * *
    *
```

•[28]: *#code for inverse upper col pyramid*

```
for i in range (5,0,-1):  
    for j in range (5,i,-1):  
        print("",end=" ")  
    for k in range (0,i):  
        print(chr(k+65),end=" ")  
    print()
```

```
A B C D E  
A B C D  
A B C  
A B  
A
```

[30]: *#code for inverse upper row pyramid*

```
for i in range (5,0,-1):  
    for j in range (5,i,-1):  
        print("",end=" ")  
    for k in range (0,i):  
        print(chr(i+64),end=" ")  
    print()
```

```
E E E E E  
D D D D  
C C C  
B B  
A
```