A Software Tool for Bayesian Probabilistic Methods in Medical Diagnostics

Theodora Chatzimichail and Aristides T. Hatjimihail
2024

Abstract

Background: In medical diagnostics, determining disease probabilities and understanding associated uncertainty and confidence intervals are essential for patient care.

Objective: This study introduces a software tool developed in the Wolfram Language for the parametric estimation, visualization, and comparison of Bayesian diagnostic measures and their uncertainty.

Methods: The tool employs Bayes' theorem to compute posterior probabilities for disease and absence of disease, and diagnostic thresholds derived positive and negative predictive values. It also quantifies their sampling, measurement, and combined uncertainty using normal, lognormal, and gamma distributions, applying uncertainty propagation methods.

Results: The tool generates diagnostic measures, standard uncertainty, and confidence intervals estimates and provides plots that offer insights into their precision, thereby supporting clinical decision-making. A case study analyzing fasting plasma glucose data from the National Health and Nutrition Examination Survey in the U.S.A., demonstrates the tool's utility for diagnosing diabetes mellitus. The results underscore the influence of measurement uncertainty on the Bayesian diagnostic measures.

Conclusion: The software enhances the estimation and facilitates the comparison of Bayesian diagnostic measures, which are critical for medical practice. It provides a framework for analyzing uncertainty and assists in understanding and applying probabilistic methods in medical diagnostics.

Keywords: Bayesian diagnosis; prior probability; posterior probability; likelihood; positive predictive value; negative predictive value; parametric distribution; combined uncertainty; measurement uncertainty; sampling uncertainty; probability density function; diabetes mellitus

1. Introduction

1.1. Medical Diagnosis

Diagnosis in medicine is fundamentally the process of identifying the unique characteristics of a disease, through abduction, deduction and induction (Stanley and Campos 2013). The term 'diagnosis,' originating from the Greek 'διάγνωσις' meaning 'discernment' (Weiner, Simpson, and Oxford University Press 1989 2004), underscores the critical role of distinguishing between healthy and diseased states in individuals. It can be defined as the stochastic mapping of symptoms, signs, laboratory and medical imaging findings onto a particular disease condition, derived from medical knowledge.

1.1.1. Threshold Based Diagnosis

Diagnostic tests or procedures are applied for the binary classification of individuals into eitherf diseased or nondiseased populations. The probability distributions of the measurand of a quantitative diagnostic test in these populations overlap. Despite this, the results can be dichotomized by setting a diagnostic threshold or cutoff point (Zou, O'Malley, and Mauri 2007). However, reliance on a single threshold for diagnosis across a spectrum of data points introduces uncertainty, due to the overlapping probability distributions of the measurand in both nondiseased and diseased groups (Chatzimichail and Hatjimihail 2023). Nevertheless this dichotomous approach marks a significant shift in medical decision-making by linking a continuum of evidence to binary clinical decisions such as whether to treat or not to treat (Djulbegovic et al. 2015).

1.1.1.1. Diagnostic Accuracy Measures

To ensure patients' safety it is imperative that the correctness of this classification be rigorously evaluated. Among the numerous diagnostic accuracy measures (DAM) in the literature, only a few are routinely used for evaluating the diagnostic accuracy of threshold based diagnostic tests in clinical research and practice (Šimundić 2009). These include positive predictive value and negative

predictive value, which are defined conditionally on the test outcome and are prevalence dependent.

1.1.2. Bayesian Diagnosis

In medical diagnostics, Bayes' theorem (Gelman et al. 2013) is pivotal in transforming the initial probability of a disease into a posterior probability following diagnostic tests (Viana and Ramakrishnan 1992; Gelman et al. 2013; van de Schoot et al. 2021; Bours 2021; Fischer 2021; Chatzimichail and Hatjimihail 2023). This theorem links the direct probability $P(H|E)$ of a hypothesis H given specific data E to the inverse probability $P(E|H)$ of data E given the hypothesis H (Joyce 2021).

1.2. Uncertainty

Uncertainty represents imperfect or incomplete information. When quantifiable, it can be expressed with probability (Ayyub and Klir 2006).

1.2.1. Measurement Uncertainty

As measurements are inherently variable, measurement uncertainty is defined as a "parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the measurand" (Kallner et al. 2012). Measurement uncertainty is replacing the total analytical error concept (Oosterhuis and Theodorsson 2016).

1.2.2. Sampling Uncertainty

Diagnostic measures are estimated by applying screening or diagnostic tests to samples of populations. Sampling heterogeneity contributes to their combined uncertainty (M H Ramsey S L R Ellison P Rostron 2019). Even when simple random sampling is applied, inherent sample heterogeneity exists(Ellison and Williams 2012).

1.2.3. Uncertainty of Diagnostic Accuracy Measures and Bayesian Posterior Probabilities

We have already explored the uncertainty of diagnostic accuracy measures and Bayesian posterior probability for disease, which can significantly impact their clinical usefulness (Chatzimichail and Hatjimihail 2021, 2024). Estimating, evaluating, and mitigating this uncertainty is critical in medical diagnosis.

1.3. Bayesian Diagnostic Measures

This project introduces a novel software tool designed for the parametric estimation and visualization of four diagnostic measures derived from Bayes' theorem, along with their associated uncertainty:

a) Positive predictive value and negative predictive value (Bours 2021).

b) Bayesian posterior probability of disease and its complement, the Bayesian posterior probability for the absence of disease.

To the best of our knowledge, this is the first publication comparing the aforementioned four Bayesian diagnostic measures and their uncertainty.

2. Methods

2.1. Calculations

2.1.1. Calculation of Bayesian Diagnostic Measures

According to Bayes' theorem the direct probability P(H|E) of a hypothesis H given specific data E and the inverse probability P(E|H) of data E given the hypothesis H are related as follows:

$$P(H|E) = \frac{P(E|H)P(H)}{P(E)}$$

$$= \frac{P(E|H)P(H)}{P(E|H)P(H) + P(E|\overline{H})P(\overline{H})}$$

$$= \frac{P(E|H)P(H)}{P(E|H)P(H) + P(E|\overline{H})\big(1 - P(H)\big)}$$

where $\overline{H} = \neg H$, therefore $P(\overline{H}) = 1 - P(H)$.

2.1.1.1.   Positive and Negative Predictive Value

If D denotes the presence, and $\overline{D}$ the absence of a disease, $F_D(x|\boldsymbol{\theta})$ the CDF of the test measurand in the presence of the disease, $F_{\overline{D}}(x; \boldsymbol{\theta})$ the CDF in the absence of the disease, and v the prevalence or the prior (pretest) probability $P(D)$ for disease, the positive predictive value for a diagnostic threshold t, can be calculated as follows:

$$P(D|T \geq t) = \frac{P(T \geq t|D)P(D)}{P(T \geq t|D)P(D) + P(T \geq t|\overline{D})\big(1 - P(D)\big)}$$

$$= \frac{\big(1 - F_D(t|\boldsymbol{\theta})\big)v}{\big(1 - F_D(t|\boldsymbol{\theta})\big)v + \big(1 - F_{\overline{D}}(t|\boldsymbol{\theta})\big)(1 - v)}$$

while the negative predictive value, can be calculated as:

$$P(\overline{D}|T < t) = \frac{P(T < t|\overline{D})P(\overline{D})}{P(T < t|\overline{D})P(\overline{D}) + P(T < t|D)P(D)}$$

$$= \frac{F_D(t|\boldsymbol{\theta})(1 - v)}{\big(1 - F_{\overline{D}}(t|\boldsymbol{\theta})\big)(1 - v) + F_D(t|\boldsymbol{\theta})v}$$

In the above equations $P(T \geq t|D)$ and $P(T < t|\overline{D})$ are respectively the sensitivity and the specificity of the test.

Consequently, if $f_D(x|\boldsymbol{\theta})$ the PDF of the test measurand in the presence of the disease, and

$f_{\bar{D}}(x;\boldsymbol{\theta})$ the PDF in the absence of the disease, the posterior (post-test) probability for disease, is

calculated as follows:

$$P(D|T = t) = \frac{P(T = t|D)P(D)}{P(T = t|D)P(D) + P(T = t|\bar{D})\big(1 - P(D)\big)}$$

$$= \frac{f_D(t|\boldsymbol{\theta})v}{f_D(t|\boldsymbol{\theta})v + f_{\bar{D}}(t|\boldsymbol{\theta})(1 - v)}$$

while the posterior (post-test) probability for the absence of disease is:

$$P(\bar{D}|T = t) = \frac{P(T = t|\bar{D})P(\bar{D})}{P(T = t|\bar{D})\big(1 - P(D)\big) + P(T = t|D)P(D)}$$

$$= \frac{f_{\bar{D}}(t|\boldsymbol{\theta})(1 - v)}{f_{\bar{D}}(t|\boldsymbol{\theta})(1 - v) + f_D(t|\boldsymbol{\theta})v} = 1 - P(D|T = t)$$

2.1.2.   Uncertainty Quantification

Uncertainty of input parameters can manifest as standard uncertainty $u(t)$, the standard

deviation of t, and expanded uncertainty $U(t)$, as a range around t encompassing t with a

probability p (Kallner et al. 2012).

2.1.2.1.   *Measurement Uncertainty*

Measurement uncertainty is computed following guidelines in the "Guide to the expression of

uncertainty in measurement" (GUM) (Joint Committee for Guides in Metrology 2011) and

"Expression of measurement uncertainty in laboratory medicine" (Kallner et al. 2012). Bias is

considered a component of this uncertainty (White 2008). The relationship between the

standard measurement uncertainty $u_m(t)$ to the value of the measurand t, is generally expressed as:

$$u_m(t) = \sqrt{b_0^2 + b_1^2 t^2}$$

where b_0 is a constant and b_1 is a proportionality constant.

If needed, it is approximated linearly as:

$$u_m(t) \cong b_0 + b_1 t$$

The general approach to estimating the coefficients of the above equations is delineated in *Appendix A5* of "Quantifying Uncertainty in Analytical Measurement" (Ellison and Williams 2012).

2.1.2.2.   *Sampling Uncertainty of Means and Standard Deviations*

If m_P and s_P are the mean and standard deviation of a measurand in a population sample of size n_P, then the standard sampling uncertainty of m_P and s_P are estimated as:

$$u_s(m_P) \cong \frac{s_P}{\sqrt{n_P}}$$

$$u_s(s_P) \cong \frac{s_p}{\sqrt{2(n_P - 1)}}$$

using the central limit theorem and the chi-square distribution (Agresti, Franklin, and Klingenberg 2023; Miller and Miller 2018; J. Aitchison 1957).

2.1.2.3.   *Sampling Uncertainty of Prevalence or Prior Probability for Disease*

If n_D and $n_{\bar{D}}$ are the respective numbers of diseased and nondiseased individuals in a population sample, then the standard uncertainty of the prevalence or prior probability for disease $v = \frac{n_D}{n_{\bar{D}} + n_D}$ is estimated as:

$$u_s(v) \cong \sqrt{\frac{(2 + n_{\bar{D}})(2 + n_D)}{(4 + n_{\bar{D}} + n_D)^3}}$$

using the Agresti–Coull adjustment of the Waldo interval (Agresti and Coull 1998).

2.1.2.4. Measures Combined Uncertainty

The standard combined uncertainty $u_c(t)$ of the diagnostic measures is computed via uncertainty propagation rules, employing a first-order Taylor series approximation (B. M. Wilson and Smith 2013) (refer to Supplemental File II). When there are l components of uncertainty, with standard uncertainty $u_i(t)$, then:

$$u_c(t) = \sqrt{\sum_{i=1}^{l} u_i(t)^2}$$

2.1.2.5. Measures Expanded Uncertainty

When there are l components of uncertainty, with standard uncertainty $u_i(t)$ and v_i degrees of freedom, then the effective degrees of freedom v_{eff} of the combined uncertainty $u_c(t)$ are obtained from the Welch–Satterthwaite formula (Welch 1947; Satterthwaite 1946):

$$v_{eff}(t) \cong \frac{u_c(t)^4}{\sum_{i=1}^{l} \frac{u_i(t)^4}{v_i}}$$

If v_{min} the minimum of $v_1, v_2, \dots, v_l$, then:

$$v_{min} \leq v_{eff}(x) \leq \sum_{i=1}^{l} v_i$$

If $F_v(z)$ is the Student's t-distribution cumulative distribution function with v degrees of freedom and $u_c(t)$ is the standard combined uncertainty of a Bayesian diagnostic measure, its expanded combined uncertainty $U_c(t)$ at a confidence level p is:

$$U_c(t) \cong \left(F_v^{-1}\left(\frac{1-p}{2}\right) u_c(t), F_v^{-1}\left(\frac{1+p}{2}\right) u_c(t) \right)$$

The confidence interval of t at the same confidence level p is approximated as:

$$CI_p(t) \cong \left(x + F_v^{-1}\left(\frac{1-p}{2}\right)u_c(t), x + F_v^{-1}\left(\frac{1+p}{2}\right)u_c(t) \right)$$

The confidence intervals of the Bayesian diagnostic measures are truncated to the [0,1] range.

2.2. The Software

2.2.1. Program Overview

To facilitate the estimation and comparison of Bayesian diagnostic measures the software program *Bayesian Diagnostic Insights* was developed in Wolfram Language, using Wolfram Mathematica® Ver. 14.0 (Wolfram Research, Inc., Champaign, IL, USA). This program is designed to estimate and plot the values, the standard sampling, measurement, and combined uncertainty, and the confidence intervals of Bayesian diagnostic measures for a screening or diagnostic test (refer to Figure 1).

This interactive program is freely available as a Wolfram Language notebook (.nb) (Supplemental File I: BayesianDiagnosticInsights.nb). It can be run on Wolfram Player® or Wolfram Mathematica® (see Appendix A.3). Due to the complexity of the required calculations, it is computationally intensive.

Figure 1. A simplified flowchart of the program *Bayesian Diagnostic Insights* with the number of input parameters and outputs for each submodule.

2.2.2.　Input Parameters

2.2.2.1.　Parametric Distributions

Users select the distribution of each population from a predefined list of parametric distributions:

a) Normal distribution

b) Lognormal distribution

c) Gamma distribution.

2.2.2.2.　Bayesian Diagnostic Measures

Users select the Bayesian diagnostic measures to be evaluated among the following:

a) Positive predictive value $P(D|T \geq t)$

b) Negative predictive value $P(\overline{D}|T < t)$

c) Posterior probability for disease $P(D|T = t)$

d) Posterior probability for the absence of disease $P(\overline{D}|T = t)$

2.2.2.3. *Definition of Statistical Parameters*

For each population, users define its size n, the mean μ, and the standard deviation σ of the measurand. The parameters μ and σ are defined in arbitrary units.

2.2.2.4. *Measurement Uncertainty*

Users select a linear or nonlinear equation of the measurement uncertainty versus the value t of the measurand. They define the constant contribution b_0 to the standard measurement uncertainty, the proportionality constant b_1, and the number of quality control samples that have been analyzed for its estimation.

2.2.3. Output

The program provides plots and tables of the diagnostic measures, their standard sampling, measurement, and combined uncertainty and the associated confidence intervals. By providing this comprehensive set of input parameters and output plots and tables, the program offers a robust platform for exploring and comparing Bayesian diagnostic measures and their uncertainty using parametric distributions of medical diagnostic measurands.

A more detailed documentation of the interface of the program is presented in Supplemental file III: BayesianDiagnosticInsightsInterface.pdf

Figure 2. A screenshot of the program *Bayesian Diagnostic Insight*.

2.3.　　Illustrative Case Study

To demonstrate the application of the program, fasting plasma glucose (FPG) was used as the diagnostic test measurand for the Bayesian diagnosis of diabetes mellitus (hereafter referred as "diabetes"). The oral glucose tolerance test (OGTT) was used as the reference diagnostic method. A diagnosis of diabetes was confirmed if the plasma glucose value was equal to or greater than 200 mg/dl, measured two hours after oral administration of 75 g of glucose (ElSayed et al. 2023), during an OGTT (2-h PG). The study population was confined to individuals aged between 70 and 80 years, a decision guided by the well-documented strong correlation between age and the prevalence of diabetes (Sun et al. 2022).

National Health and Nutrition Examination Survey (NHANES) data from participants was retrieved for the period from 2005 to 2016 (*n* = 60,936). NHANES is a series of studies designed to evaluate the health and nutritional status of adults and children in the United States (National Center for Health Statistics 2005-20016).

The inclusion criteria for participants were:

a) Valid FPG and OGTT results (n = 13,836).

b) A negative response to NHANES question DIQ010 regarding a diabetes diagnosis (National Center for Health Statistics 2005-20016) (n = 13,465).

c) Age 70–80 years (n = 976).

Participants with a 2-h PG measurement ≥200 mg/dl were considered diabetic (n = 154). The prevalence or prior probability of diabetes, along with the probability distributions for fasting plasma glucose (FPG) in both diabetic and non-diabetic individuals, were estimated using empirical Bayes methods (Petrone, Rousseau, and Scricciolo 2014), as:

$$v \cong \frac{154}{976} = 0.158$$

The statistics of the FPG datasets are presented in Table 1 (hereafter, FPG and its uncertainty are expressed in

mg/dl).

Table 1. Descriptive statistics of the datasets and the estimated lognormal distributions of the diabetic and nondiabetic populations.

	Diabetic Participants			**Nondiabetic Participants**		
	Dataset	L_D	l_D	Dataset	$L_{\bar{D}}$	$l_{\bar{D}}$
n	154	-	-	822	-	-
Mean (mg/dl)	120.7	120.7	120.7	102.6	102.6	102.6
Median (mg/dl)	117.0	119.4	119.4	102.0	102.1	102.1
Standard Deviation (mg/dl)	19.1	17.8	17.7	10.9	10.9	10.7
Mean Uncertainty (mg/dl)	1.586	1.586	0	1.028	1.028	0
Skewness	1.448	0.446	0.444	0.523	0.315	0.312
Kurtosis	6.354	3.355	3.352	3.445	3.177	3.174
p-value (Cramér–von Mises test)	-	0.294	0.295	-	0.281	0.299

Lognormal distributions were estimated to model FPG measurements in diabetic and nondiabetic participants, using the maximum likelihood estimation method (Myung 2003). The respective distributions, parametrized for their means μ_D and $\mu_{\bar{D}}$, and standard deviations σ_D and $\sigma_{\bar{D}}$, were the following:

$$L_D = Lognormal(\mu_D, \sigma_D) = Lognormal(120.671, 17.720)$$

$$L_{\bar{D}} = Lognormal(\mu_{\bar{D}}, \sigma_{\bar{D}}) = Lognormal(102.642, 10.653)$$

NHANES quality control data of the FPG measurements was retrieved for the same period (2005–2016). A total of 1350 QC samples had been analyzed. The weighted nonlinear least squares analysis (Nielsen 2007) yielded the following function relating the standard measurement uncertainty $u_m(t)$ to the measurement value t:

$$u_m(t) = \sqrt{b_0^2 + b_1^2 t^2} = \sqrt{0.7501 + 0.00012t^2}$$

where $b_0 = 0.866$ and $b_1 = 0.0109$.

The means of the standard measurement uncertainty of FPG of the included diabetic and nondiabetic participants were estimated as:

$$\hat{u}_D \cong 1.586 \text{ mg/dl}$$

$$\hat{u}_{\bar{D}} \cong 1.028 \text{ mg/dl}$$

Consequently, the distributions of the measurands, assuming negligible uncertainty, were estimated as:

$$d_D \cong Lognormal\left(\mu_D, \sqrt{\sigma_D^2 - \hat{u}_D^2}\right) \cong Lognormal(120.671, 17.720)$$

$$d_{\bar{D}} \cong Lognormal\left(\mu_{\bar{D}}, \sqrt{\sigma_{\bar{D}}^2 - \hat{u}_{\bar{D}}^2}\right) \cong Lognormal(102.642, 10.653)$$

Table 1 displays the descriptive statistics of the estimated lognormal distributions of the diabetic and nondiabetic populations, including the respective p -values of the Cramér–von Mises goodness-of-fit test (Darling 1957).

Figures 3 and 4 show the estimated PDFs of FPG in the diabetic and nondiabetic populations, assuming a lognormal distribution and negligible measurement uncertainty, and the histograms of the respective NHANES datasets.


Figure 3. The estimated PDF of the FPG (mg/dl) in diabetic participants, assuming a lognormal distribution and negligible measurement uncertainty, and the histogram of the respective NHANES dataset, with the parameters of the distribution in Table 2.

Figure 4. The estimated PDF of the FPG (mg/dl) in nondiabetic participants, assuming a lognormal distribution and negligible measurement uncertainty, and the histogram of the respective NHANES dataset, with the parameters of the distribution in Table 2. Likelihoods and posterior probabilities were estimated accordingly.

3.   Results

Table 2. The settings of the program *'Bayesian Diagnostic Insight'* for the figures 5-19

	Units	Figures 5-6	Figures 7-8	Figure 9	Figures 10-11	Figures 12-13	Figures 14-15	Figures 16-17	Figure 18	Figure 19
p		-	-	-	-	0.95	-	0.95	-	0.95
t	mg/dl	32.0–210.0	126	126	32.0–210.0	32.0–210.0	126.0	126.0	126.0	126.0
μ_D	mg/dl	120.8	120.8	120.8	120.8	120.8	120.8	120.8	120.8	120.8
σ_D	mg/dl	17.7	17.7	17.7	17.7	17.7	17.7	17.7	17.7	17.7
n_D		154	-	154	154	154	-	-	154	154
$\mu_{\bar{D}}$	mg/dl	102.6	102.6	102.6	102.6	102.6	102.6	102.6	102.6	102.6
$\sigma_{\bar{D}}$	mg/dl	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7	10.7

$n_{\bar{D}}$	822	-	822	822	822	-	-	822	822
n	976	-	976	976	976	976	976	976	976
v	0.158	0.001-0.999	0.158	0.158	0.158	0.001-0.999	0.001-0.999	0.158	0.158
b_0	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866	0.866
b_1	0.0109	0.0109	0.0109	0.0109	0.0109	0.0109	0.0109	0.0109	0.0109
n_U	-	-	-	-	1350	-	1350	-	1350
d_D	lognormal	lognormal	normal lognormal gamma	lognormal	lognormal	lognormal	lognormal	lognormal	lognormal
$d_{\bar{D}}$	lognormal	lognormal	normal lognormal gamma	lognormal	lognormal	lognormal	lognormal	lognormal	lognormal

Results of the application of the program are presented in Figures 5-19, while the program settings are displayed in Table 2.

Figure 5 shows the plots of:

a) The positive predictive value $P(D|T \geq t)$ of FPG for diabetes versus threshold value t (mg/dl), (orange curve). The curve is smooth and approximately sigmoidal. $P(D|T \geq t)$ is asymptotically equal to prevalence of diabetes for lower values of t, then rises rapidly to become asymptotically equal to 1.00.

b) The posterior probability for diabetes versus FPG value t (mg/dl). The curve is smooth, approximately double sigmoidal. For $t = 86.9$ mg/dl $P(D|T = t)$ has a minimum value 0.04. $P(D|T = t)$ is asymptotically equal to 1.00 for lower values of t, then decreases rapidly to its minimum before then rising rapidly again to become asymptotically equal to 1.00.

Figure 5. Positive predictive value and posterior probability for diabetes versus FPG value t (mg/dl) curves plot, with the settings of the program in Table 2.

Figure 6 shows the plots of:

a) The negative predictive value $P(\overline{D}|T < t)$ of FPG for diabetes versus threshold value t (mg/dl) (orange curve). The curve is smooth and unimodal, with a maximum value of 0.96 at $t = 91.3$ mg/dl. $P(\overline{D}|T < t)$ is asymptotically equal to 0.00 for lower values of t, then rises rapidly to its maximum, and becomes asymptotically equal to $1.00 - v$, where v the prevalence of diabetes.

b) The posterior probability $P(\overline{D}|T = t)$ for the absence of diabetes versus FPG value t (mg/dl) (orange curve). The curve is smooth unimodal, approximately double sigmoidal. For an FPG value $t = 86.9$ mg/dl, $P(\overline{D}|T = t)$ has a maximum value of 0.96. $P(\overline{D}|T = t)$ is asymptotically equal to 0.00 for lower values and higher values of t.

Figure 6. Negative predictive value for diabetes and posterior probability for the absence of diabetes versus FPG value t (mg/dl) curves plot, with the settings of the program in Table 2.

Moreover:

a) For $t = 67.3$ mg/dl we have $P(D|T \geq t) = P(D|T = t) = 0.158 = v$

b) For $t < 67.3$ mg/dl we have $P(D|T \geq t) < P(D|T = t)$,

c) For $t > 67.3$ mg/dl we have $P(D|T \geq t) > P(D|T = t)$.

d) For $t = 91.3$ mg/dl we have $P(\overline{D}|T < t) = P(\overline{D}|T = t) = 0.95$.

e) For $t < 91.3$ mg/dl we have $P(\overline{D}|T < t) < P(\overline{D}|T = t)$

f) For $t > 91.3$ mg/dl we have $P(\overline{D}|T < t) > P(\overline{D}|T = t)$.

Additionally, as Figures 7 and 8 show, for an FPG value $t = 126.0$ mg/dl and for prevalence $0.0 < v < 1.0$:

a) Both $P(D|T \geq t)$ and $P(D|T = t)$ curves start from a probability asymptotically equal to 0.00 increasing sharply as prevalence increases.

b) Both $P(\overline{D}|T < t)$ and $P(\overline{D}|T = t)$ curves start from a probability asymptotically equal to

   1.00 decreasing sharply as prevalence increases.

c) $P(D|T \geq t) > P(D|T = t)$, and

d) $P(\overline{D}|T < t) > P(\overline{D}|T = t)$.

Figure 7. Positive predictive value and posterior probability for diabetes versus prior probability for

diabetes v curves plot, for an FPG value $t = 126$ mg/dl , with the other settings of the program in

Table 2.

Figure 8. Negative predictive value for diabetes and posterior probability for the absence of diabetes versus prior probability for diabetes v curves plot, for an FPG value $t = 126 \text{ mg/dl}$, with the other settings of the program in Table 2.

Figure 9 shows a table of Bayesian diagnostic measures for an FPG value $t = 126 \text{ mg/dl}$, the established threshold for the diagnosis of diabetes (ElSayed et al. 2023), assuming normal, lognormal, and gamma distributions o FPG.

diagnostic measures					
measurand distribution		measure			
diseased	nondiseased	$P(D|T{\geq}t)$	$P(D|T{=}t)$	$P(\bar{D}|T{<}t)$	$P(\bar{D}|T{=}t)$
normal	normal	0.833	0.542	0.895	0.458
	lognormal	0.771	0.509	0.894	0.491
	gamma	0.790	0.516	0.894	0.484
lognormal	normal	0.823	0.527	0.891	0.473
	lognormal	0.758	0.494	0.890	0.506
	gamma	0.778	0.501	0.890	0.499
gamma	normal	0.827	0.532	0.892	0.468
	lognormal	0.763	0.498	0.892	0.502
	gamma	0.783	0.505	0.892	0.495

Figure 9. Table of positive predictive value, posterior probability, and negative predictive value for diabetes, and posterior probability for the absence of diabetes, for an FPG value $t = 126$ mg/dl, with the other settings of the program in Table 2.

Figure 10 shows the plots of:

a) The standard sampling, measurement, and combined uncertainty of the positive predictive value for diabetes versus FPG value t (mg/dl). The curves is smooth unimodal.

b) The standard sampling, measurement, and combined uncertainty of the posterior probability for diabetes versus FPG value t (mg/dl). The curve is smooth bimodal.

Figure 11 shows the plots of:

a) The standard sampling, measurement, and combined uncertainty of the negative predictive value for diabetes versus FPG value t (mg/dl). The curves are smooth and unimodal.

b) The standard sampling, measurement, and combined uncertainty of the posterior probability for the absence of diabetes versus FPG value t (mg/dl). The curves are smooth and bimodal.

In the assessment of the combined standard uncertainty of posterior probability for diabetes $u_c[P(D|T = t)]$ and absence of diabetes $u_c[P(\overline{D}|T = t)]$:

a) They are equal.

b) They are substantially affected by measurement uncertainty of FPG.

c) Two local maxima are observed, corresponding to the regions near the steepest segments of the measures curves, which exhibit an approximately double sigmoidal configuration. The maxima are quantitatively approximated as follows:

    a. At an FPG value of $t = 58.7$ mg/dl, the combined standard uncertainty is 0.893.

    b. At an FPG value of $t = 133.2$ mg/dl, the combined standard uncertainty is 0.182.

The standard combined uncertainty $u_c[P(D|T \geq t)]$ of the positive predictive value for diabetes of FPG has a maximum value 0.143 for $t = 126.2$ mg/dl, while the standard combined uncertainty

$u_c[P(\overline{D}|T < t)]$ of the negative predictive value for diabetes has a maximum value 0.894 for $t = 60.1$ mg/dl. This pattern of local maxima is indicative of heightened uncertainty in the regions where the diagnostic measures curves demonstrate their most pronounced inflections (refer to Figures 5 and 6).

In addition:

a) For $t = 95.9$ mg/dl we have $u_c[P(D|T \geq t)] = u_c[P(D|T = t)] = 0.013$.

b) For $t = 126.8$ mg/dl we have $u_c[P(D|T \geq t)] = u_c[P(D|T = t)] = 0.143$.

c) For $0 < t < 95.9$ mg/dl and $126.8 < t$ we have $u_c[P(D|T \geq t)] < u_c[P(D|T = t)]$.

d) For 95.9 mg/dl $< t < 126.8$ mg/dl we have $u_c[P(D|T = t)] < u_c[P(D|T \geq t)]$

e) For $t = 59.4$ mg/dl we have $u_c[P(\overline{D}|T < t)] = u_c[P(\overline{D}|T = t)] = 0.883$.

f) For $t = 103.3$ mg/dl we have $u_c[P(\overline{D}|T < t)] = u_c[P(\overline{D}|T = t)] = 0.014$.

g) For $0 < t < 59.4$ mg/dl and $103.3 < t$ we have $u_c[P(D|T < t)] < u_c[P(D|T = t)]$.

h) For 59.4 mg/dl $< t < 103.3$ mg/dl we have $u_c[P(D|T = t)] < u_c[P(D|T \geq t)]$.

The confidence intervals are affected accordingly (refer to Figures 12 and 13):

a) The confidence intervals of positive predictive value $P(D|T = t)$ (blue curves) are narrower for lower and higher values of t.

b) The confidence intervals of Bayesian posterior probability $P(D|T \geq t)$ (orange curves) narrow considerably for lower values of t.

c) The confidence intervals of Bayesian posterior probability $P(\overline{D}|T = t)$ are wider at the extremes of the t spectrum.

d) The confidence intervals of negative predictive value $P(\overline{D}|T < t)$ are wide at lower t values, to become considerably narrower at higher values.

Figure 10. Standard sampling, measurement, and combined uncertainty of the positive predictive value, and posterior probability for diabetes versus FPG value t (mg/dl) curves plot, with the settings of the program in Table 2.

Figure 11. Standard sampling, measurement, and combined uncertainty of the negative predictive value for diabetes, and posterior probability for the absence of diabetes versus FPG value t (mg/dl) curves plot, with the settings of the program in Table 2.

95.00 % confidence intervals of P(D|T≥t) and P(D|T=t) vs measurement value t

Figure 12. Confidence intervals of the positive predictive value, and posterior probability for diabetes versus FPG value t (mg/dl) curves plot, with the settings of the program in Table 2.


95.00 % confidence intervals of P(D̄|T<t) and P(D̄|T=t) vs measurement value t

Figure 13. Confidence intervals of the negative predictive value, and posterior probability for the absence of diabetes versus FPG value t (mg/dl) curves plot, with the settings of the program in Table 2.

For an FPG value $t = 126$ mg/dl Figures 14 and 15 show the plots of the standard sampling, measurement, and combined uncertainty of positive predictive value, posterior probability for diabetes, negative predictive value, and posterior probability for the absence of diabetes versus prior probability for diabetes v. The combined uncertainty of the diagnostic measures is substantially affected by measurement uncertainty of FPG. The curves are unimodal, with the respective maxima quantitatively approximated as follows:

a) For $v = 0.056$, $u_c[P(D|T \geq t)] = 0.195$.

b) For $v = 0.160$, $u_c[P(D|T = t)] = 0.134$.

c) For $v = 0.589$, $u_c[P(\overline{D}|T < t)] = 0.015$.

d) For $v = 0.160$, $u_c[P(\overline{D}|T = t)] = 0.134$.

The local maxima are indicative of heightened uncertainty in the regions where the respective diagnostic measures curves demonstrate their most pronounced inflections (refer to Figures 7 and 8).

Additionally:

a) For $v = 0.176$ we have $u_c[P(D|T \geq t)] = u_c[P(D|T = t)] = 0.133$.

b) For $0 < v < 0.176$ we have $u_c[P(D|T \geq t)] > u_c[P(D|T = t)]$.

c) For $0.176 < v < 1.0$ we have $u_c[P(D|T \geq t)] < u_c[P(D|T = t)]$.

d) For $0 < v < 1.0$ we have $u_c[P(\overline{D}|T < t)] < u_c[P(\overline{D}|T = t)]$.

Remarkably, the combined uncertainty of the negative predictive value is considerably less than the combined uncertainty of the posterior probability for the absence of diabetes.

The confidence intervals are adjusted accordingly (refer to Figures 16-17):

a) The confidence intervals of Bayesian posterior probability $P(D|T = t)$ for diabetes (Figure 16, blue curves), positive predictive value $P(D|T \geq t)$ (Figure 16, blue curves), Bayesian posterior probability $P(\overline{D}|T = t)$ for the absence of diabetes (Figure 17, blue curves), and negative predictive value $P(\overline{D}|T < t)$ (Figure 17, orange curves) are narrowest at both lower and higher prevalences.

b) The confidence intervals of $P(D|T \geq t)$ (Figure 16, orange curves) are generally narrower than the confidence intervals of $P(D|T = t)$ (Figure 16, blue curves).

c) The confidence intervals of $P(\overline{D}|T < t)$ (Figure 17, orange curves) are considerably narrower than the confidence intervals of $P(\overline{D}|T = t)$ (Figure 17, blue curves).


Figure 14. Standard sampling, measurement, and combined uncertainty of the positive predictive value, and posterior probability for diabetes versus versus prior probability for diabetes v curves plot, for an FPG value $t = 126$ mg/dl , with the other settings of the program in Table 2.

Figure 15. Standard sampling, measurement, and combined uncertainty of the negative predictive value for diabetes, and posterior probability for the absence of diabetes versus prior probability for diabetes v curves plot, for an FPG value $t = 126\ \text{mg/dl}$, with the other settings of the program in Table 2.

Figure 16. Confidence intervals of the positive predictive value, and posterior probability for diabetes versus prior probability for diabetes v curves plot, for an FPG value $t = 126 \, \mathrm{mg/dl}$, with the other settings of the program in Table 2.


Figure 17. Confidence intervals of the negative predictive value for diabetes, and posterior probability for the absence of diabetes versus prior probability for diabetes v curves plot for an FPG value $t = 126 \, \mathrm{mg/dl}$, with the other settings of the program in Table 2.

standard uncertainty			
prevalence of disease = 0.158			
measure	point estimation	standard uncertainty	
		combined	measurement	sampling
P(D|T≥t)	0.758	0.142	0.140	0.029
P(D|T=t)	0.494	0.135	0.130	0.036
P(D̄|T<t)	0.890	0.007	0.005	0.005
P(D̄|T=t)	0.506	0.135	0.130	0.036

Figure 18. Table of the sampling, measurement, and combined uncertainty of the Bayesian diagnostic measures for an FPG value $t = 126\ \mathrm{mg/dl}$, with the other settings of the program in Table 2.

The table with the standard uncertainty of the Bayesian diagnostic measures of Figure 18 shows that for value $t = 126\ \mathrm{mg/dl}$, shows that measurement uncertainty is the main component of their combined uncertainty.

95.00% confidence intervals			
prevalence of disease = 0.158			
measure	point estimation	lower bound	upper bound
P(D|T≥t)	0.758	0.479	1.000
P(D|T=t)	0.494	0.229	0.758
P(D̄|T<t)	0.890	0.877	0.904
P(D̄|T=t)	0.506	0.242	0.771

Figure 19. Table of the sampling, measurement, and combined uncertainty confidence intervals of the Bayesian diagnostic measures for an FPG value $t = 126\ \mathrm{mg/dl}$, with the other settings of the program in Table 2.

The table with the confidence intervals of the Bayesian diagnostic measures of Figure 19 shows that for value $t = 126\ \mathrm{mg/dl}$:

a) $P(D|T = t) < P(D|T \geq t)$

b) The sizes of the confidence intervals of $P(D|T \geq t)$ and $P(D|T = t)$ are comparable.

c) There is a considerable overlap between them.

d) $P(\overline{D}|T = t) < P(\overline{D}|T < t)$

e) The size of the confidence intervals of $P(\overline{D}|T < t)$ are considerably less than the size of the confidence intervals of $P(\overline{D}|T = t)$.

f) There is no overlap between them.

Furthermore, all the figures provided by the program for the *Illustrative Case Study* are presented in Supplemental file IV: BayesianDiagnosticInsightsFigures:pdf.

4.   Discussion

There is a persistent need to estimate diagnostic measures and their uncertainty, especially regarding screening and diagnostic tests of life-threatening diseases. The COVID-19 has convincingly exposed this need (Lippi, Simundic, and Plebani 2020; Martin H. Kroll, MD Bipasa Biswas Jeffrey R. Budd, PhD Paul Durham, MA Robert T. Gorman, PhD Thomas E. Gwise, PhD Abdel-Baset Halim, PharmD, PhD, DABCC Aristides T. Hatjimihail, MD, PhD Jørgen Hilden, MD Kyunghee Song 2011; Tang et al. 2020; Deeks et al. 2020; Infantino et al. 2020; Mahase 2020).

Traditional diagnostic methods rely on predetermined thresholds; however, this often fails to consider the complexities of disease pathology. While historically effective, this approach may lack the ability to offer a holistic perspective in today's patient-centered medicine, where personalized care is paramount (Obermeyer and Emanuel 2016). The evolving nature of diseases and shifts in patient demographics increase the complexity of the diagnostic process, pushing the boundaries of conventional methodologies. In this challenging context, Bayesian inference emerges as an alternative approach, offering probabilistic evaluations that can adapt to the individual patient profiles (Choi, Johnson, and Thurmond 2006; Chatzimichail and Hatjimihail 2023).

Despite the evident merits of Bayesian analytics in medical diagnostics, it is paramount to address the intrinsic challenges associated with this methodological shift. One such issue resides in the limited availability of scholarly publications that provide a comprehensive statistical exploration of the measurands in both the diseased and nondiseased populations (Smith and Gelfand 1992).

Diagnostic measures based on Bayes' theorem are integral in the field of medical diagnostics. This theorem provides a statistical basis for the update of the probability estimate of a disease

as more evidence or test results become available. Essentially, it allows healthcare professionals to adjust the probabilities of a disease being present based on new data and prior information.

The software tool introduced in this study has been developed to explore and compare two pairs of Bayesian diagnostic measures of screening or diagnostic tests, assuming parametric distributions of the measurands:

a) The positive predictive value with the posterior probability for disease, and

b) The negative predictive value for disease with the posterior probability for the absence of disease.

Estimating the uncertainty of these measures remains a pivotal challenge (Srinivasan, Westover, and Bianchi 2012; Chatzimichail and Hatjimihail 2021, 2024). This issue is critically important in the context of diagnostic and screening tests for life-threatening conditions or those associated with considerable morbidity risk. It underscores the need for well-informed clinical judgments and comprehensive uncertainty evaluation in medical decision-making. Key examples include:

a) Cardiac troponin for diagnosing myocardial injury and infarction (Wereski et al. 2021);

b) Natriuretic peptides for the diagnosis of heart failure (Roberts et al. 2015);

c) D-dimer for diagnosing thromboembolic events (Freund et al. 2021);

d) FPG, OGTT, and glycated hemoglobin (HbA1c) for diagnosing diabetes (ElSayed et al. 2023);

e) OGTT for the diagnosis of gestational diabetes (Rani and Begum 2016);

f) Thyroid stimulating hormone (TSH), free serum triiodothyronine (T_3), and free serum thyroxine (T_4) for diagnosing thyroid dysfunction (Reyes Domingo, Avey, and Doull 2019).

The ability to quantify this uncertainty is not a purely academic concern but also a practical necessity in improving diagnosis and patient outcomes. To address this, our software explores the sampling, measurement, and combined uncertainty of Bayesian diagnostic measures and the associated confidence intervals. By plotting confidence intervals around the estimated

diagnostic measures at various measurand levels, clinicians and researchers can visually discern the range within which they might lie, accounting for sample variability and other sources of uncertainty. The plots of confidence intervals serve multiple purposes:

a) Assessment of precision: They provide insights into the precision of probability estimates at different measurand levels. Narrower intervals indicate more precise estimates, which is critical for reliable diagnosis and monitoring.

b) Decision-making support: For clinical decision-making, these plots can highlight the measurand thresholds where the probability of disease shifts significantly, guiding interventions or further testing. Furthermore, the analysis of such graphs can contribute to a deeper understanding of the diagnostic thresholds and the associated confidence in clinical decisions based on diagnostic test measurements.

c) Epidemiological insights: In epidemiological studies, understanding how probability for disease changes across a population's measurand spectrum can help identify risk factors and inform public health strategies.

This exploration also plays a significant role in the fields of quality and risk management in laboratory medicine (Haeckel et al. 2016). Additionally, it may contribute to the design and implementation of test accuracy studies (J. Andre Knottnerus and Buntinx 2011; Hajian-Tilaki 2014). As mentioned in the Introduction section, despite the extensive body of research on Bayesian diagnosis and uncertainty as separate entities, the intersection of these two areas remains relatively unexplored (Baron 1994; Ashby and Smith 2000).

The illustrative case study, focusing on individuals aged 70 to 80 years, was designed to mitigate age-related variations in disease prevalence. This focus exemplifies the considerations required in modern diagnostics, where factors such as age, genetics, and lifestyle choices should be accounted for in the diagnostic equation. The case study highlights the substantial impact of combined uncertainty on the diagnostic process. This finding emphasizes the predominant role of measurement uncertainty, thus stressing the demanding path toward enhancing diagnostic

accuracy. By improving the analytical methods of screening and diagnostic tests, the medical community could achieve more accurate diagnosis, leading to more effective and tailored patient care.

Analyzing in more detail Figures 5-8, 12,13, 16, and 17 of the illustrative case study described above, we may note the following clinical implications:

a) The positive predictive value $P(D|T \geq t)$ of the FPG test is highly influenced by the chosen threshold and the prevalence of diabetes, emphasizing the importance of selecting the appropriate cutoff for accurate diagnosis.

b) The double-threshold pattern in the Bayesian posterior probability $P(D|T = t)$ for diabetes suggests the need to understand different FPG levels' pathological implications for tailored diagnostic strategies.

c) The variability in confidence intervals of both $P(D|T \geq t)$ and $P(D|T = t)$ at middle FPG levels underscores the need for cautious interpretation of test results in this range.

d) The differing trends in negative predictive value $P(\overline{D}|T < t)$ highlight the significance of selecting the appropriate threshold for excluding diabetes.

e) The unique behavior of Bayesian posterior probability $P(\overline{D}|T = t)$ for the absence of diabetes at lower FPG values and the variability in its confidence intervals of at both lower and higher FPG values impact diagnostic decisions, necessitating careful interpretation.

f) Despite the interpretative challenges of $P(\overline{D}|T < t)$ at lower FPG values, it is generally more robust than $P(\overline{D}|T = t)$ at higher FPG values.

The tables of Figure 18 suggest a limited concordance between the classification criteria of diabetes derived from the OGTT and FPG tests, as found previously in existing literature (Tucker 2020). Additionally, it shows that for FPG and diabetes, the point estimation of each Bayesian posterior probability is substantially less than the respective predictive value.

Looking ahead, future research should focus on improving the estimations of the uncertainty of Bayesian diagnostic measures of different measurands under a diverse array of clinically and laboratory relevant parameter settings. To transition from research into practical application, it is necessary to focus on clinical decision analysis, studies on cost-effectiveness, and research on risk assessment and quality of care, which includes conducting implementation studies (J. Andre Knottnerus and Buntinx 2011). Such efforts are necessary in addressing the complex issues in diagnostic medicine and finding new and effective approaches to tackle ongoing challenges.

All major general or medical statistical software packages (JASP® ver. 0.20.0, Mathematica® ver. 14.0, Matlab® ver. R2023b, MedCalc® ver. 22.008, metRology ver. 1.1-3, NCSS® ver. 24.0.0, NIST Uncertainty Machine ver. 2.0.0, OpenBUGS ver. 3.3.0, R ver. 4.3.1, SAS® ver. 9.5, SPSS® ver. 29, Stan ver. 2.33.0, Stata® ver. 19, and UQLab ver. 2.0.0) include routines for the calculation and plotting of various diagnostic measures and their confidence intervals. The program presented in this work provides 38 different types of plots and 17 different types of comprehensive tables of the four Bayesian diagnostic measures, their uncertainty, and the associated confidence intervals (Figure 1), many of which are novel. To the best of our knowledge, none of the above-mentioned programs or any other software provides this range of plots and tables without advanced statistical programming.

The program complements our previously published tools for exploring diagnostic measures and Bayesian posterior probability for disease and their uncertainty (Chatzimichail and Hatjimihail 2018, 2021, 2023, 2024), facilitating their comparison.

4.1.   Limitations of the Program

This program's limitations, which provide paths for further research, include:

a)   Underlying assumptions:

a. Existence of "gold standards" in diagnostics. If a "gold standard" does not exist, there are alternative approaches for classification (J. A. Knottnerus and Dinant 1997; Pfeiffer and Castle 2005; van Smeden et al. 2014).

b. Hypothesis of normal, lognormal or gamma distribution of measurands or their transformations. There is related literature on the distribution of measurements of diagnostic tests, in the context of reference intervals and diagnostic thresholds or clinical decision limits (Solberg 1987; Pavlov, Wilson, and Delgado 2012; Sikaris 2012; Daly et al. 2013; Ozarda et al. 2018).

c. Generally accepted bimodality of the measurands, although unimodal distributions could be considered (J. M. G. Wilson and Jungner 1968; Petersen and Horder 1992).

If these assumptions are not valid, the program may underestimate the standard uncertainty of the posterior probability for disease.

b) Approximations used for the estimations:

a. Use of first-order Taylor series approximations in uncertainty propagation calculations. Higher-order approximations or Monte-Carlo simulation may provide more accurate estimations (Joint Committee for Guides in Metrology 2008, 2011).

b. Approximation of the uncertainty of prevalence or prior probability for disease v using the Agresti–Coull-adjusted Waldo interval, despite more accurate methods being available (Pires and Amado 2008).

c. Approximations of the sampling uncertainty for both the sample means and standard deviations. These can be improved for smaller samples or pronounced skewness observed in lognormal and gamma distributions (Schmoyeri et al. 1996; Bhaumik, Kapur, and Gibbons 2009).

d. Use of confidence intervals derived from the t-distribution despite the high relative uncertainty (Williams 2020). Though not typical in a Bayesian context, these can be

employed instead of credible intervals as a practical tool under certain circumstances (Gelman et al. 2013; Stephens 2023).

While addressing these limitations would increase considerably computational complexity, they represent key areas for future enhancement (Joint Committee for Guides in Metrology 2008, 2020).

4.2. Limitations of the Case Study

The case study's main limitations include reliance on the OGTT as the reference method for diagnosing diabetes mellitus, despite several factors influencing glucose tolerance (Rao, Disraeli, and McGregor 2004; Meneilly and Elliott 1999; Geer and Shen 2009; Van Cauter, Polonsky, and Scheen 1997; Colberg et al. 2010; Salmerón et al. 1997; Surwit et al. 2002; Pandit et al. 1993; Dupuis et al. 2010). Additionally, the lognormal distributions used only approximate the distributions of the FPG measurements from NHANES datasets, highlighting the need for more flexible statistical models.

6. Conclusion

Bayesian Diagnostic Insights significantly enhances the estimation, visualization, and comparison of Bayesian diagnostic measures, including their associated uncertainty. It facilitates better clinical decision-making by providing insights into the uncertainty of disease probabilities. The tool's case study, using FPG for the diagnosis of diabetes, demonstrated the impact of measurement uncertainty on diagnostic measures, underlining its importance in improving diagnostic practices. Overall, the software provides a comprehensive framework for understanding and applying Bayesian probabilistic methods in medical diagnostics, fostering improved assessment and diagnosis of various health conditions.

Supplemental Material: The following supplemental files can be downloaded at

https://www.hcsl.com/Supplements/SBDI.zip:

a) Supplemental File I:

BayesianDiagnosticInsights.nb: The program as a Wolfram Mathematica Notebook.

b) Supplemental File II:

BayesianDiagnosticInsightsCalculations.nb: The calculations for the estimation Bayesian posterior probability for disease and its standard uncertainty in a Wolfram Mathematica Notebook

c) Supplemental File III:

BayesianDiagnosticInsightsInterface.pdf: A brief description of the interface of the program.

d) Supplemental File IV:

BayesianDiagnosticInsightsFigures.pdf: The Supplemental figures of the output of the program for the illustrative case study.

7. Appendix A

A.1. Notation

A.1.1. Abbreviations

D: Disease

$\overline{D}$: Absence of disease

A.1.2. Parameters

n_D : size of diseased population

μ_D: mean of diseased population

σ_D: standard deviation of diseased population

$n_{\overline{D}}$: size of nondiseased population

$\mu_{\overline{D}}$: mean of nondiseased population

$\sigma_{\overline{D}}$: standard deviation of nondiseased population

v: prior probability for disease (prevalence rate)

n_U : number of quality control measurements

b_0 : constant contribution to measurement uncertainty

b_1: measurement uncertainty proportionality constant

p : confidence level

$\boldsymbol{\theta}$: Parameter vector

A.1.3. Bayesian Diagnostic Measures

$P(D|T > t)$: positive predictive value

$P(\overline{D}|T < t)$: negative predictive value

$P(D|T = t)$: posterior probability for disease

$P(\overline{D}|T = t)$: posterior probability for the absence of disease

A.1.4. Functions

$f(x)$: probability density function

$F(x)$: cumulative distribution function

$u_m(x)$: standard measurement uncertainty

$u_s(x)$: standard sampling uncertainty

$u_c(x)$: standard combined uncertainty

$v_{eff}(x)$: effective degrees of freedom

A.2. Range of input parameters

$t: maximum(0, minimum(\mu_{\overline{D}} - 6\sigma_{\overline{D}}, \mu_D - 6\sigma_{\overline{D}})) - maximum(\mu_{\overline{D}} + 6\sigma_{\overline{D}}, \mu_D + 6\sigma_{\overline{D}})$

$n_D : 2 - 10{,}000$

$\mu_D: 0.1 - 10{,}000$

$\sigma_D: 0.01 - 1{,}000$

$n_{\overline{D}}: 2 - 10{,}000$

$\mu_{\overline{D}} : 0.1 - 10{,}000$

$\sigma_{\bar{D}} : 0.01 - 1{,}000$

$v : 0.001 - 0.999$

$n_U : 20 - 10{,}000$

$b_0 : 0 - \sigma_{\bar{D}}$

$b_1 : 0 - 0.1000$

$p : 0.900 - 0.999$

$t, \mu_D, \sigma_D, \mu_{\bar{D}},$ and $\sigma_{\bar{D}}$ are defined in arbitrary units.

A.3. Software Availability and Requirements

Program name: Bayesian Diagnostic Measures

Version: 1.0.0

Project home page: https://www.hcsl.com/Tools/BayesianDiagnosticInsights/ (accessed on 7 May 2024)

Available at: https://www.hcsl.com/Tools/BayesianDiagnosticInsights/BayesianDiagnosticInsights.nb (accessed on 7 May 2024)

Operating systems: Microsoft Windows 10+, Linux 3.15+, Apple macOS 11+

Programming language: Wolfram Language

Other software requirements: For running the program and reading the BayesianDiagnosticInsightsCalculations.nb file Wolfram Player® ver. 12.0+ is required, freely available at: https://www.wolfram.com/player/ (accessed 7 May 2024) or Wolfram Mathematica® ver. 14.0+

System requirements: Intel® i9™ or equivalent CPU and 32 GB of RAM

License: Attribution—Noncommercial—ShareAlike 4.0 International Creative Commons License

A.4. A Note about the Program

About the Program Controls

The program features an intuitive tabbed user interface, designed to streamline users interaction and facilitate

effortless navigation across its multiple modules and submodules.

The numerical settings are defined by users with menus or sliders. Sliders can be finely manipulated by holding

down the *alt* key or *opt* key while dragging the mouse. They be even more finely manipulated by also holding

the *shift* and/or *ctrl* keys.

Dragging with the mouse while pressing the *ctrl*, *alt*, or *opt* keys zooms plots in or out.

References

Agresti, Alan, and Brent A. Coull. 1998. "Approximate Is Better than 'Exact' for Interval Estimation of
  Binomial Proportions." *The American Statistician* 52 (2): 119–26.

Agresti, Alan, Christine Franklin, and Bernhard Klingenberg. 2023. *Statistics: The Art and Science of
  Learning from Data, Global Edition*. 4th ed. London, England: Pearson Education.

Ashby, D., and A. F. Smith. 2000. "Evidence-Based Medicine as Bayesian Decision-Making." *Statistics
  in Medicine* 19 (23): 3291–3305.

Ayyub, Bilal M., and George J. Klir. 2006. *Uncertainty Modeling and Analysis in Engineering and the
  Sciences*. Chapman and Hall/CRC.

Baron, J. A. 1994. "Uncertainty in Bayes." *Medical Decision Making: An International Journal of the
  Society for Medical Decision Making* 14 (1): 46–51.

Bhaumik, Dulal K., Kush Kapur, and Robert D. Gibbons. 2009. "Testing Parameters of a Gamma
  Distribution for Small Samples." *Technometrics: A Journal of Statistics for the Physical, Chemical,
  and Engineering Sciences* 51 (3): 326–34.

Bours, Martijn Jl. 2021. "Bayes' Rule in Diagnosis." *Journal of Clinical Epidemiology* 131 (March):
  158–60.

Chatzimichail, Theodora, and Aristides T. Hatjimihail. 2018. "Relation of Diagnostic Accuracy
  Measures." XIV. Hellenic Complex Systems Laboratory.
  https://heracleitos.github.io/TR/hcsltr14/index.html.

———. 2021. "A Software Tool for Calculating the Uncertainty of Diagnostic Accuracy Measures."
  Diagnostics (Basel, Switzerland) 11 (3). https://doi.org/10.3390/diagnostics11030406.

———. 2023. "A Bayesian Inference Based Computational Tool for Parametric and Nonparametric Medical Diagnosis." *Diagnostics* 13 (19): 3135.

———. 2024. "A Software Tool for Estimating Uncertainty of Bayesian Posterior Probability for Disease." *Diagnostics (Basel, Switzerland)* 14 (4). https://doi.org/10.3390/diagnostics14040402.

Choi, Young-Ku, Wesley O. Johnson, and Mark C. Thurmond. 2006. "Diagnosis Using Predictive Probabilities without Cut-Offs." *Statistics in Medicine* 25 (4): 699–717.

Colberg, Sheri R., Ronald J. Sigal, Bo Fernhall, Judith G. Regensteiner, Bryan J. Blissmer, Richard R. Rubin, Lisa Chasan-Taber, et al. 2010. "Exercise and Type 2 Diabetes: The American College of Sports Medicine and the American Diabetes Association: Joint Position Statement." *Diabetes Care* 33 (12): e147-67.

Daly, Caitlin H., Xiaofeng Liu, Vijay L. Grey, and Jemila S. Hamid. 2013. "A Systematic Review of Statistical Methods Used in Constructing Pediatric Reference Intervals." *Clinical Biochemistry* 46 (13–14): 1220–27.

Darling, D. A. 1957. "The Kolmogorov-Smirnov, Cramer-von Mises Tests." *Annals of Mathematical Statistics* 28 (4): 823–38.

Deeks, Jonathan J., Jacqueline Dinnes, Yemisi Takwoingi, Clare Davenport, Mariska M. G. Leeflang, René Spijker, Lotty Hooft, Ann Van den Bruel, Devy Emperador, and Sabine Dittrich. 2020. "Diagnosis of SARS-CoV-2 Infection and COVID-19: Accuracy of Signs and Symptoms; Molecular, Antigen, and Antibody Tests; and Routine Laboratory Markers." Edited by Cochrane Infectious Diseases Group. *Cochrane Database of Systematic Reviews* 26 (April): 1896.

Djulbegovic, Benjamin, Jef van den Ende, Robert M. Hamm, Thomas Mayrhofer, Iztok Hozo, Stephen G. Pauker, and International Threshold Working Group (ITWG). 2015. "When Is Rational to Order a Diagnostic Test, or Prescribe Treatment: The Threshold Model as an Explanation of Practice Variation." *European Journal of Clinical Investigation* 45 (5): 485–93.

Dupuis, Josée, Claudia Langenberg, Inga Prokopenko, Richa Saxena, Nicole Soranzo, Anne U. Jackson, Eleanor Wheeler, et al. 2010. "New Genetic Loci Implicated in Fasting Glucose Homeostasis and Their Impact on Type 2 Diabetes Risk." *Nature Genetics* 42 (2): 105–16.

Ellison, Stephen L. R., and A. Williams. 2012. "Quantifying Uncertainty in Analytical Measurement." CG 4. 3rd ed. EURACHEM/CITAC.

ElSayed, Nuha A., Grazia Aleppo, Vanita R. Aroda, Raveendhara R. Bannuru, Florence M. Brown, Dennis Bruemmer, Billy S. Collins, et al. 2023. "2. Classification and Diagnosis of Diabetes: Standards of Care in Diabetes-2023." *Diabetes Care* 46 (Suppl 1): S19–40.

Fischer, Felix. 2021. "Using Bayes Theorem to Estimate Positive and Negative Predictive Values for Continuously and Ordinally Scaled Diagnostic Tests." *International Journal of Methods in Psychiatric Research* 30 (2): e1868.

Freund, Yonathan, Anthony Chauvin, Sonia Jimenez, Anne-Laure Philippon, Sonja Curac, Florent Fémy, Judith Gorlicki, et al. 2021. "Effect of a Diagnostic Strategy Using an Elevated and Age-Adjusted D-Dimer Threshold on Thromboembolic Events in Emergency Department Patients With Suspected Pulmonary Embolism: A Randomized Clinical Trial." *JAMA: The Journal of the American Medical Association* 326 (21): 2141–49.

Geer, Eliza B., and Wei Shen. 2009. "Gender Differences in Insulin Resistance, Body Composition, and Energy Balance." *Gender Medicine* 6 Suppl 1 (Suppl 1): 60–75.

Gelman, Andrew, John B. Carlin, Hal S. Stern, David B. Dunson, Aki Vehtari, and Donald B. Rubin. 2013. *Bayesian Data Analysis*. CRC Press.

Haeckel, Rainer, Werner Wosniok, Eberhard Gurr, Burkhard Peil, and on behalf of Arbeitsgruppe Richtwer. 2016. "Supplements to a Recent Proposal for Permissible Uncertainty of Measurements in Laboratory Medicine," January. https://doi.org/10.1515/labmed-2015-0112.

Hajian-Tilaki, Karimollah. 2014. "Sample Size Estimation in Diagnostic Test Studies of Biomedical Informatics." *Journal of Biomedical Informatics* 48 (April): 193–204.

Infantino, Maria, Valentina Grossi, Barbara Lari, Riccardo Bambi, Alessandro Perri, Matteo Manneschi, Giovanni Terenzi, et al. 2020. "Diagnostic Accuracy of an Automated Chemiluminescent Immunoassay for Anti-SARS-CoV-2 IgM and IgG Antibodies: An Italian Experience." *Journal of Medical Virology*, April. https://doi.org/10.1002/jmv.25932.

J. Aitchison, J. A. C. Brown. 1957. *The Lognormal Distribution with Special Reference to Its Uses in Econometrics*. Cambridge: Cambridge University Press.

Joint Committee for Guides in Metrology. 2008. "Evaluation of Measurement Data — Supplement 1 to the 'Guide to the Expression of Uncertainty in Measurement'— Propagation of Distributions Using a Monte Carlo Method Joint Committee for Guides in Metrology." JCGM 101:2008. Pavillon de Breteuil, F-92312 Sèvres, Cedex, France: BIPM. https://www.bipm.org/documents/20126/2071204/JCGM_101_2008_E.pdf/325dcaad-c15a-407c-1105-8b7f322d651c.

———. 2011. "Evaluation of Measurement Data – Supplement 2 to the 'Guide to the Expression of Uncertainty in Measurement' – Extension to Any Number of Output Quantities." JCGM 102:2011. Pavillon de Breteuil, F-92312 Sèvres, Cedex, France: BIPM. https://www.bipm.org/documents/20126/2071204/JCGM_102_2011_E.pdf/6a3281aa-1397-d703-d7a1-a8d58c9bf2a5.

———. 2020. "Guide to the Expression of Uncertainty in Measurement — Part 6: Developing and Using Measurement Models." JCGM GUM-6:2020. Pavillon de Breteuil, F-92312 Sèvres, Cedex, France: BIPM. https://www.bipm.org/documents/20126/2071204/JCGM_GUM_6_2020.pdf/d4e77d99-3870-0908-ff37-c1b6a230a337.

Kallner, Anders, James C. Boyd, David L. Duewer, Claude Giroud, Aristides T. Hatjimihail, George G. Klee, Stanley F. Lo, et al. 2012. *Expression of Measurement Uncertainty in Laboratory Medicine; Approved Guideline*. Clinical and Laboratory Standards Institute.

Knottnerus, J. A., and G. J. Dinant. 1997. "Medicine Based Evidence, a Prerequisite for Evidence Based Medicine." *BMJ* 315 (7116): 1109–10.

Knottnerus, J. Andre, and Frank Buntinx, eds. 2011. *The Evidence Base of Clinical Diagnosis*. EPUB. 2nd ed. Evidence-Based Medicine. BMJ Books.

Lippi, Giuseppe, Ana-Maria Simundic, and Mario Plebani. 2020. "Potential Preanalytical and Analytical Vulnerabilities in the Laboratory Diagnosis of Coronavirus Disease 2019 (COVID-19)." *Clinical Chemistry and Laboratory Medicine: CCLM / FESCC*, March. https://doi.org/10.1515/cclm-2020-0285.

M H Ramsey S L R Ellison P Rostron. 2019. "Measurement Uncertainty Arising from Sampling - A Guide to Methods and Approaches." 2nd ed. EURACHEM/CITAC.

Mahase, Elisabeth. 2020. "Covid-19: 'Unacceptable' That Antibody Test Claims Cannot Be Scrutinised, Say Experts." *BMJ* 369 (May): m2000.

Martin H. Kroll, MD Bipasa Biswas Jeffrey R. Budd, PhD Paul Durham, MA Robert T. Gorman, PhD Thomas E. Gwise, PhD Abdel-Baset Halim, PharmD, PhD, DABCC Aristides T. Hatjimihail, MD, PhD Jørgen Hilden, MD Kyunghee Song. 2011. *Assessment of the Diagnostic Accuracy of Laboratory Tests Using Receiver Operating Characteristic Curves; Approved Guideline—Second Edition*. Clinical and Laboratory Standards Institute.

Meneilly, G. S., and T. Elliott. 1999. "Metabolic Alterations in Middle-Aged and Elderly Obese Patients with Type 2 Diabetes." *Diabetes Care* 22 (1): 112–18.

Miller, James, and Jane C. Miller. 2018. *Statistics and Chemometrics for Analytical Chemistry*. 7th ed. London, England: Pearson Education.

Myung, In Jae. 2003. "Tutorial on Maximum Likelihood Estimation." *Journal of Mathematical Psychology* 47 (1): 90–100.

National Center for Health Statistics. 2005-20016. "National Health and Nutrition Examination Survey Data." Centers for Disease Control and Prevention. 2005-20016. https://wwwn.cdc.gov/nchs/nhanes/default.aspx.

———. 2005-20016. "National Health and Nutrition Examination Survey Questionnaire." Centers for Disease Control and Prevention. 2005-20016. https://wwwn.cdc.gov/nchs/nhanes/Search/variablelist.aspx?Component=Questionnaire.

Nielsen, Allan Aasbjerg. 2007. "Least Squares Adjustment: Linear and Nonlinear Weighted Regression Analysis." Technical University of Denmark. http://www2.imm.dtu.dk/pubdb/edoc/imm2804.pdf.

Obermeyer, Ziad, and Ezekiel J. Emanuel. 2016. "Predicting the Future - Big Data, Machine Learning, and Clinical Medicine." *The New England Journal of Medicine* 375 (13): 1216–19.

Oosterhuis, Wytze P., and Elvar Theodorsson. 2016. "Total Error vs. Measurement Uncertainty: Revolution or Evolution?" *Clinical Chemistry and Laboratory Medicine: CCLM / FESCC* 54 (2): 235–39.

Ozarda, Yesim, Ken Sikaris, Thomas Streichert, Joseph Macri, and IFCC Committee on Reference intervals and Decision Limits (C-RIDL). 2018. "Distinguishing Reference Intervals and Clinical Decision Limits - A Review by the IFCC Committee on Reference Intervals and Decision Limits." *Critical Reviews in Clinical Laboratory Sciences* 55 (6): 420–31.

Pandit, M. K., J. Burke, A. B. Gustafson, A. Minocha, and A. N. Peiris. 1993. "Drug-Induced Disorders of Glucose Tolerance." *Annals of Internal Medicine* 118 (7): 529–39.

Pavlov, Igor Y., Andrew R. Wilson, and Julio C. Delgado. 2012. "Reference Interval Computation: Which Method (Not) to Choose?" *Clinica Chimica Acta; International Journal of Clinical Chemistry* 413 (13–14): 1107–14.

Petersen, Per Hyltoft, and Morgens Horder. 1992. "2.3 Clinical Test Evaluation. Unimodal and Bimodal Approaches." *Scandinavian Journal of Clinical and Laboratory Investigation* 52 (sup208): 51–57.

Petrone, S., J. Rousseau, and C. Scricciolo. 2014. "Bayes and Empirical Bayes: Do They Merge?" *Biometrika* 101 (2): 285–302.

Pfeiffer, Ruth M., and Philip E. Castle. 2005. "With or without a Gold Standard." *Epidemiology* .

Pires, Ana M., and Conceição Amado. 2008. "Interval Estimators for a Binomial Proportion: Comparison of Twenty Methods." *Revstat Statistical Journal* 6 (2): 165–97.

Rani, P. Reddi, and Jasmina Begum. 2016. "Screening and Diagnosis of Gestational Diabetes Mellitus, Where Do We Stand." *Journal of Clinical and Diagnostic Research: JCDR* 10 (4): QE01-4.

Rao, Shobha S., Phillip Disraeli, and Tamara McGregor. 2004. "Impaired Glucose Tolerance and Impaired Fasting Glucose." *American Family Physician* 69 (8): 1961–68.

Reyes Domingo, Francesca, Marc T. Avey, and Marion Doull. 2019. "Screening for Thyroid Dysfunction and Treatment of Screen-Detected Thyroid Dysfunction in Asymptomatic, Community-Dwelling Adults: A Systematic Review." *Systematic Reviews* 8 (1): 260.

Roberts, Emmert, Andrew J. Ludman, Katharina Dworzynski, Abdallah Al-Mohammad, Martin R. Cowie, John J. V. McMurray, Jonathan Mant, and NICE Guideline Development Group for Acute Heart Failure. 2015. "The Diagnostic Accuracy of the Natriuretic Peptides in Heart Failure: Systematic Review and Diagnostic Meta-Analysis in the Acute Care Setting." *BMJ* 350 (March): h910.

Salmerón, J., J. E. Manson, M. J. Stampfer, G. A. Colditz, A. L. Wing, and W. C. Willett. 1997. "Dietary Fiber, Glycemic Load, and Risk of Non-Insulin-Dependent Diabetes Mellitus in Women." *JAMA: The Journal of the American Medical Association* 277 (6): 472–77.

Satterthwaite, F. E. 1946. "An Approximate Distribution of Estimates of Variance Components." *Biometrics* 2 (6): 110–14.

Schmoyeri, R. L., J. J. Beauchamp, C. C. Brandt, and F. O. Hoffman. 1996. "Difficulties with the Lognormal Model in Mean Estimation and Testing." *Environmental and Ecological Statistics* 3 (1): 81–97.

Schoot, Rens van de, Sarah Depaoli, Ruth King, Bianca Kramer, Kaspar Märtens, Mahlet G. Tadesse, Marina Vannucci, et al. 2021. "Bayesian Statistics and Modelling." *Nature Reviews Methods Primers* 1 (1): 1–26.

Sikaris, Ken. 2012. "Application of the Stockholm Hierarchy to Defining the Quality of Reference Intervals and Clinical Decision Limits." *The Clinical Biochemist. Reviews / Australian Association of Clinical Biochemists* 33 (4): 141–48.

Šimundić, Ana-Maria. 2009. "Measures of Diagnostic Accuracy: Basic Definitions." *EJIFCC* 19 (4): 203–11.

Smeden, Maarten van, Christiana A. Naaktgeboren, Johannes B. Reitsma, Karel G. M. Moons, and Joris A. H. de Groot. 2014. "Latent Class Models in Diagnostic Studies When There Is No Reference Standard--a Systematic Review." *American Journal of Epidemiology* 179 (4): 423–31.

Smith, A. F. M., and A. E. Gelfand. 1992. "Bayesian Statistics without Tears: A Sampling-Resampling Perspective." *The American Statistician* 46 (2): 84–88.

Solberg, H. E. 1987. "Approved Recommendation (1987) on the Theory of Reference Values. Part 5. Statistical Treatment of Collected Reference Values. Determination of Reference Limits." *Clinica Chimica Acta; International Journal of Clinical Chemistry* 170 (2): S13–32.

Srinivasan, Preethi, M. Brandon Westover, and Matt T. Bianchi. 2012. "Propagation of Uncertainty in Bayesian Diagnostic Test Interpretation." *Southern Medical Journal* 105 (9): 452–59.

Stanley, Donald E., and Daniel G. Campos. 2013. "The Logic of Medical Diagnosis." *Perspectives in Biology and Medicine* 56 (2): 300–315.

Stephens, Matthew. 2023. "The Bayesian Lens and Bayesian Blinkers." *Philosophical Transactions. Series A, Mathematical, Physical, and Engineering Sciences* 381 (2247): 20220144.

Sun, Hong, Pouya Saeedi, Suvi Karuranga, Moritz Pinkepank, Katherine Ogurtsova, Bruce B. Duncan, Caroline Stein, et al. 2022. "IDF Diabetes Atlas: Global, Regional and Country-Level Diabetes Prevalence Estimates for 2021 and Projections for 2045." *Diabetes Research and Clinical Practice* 183 (January): 109119.

Surwit, Richard S., Miranda A. L. van Tilburg, Nancy Zucker, Cynthia C. McCaskill, Priti Parekh, Mark N. Feinglos, Christopher L. Edwards, Paula Williams, and James D. Lane. 2002. "Stress Management Improves Long-Term Glycemic Control in Type 2 Diabetes." *Diabetes Care* 25 (1): 30–34.

Tang, Yi-Wei, Jonathan E. Schmitz, David H. Persing, and Charles W. Stratton. 2020. "The Laboratory Diagnosis of COVID-19 Infection: Current Issues and Challenges." *Journal of Clinical Microbiology*, April. https://doi.org/10.1128/JCM.00512-20.

Tucker, Larry A. 2020. "Limited Agreement between Classifications of Diabetes and Prediabetes Resulting from the OGTT, Hemoglobin A1c, and Fasting Glucose Tests in 7412 U.S. Adults." *Journal of Clinical Medicine Research* 9 (7). https://doi.org/10.3390/jcm9072207.

Van Cauter, E., K. S. Polonsky, and A. J. Scheen. 1997. "Roles of Circadian Rhythmicity and Sleep in Human Glucose Regulation." *Endocrine Reviews* 18 (5): 716–38.

Viana, M. A. G., and V. Ramakrishnan. 1992. "Bayesian Estimates of Predictive Value and Related Parameters of a Diagnostic Test." *The Canadian Journal of Statistics = Revue Canadienne de Statistique* 20 (3): 311–21.

Weiner, E. S. C., J. A. Simpson, and Oxford University Press. 1989 2004. *The Oxford English Dictionary*. Oxford, Oxford: Clarendon Press ; Melbourne.

Welch, B. L. 1947. "The Generalization of `Student's' Problem When Several Different Population Variances Are Involved." *Biometrika* 34 (1/2): 28–35.

Wereski, Ryan, Dorien M. Kimenai, Caelan Taggart, Dimitrios Doudesis, Kuan Ken Lee, Matthew T. H. Lowry, Anda Bularga, et al. 2021. "Cardiac Troponin Thresholds and Kinetics to Differentiate Myocardial Injury and Myocardial Infarction." *Circulation* 144 (7): 528–38.

White, Graham H. 2008. "Basics of Estimating Measurement Uncertainty." *The Clinical Biochemist. Reviews / Australian Association of Clinical Biochemists* 29 Suppl 1 (August): S53-60.

Williams, Alex. 2020. "Calculation of the Expanded Uncertainty for Large Uncertainties Using the Lognormal Distribution." *Accreditation and Quality Assurance* 25 (5): 335–38.

Wilson, Brandon M., and Barton L. Smith. 2013. "Taylor-Series and Monte-Carlo-Method Uncertainty Estimation of the Width of a Probability Distribution Based on Varying Bias and Random Error." *Measurement Science & Technology* 24 (3): 035301.

Wilson, James Maxwell Glover, and Gunnar Jungner. 1968. *Principles and Practice of Screening for Disease*. Vol. 34. Public Health Papers. Geneva: World Health Organization.

Zou, Kelly H., A. James O'Malley, and Laura Mauri. 2007. "Receiver-Operating Characteristic Analysis for Evaluating Diagnostic Tests and Predictive Models." *Circulation* 115 (5): 654–57.

8. Permanent Citation:

Chatzimichail T, Hatjimihail AT. A Software Tool for Bayesian Probabilistic Methods in Medical Diagnostics. Technical Report XXVII. Drama: Hellenic Complex Systems Laboratory, 2024. https://www.hcsl.com/TR/hcsltr26/hcsltr27.pdf

9. License

First Published: May 19, 2024

Revised: April 2, 2024