





FONDO EUROPEO DE DESARROLLO REGIONAL (FEDER)

Una manera de hacer Europa

ROH Ontology Classes, Object Properties and DataType Properties

L.	ADS	tract
2.	Ont	ologies used2
3.	Con	cepts modelled
	3.1.	vivo:AcademicDegree
	3.2.	roh:Accreditation3
	3.3.	rohes:Account
	3.4.	roh:Activity4
	3.5.	foaf:Agent5
	3.6.	skos:Concept5
	3.7.	roh:CurriculumVitae
	3.8.	roh:Expense 6
	3.9.	gn:Feature
	3.10.	roh:Funding, roh:FundingAmount, roh:FundingProgram & roh:FundingSource 7
	3.11.	roh:Infrastructure
	3.12.	roh:Metric8
	3.13.	vivo:Project8
	3.14.	vivo:Relationship
	3.15.	roh:ResearchObject
	3.16.	obo-bfo:Role11
	3.17.	obo-ero:Service
	3.18.	rohes:Tax12
	3.19.	obo-bfo:TemporalRegion12

1. Abstract

The aim of this document is to provide a bird's eye view on the entities modelled within ROH. The document includes an overview in tabular form for each of the core entities of the network of ontologies ROH, giving details on the object and data properties supported by each of them. This document is meant to be useful when instances of ROH want to be created, since it clearly explains what entity types a given entity type relates with through an object property and what data properties are supported by a given entity type, including details about its associated object types.

This document should be read as a complement to the <u>ROH Tutorial document</u> which describes more verbosely the purpose of the core entities of ROH and their relationships with other entities in the ontology.

2. Ontologies used

The following table lists all ontologies created, i.e. those starting by namespace prefix roh, and those reused in the design of ROH. Notice that ROH network of ontologies is divided into 3 main parts.

- The generic ontology, named ROH, contains the most important entities and properties to
 model information in the academic domain. It contains the most important part of the
 network of ontologies. It covers the academic domain, being agnostic to the country or the
 research organization whose information wants to be modelled with.
- ROHES is a specialization of ROH for the Spanish science and research domain. It includes some additional entities which are only used in the Spanish science and research domain, e.g. rohes:Sexenio or rohes:ProfesorTitularDeEscuelaUniversitaria.
- Finally, ROHUM is a specialization to cater with the special modelling needs of University of Murcia. More concretely, a wide range of entities to support the accounting system and be able to model expense types are included, e.g. rohum:ArrendamientosYCanones or rohum:InversionNueva.

Prefix	Ontology name	Ontology namespace	Ontology website
bibo	Bibliographic Ontology	http://purl.org/roh/mirror/bibo#	
cito	CiTO, the Citation Typing Ontology	http://purl.org/spar/cito#	https://sparontologies.github.io/cito/current/cito.html
foaf	FOAF: Friend of a Friend Ontology	http://purl.org/roh/mirror/foaf#	http://xmlns.com/foaf/spec/
gn	GeoNames Ontology	http://purl.org/roh/mirror/geonames#	http://www.geonames.org/ontology/documentation.html
obo-bfo	OBO Foundry, Basic Formal Ontology	http://purl.org/roh/mirror/obo/bfo#	
obo-ero	OBO Foundry, eagle-i Research Resource Ontology (ERO)	http://purl.org/roh/mirror/obo/ero#	http://open-statystika.variledu/wik/lbplay/eside/Sitology
obo-iao	OBO Foundry, Information Artifact Ontology	http://purl.org/roh/mirror/obo/iao#	https://pdhub.com/information-atiliast-estology/AQ/.
obo-ro	OBO Foundry, Relations Ontology	http://puri.org/roh/mirror/obo/reil	http://www.ebofoundry.org/ontology/ro.html
owl	OWL Web Ontology Language	http://www.w3.org/2002/07/owl#	https://www.w3.org/TR/owl-features/
rdf	The RDF Concepts Vocabulary (RDF)	http://www.w3.org/1999/02/22-rdf-syntax-ns#	https://www.w3.org/TR/rdf-concepts/
rdfs	RDF Schema 1.1	http://www.w3.org/2000/01/rdf-schema#	https://www.w3.org/TR/rdf-schema/
roh	Red de Ontologías Hércules / Hercules Network of Ontologies	http://purl.org/roh#	https://github.com/HerculesCRUE/GnossDeustoOnto/tree/master/Documentation

rohes	Red de Ontologías Hércules / Hercules Network of Ontologies, Spanish specialization	http://purl.org/rohes#	https://github.com/HerculesCRUE/GnossDeustoOnto/tree/master/Documentation
rohum	Red de Ontologías Hércules / Hercules Network of Ontologies – University of Murcia Specialization		https://github.com/HerculesCRUE/GnossDeustoOnto/tree/master/Documentation
skos	SKOS Simple Knowledge Organization System	http://www.w3.org/2004/02/skos/core#	https://www.w3.org/TR/2008/WD-skos-reference-20080829/skos.html
uneskos	SKOS UNESCO Thesaurus	http://purl.org/umu/uneskos#	https://skos.um.es/unescothes/downloads.php
vcard	vCard Ontology - for describing People and Organizations	http://purl.org/roh/mirror/vcard#	https://www.w3.org/TR/vcard-rdf/
vivo	VIVO core ontology	http://purl.org/roh/mirror/vivo#	https://wiki.lyrasis.org/display/VIVO/The+core+ontology+and+its+annotations

3. Concepts modelled

3.1. vivo:AcademicDegree

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	lindicates explicit domain:		Range values
vivo	AcademicDegree				vivo	abbreviation	rdfs:Literal	
					roh	title	xsd:string	

3.2. roh:Accreditation

Prefix	Class			Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Accredita	ation		vivo	hasGoverningActivity	foaf:Organization	roh	title	xsd:string	
				vivo	hasSubjectArea	owl:Thing	vivo	description	xsd:string	
				roh	accreditationOf	foaf:Agent				
				roh	issuedBy	roh:AccreditationIssuer				
				vivo	dateIssued	vivo:DateTimeValue				
	roh	h AcademicAccreditation					roh	title	xsd:string	
		rohes AyudanteDoctor								
		rohes	CatedraticoUniversida d							
		rohes	ContratadoDoctor							
		rohes	ProfesorUniversidadPr ivada							
		rohes TitularUniversidad								
	roh	Certific	cate				roh	title	xsd:string	
		roh	Award							
		roh	CourseCertificate							
		roh	LanguageCertificate				roh	language	xsd:string	
							roh	listeningSkill	xsd:string	{"A1", "A2", "B1", "B2", "C1", "C2"}
							roh	readingSkill	xsd:string	{"A1", "A2", "B1", "B2", "C1", "C2"}
						roh	speakingSkill	xsd:string	{"A1", "A2", "B1", "B2", "C1", "C2"}	
						roh	spokenInteractionSkill	xsd:string	{"A1", "A2', "B1", "B2", "C1", "C2"}	
	roh DegreeHomologation		vivo	relates	vivo:AwardedDegree					
	roh License		2							

	roh	Resear	chAccreditation					
		rohes	Sexenio	vivo	dateTimeInterval	vivo:DateTimeInterval		

3.3. rohes:Account

Prefix	Class					Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
rohes	Account				rohes	charges	roh:Expense				
	rohes ActivoNoCorriente										
	rohes InmovilizacionesIntang										
	rohes	Compra	sYGasto	sPorNaturaleza							
		rohes	Perdida	ıs							
		rohes	Servicio	sExteriores							
			rohes	Suministros							

3.4. roh:Activity

Prefix	Class		Prefi x	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Activity		roh	participatedBy	foaf:Agent	vivo	identifier	xsd:string	
			bibo	presents	bibo:Document	roh	description	xsd:string	
			vivo	relates	roh:Expense or obo- bfo:Role	vivo	freeTextKeyword	xsd:string	
			obo- bfo	realizes	obo-bfo:Role	vivo	contactInformation	rdfs:Literal	
			vivo	hasSubjectArea	skos:Concept	roh	title	xsd:string	
			vivo	dateTimeInterval	vivo:DateTimeInterval				
			gn	locatedin	gn:Feature				
	vivo	Competition							
	bibo	Conference				vivo	abbreviation	rdfs:Literal	
	vivo	Course	obo-ro	partOf	vivo:AcademicDegree	vivo	courseCredits	xsd:int	
						vivo	courseHours	xsd:string	
	vivo	Exhibit							
	bibo	Hearing							
	vivo	Internship							
	vivo	Interview							
	vivo	Meeting							
	bibo	Performance							
	vivo	Presentation							
	vivo	InvitedTalk							
	roh	PanelTalk							
	roh	ThesisViva							
	bibo	Workshop							

3.5. foaf:Agent

Prefix	Class			Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
foaf	Agent			roh	hasContactInfo	vcard:Organization	vivo	freeTextKeyword	xsd:string	
				roh	hasAccreditation	roh:Accreditation				
				roh	hasRole	obo-bfo:Role				
				foaf	mBox	owl:Thing				
				vivo	relatedBy	vivo:Relationship				
	foaf	Organiz	ation	roh	has Knowledge Area	skos:Concept	vivo	identifier	xsd:string	
				vivo	affiliatedOrganization	foaf:Organization	vivo	abbreviation	rdfs:Literal	
				vivo	hasSuccessorOrganization	foaf:Organization	roh	description	xsd:string	
				vivo	hasPredecessorOrganization	foaf:Organization	roh	researchLine	xsd:string	
				obo-ro	hasPart	foaf:Organization	roh	foundationDate	xsd:string	
				roh	hasInfrastructure	roh:Infastructure				
				foaf	homePage	foaf:Document				
				roh	participates	roh:Activity				
				roh	produces	roh:ResearchObject				
				roh	grantedBy	roh:FundingAmount				
				vivo	dateTimeInterval	vivo:DateTimeInterval				
				gn	locatedIn	gn:Feature				
		roh	AccreditationIssuer	roh	issues	roh:Accreditation				
		roh	FundingOrganization	roh	promotes	roh:FundingProgram or roh:FundingSource				
				roh	funds	roh:Funding				
		roh	ResearchGroup				roh	excellenceLabel	xsd:boolean	
		vivo	University	roh	awards	vivo:AwardedDegree				
	foaf	Person		roh	hasKnowledgeArea	skos:Concept	vivo	identifier	xsd:string	
				vivo	relates	vivo:AwardedDegree	vivo	researcherId		
				roh	spends	roh:PersonExpense	roh	birthdate	xsd:string	
				roh	hasContract	roh:PersonContract	vivo	eRACommonsid		
				roh	hasCV	roh:CurriculumVitae	roh	description	xsd:string	
				roh	hasPosition	vivo:Position	roh	firstName	xsd:string	
				roh	participates	roh:Activity	roh	gender	xsd:string	
				roh	elegibleFor	roh:Accreditation	roh	researchLine	xsd:string	
				foaf	homePage	foaf:Document	foaf	surname	xsd:string	
				foaf	image	foaf:Image	foaf	name	xsd:string	
				roh	correspondingAuthor		foaf	nickname	xsd:string	
				roh	supervisorOf	bibo:Thesis	roh	taxID	xsd:string	
							roh	title	xsd:string	
							roh	ORCID	xsd:string	
							vivo	scopusid		
							rohes	secondFamilyName	xsd:string	

3.6. skos:Concept

Prefix	Class	Prefix	Object property (bold indicates explicit Domain,	Range Class	Prefix	Datatype Property (bold indicates explicit domain;	Range Datatype (if	Range values
			otherwise a Restriction)			otherwise a restriction)	typeu)	values

skos	Concep	t		roh	knowledgeAreaOf			
	roh	Knowle	dgeArea					
		roh	UNESCOKnowledgeAr					
		rohes	FECYTKnowledgeArea					
	roh	Project	Classification					
		roh European						
		roh	International					
		roh	National					
			rohes PlanEstatal20 17-2020					
		roh	Own					
		roh	Regional					
	roh	HRClass	sification					
		roh	TrainingStaffPlaceme nt					
		roh	TechnicalSupportStaff Grant					
		roh	Mobility					
		roh	PostDocContract					
		roh	PostDocGrant					
		roh	PostDocContinuityGra nt				-	
		roh	PreDocContract					
		roh	PreDocGrant					
		roh	PreDocGrantContract					
		roh	ResearchStartGrant					

3.7. roh:CurriculumVitae

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	indicates explicit domain:	Range Datatype (if typed)	Range values
roh	CurriculumVitae	roh	cvof	foaf:Person	roh	cites	xsd:string	
					roh	factorH	xsd:string	
					roh	summary	xsd:string	

3.8. roh:Expense

Prefix	Class				Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Expense	2			roh	spentBy		roh	currency	xsd:string	
					vivo	dateTimeValue	vivo:DateTimeValue	vivo	description	xsd:string	
								roh	monetaryAmoung	xsd:float	
								roh	title	xsd:string	
	roh	h PersonExpense					roh	expenseModality			
	roh	Projecti	Exper	nse							
	roh	Researc	hObj	ectExpense							
		rohum		tos Corrientes Bien Servicios							
		roh Arrendamientos um YCanones roh IndemizacionesS um ervicio									
				Material Suminis tros Otros							

		roh um ReparacionesMa ntenimientoCon servación				
	rohum	InversionesReales				

3.9. gn:Feature

Prefix	Class		Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
gn	Feature	gn	featureClass		gn	geonamesID	rdfs:Literal	
		gn	featureCode	gn:Code	gn	countryCode	rdfs:Literal	
		gn	parentAMD1	gn:featureCode	gn	name	xsd:string	
		gn	parentAMD2	gn:featureCode	gn	population	xsd:integer	
		gn	parentAMD3	gn:featureCode				
		gn	parentAMD4	gn:featureCode				

3.10. roh:Funding, roh:FundingAmount, roh:FundingProgram & roh:FundingSource

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Funding	1	obo-ro	hasPart	roh:FundingAmount	vivo	identifier	xsd:string	
			roh	fundedBy	roh:FundingProgram	vivo	description		
			vivo	dateTimeInterval	vivo:DateTimeInterval	vivo	freeTextKeyword		
			roh	financedBy	roh:FundingSource	roh	publicFunding	xsd:boolean	
			roh	hasContract	vivo:Contract				
			roh	supports	roh:PersonContract or roh:Project				
				has Knowledge Area	skos:Concept				
				dateTimeInterval	vivo:DateTimeInterval				
	roh	h Grant							
	roh	Loan							
	roh	Outsourcing							
	roh	RefundableAdvance							
roh	Funding	Amount	roh	grants	foaf:Organization	roh	currency	xsd:string	
			obo-ro	partOf	roh:Funding	roh	monetaryAmoung	xsd:float	
			vivo	dateTimeInterval	vivo:DateTimeInterval				
roh	Funding	Program	roh	promotedBy	roh:FundingSource	vivo	identifier	xsd:string	
			gn	locatedIn	gn:Feature	roh	title	xsd:string	
				dateTimeInterval	vivo:DateTimeInterval	vivo	description	xsd:string	
				hasPart	roh:FundingProgram				
roh	Funding	Source	roh	promotedBy	vivo:FundingOrganization				
			roh	funds	roh:FundingProgram				

3.11. roh:Infrastructure

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	lindicates explicit domain:		Range values
roh	Infrastructure	roh	infrastructureOf	foaf:Agent	roh	title	xsd:string	

					vivo	description	xsd:string	
roh	Equipment				vivo	freeTextKeyword	xsd:string	
roh	Facility	obo-ro	hasPart	roh:Facility				
roh	Software	vivo	hasSubjectArea	skos:Concept				
		roh	correspondingAuthor	foaf:Person				

3.12. roh:Metric

Prefix	Class				Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Metric				roh	metricOf	roh:ResearchObject	roh	metricName	xsd:string	
	roh	Degreef	Metric								
		roh	ThesisN	Metric				roh	cumLaude	xsd:boolean	
			DI DEL CAL					roh	mark	xsd:string	
		rohes PhDThesisMe						rohes	doctoradoEuropeo	xsd:boolean	
								rohes	doctoradoInternacional	xsd:boolean	
								rohes	mencionCalidad	xsd:boolean	
								rohes	premioExtraordinarioDoctor ado	xsd:boolean	
	roh	PublicationMetric						roh	impactFactor	xsd:float	
								roh	quartile	xsd:string	{"Q1", "Q2", "Q3", "Q4"}
								roh	ranking	xsd:string	

3.13. vivo:Project

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
vivo	Project	roh	hasKnowledgeArea	skos:Concept	vivo	identifier	xsd:string	
		vivo	relates	roh:Audit or obo-bfo:Role	vivo	abbreviation	rdfs:Literal	
		roh	hasContract	vivo:ProjectContract	vivo	description	rdfs:Literal	
		obo-ro	hasPart	vivo:Project	roh	title	xsd:string	
		vivo	participates	roh:Activity	roh	projectStatus	xsd:string	{"CLOSED" , "OPEN", "PROPOSA L_SUBMIT TED", "REJECTED "}
		roh	spends	roh:ProjectExpense	vivo	freeTextKeyword	xsd:string	
		roh	produces	roh:ResearchObject	roh	modality	xsd:string	
		vivo	relatedBy	roh:Dossier or roh:Justification or obo- bfo:Role	roh	foreseenJustificationDate	xsd:dateTime	
		roh	isSupportedBy	roh:Funding	roh	needsEthicalValidation	xsd:boolean	
		gn	locatedIn	gn:Feature				
		vivo	dateTimeInterval	vivo:DateTimeInterval				
		roh	hasProjectCategorization	roh:ProjectClassification				
		roh	hasHRClassification	roh:HRClassification				

3.14. vivo:Relationship

Prefix	Class				Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
vivo	Relatio	nship				2			2.22		
	vivo	Advisin	gRelat	ionship	vivo	dateTimeInterval	vivo:DateTimeInterval				
					vivo	hasSubjectArea	skos:Concept				
					vivo	relates	vivo:AdvisorRole or vivo:AdviseeRole or foaf:Person				
					vivo	degreeCandidacy	vivo:AcademicDegree				
	vivo	Awarde	dDegr	ee	roh	awardedBy	vivo:University				
					vivo	relates	foaf:Person or				
					vivo	dateTimeValue	roh:AcademicDegree vivo:DateTimeValue				
	vivo	Contrac	t		roh	contractOf		bibo	abstract	xsd:string	
					roh	contractSigningDate	vivo:DateTimeValue	roh	fileURI	-	
					vivo				attachment	oudiThing	
						assignedBy	foaf:Organization	roh	attachment	owl:Thing	
					vivo	hasSubjectArea	skos:Concept roh:Funding or				
					vivo	relates	bibo:Patent or foaf:Agent or obo-bfo:Role				
					vivo	dateTimeInterval	vivo:DateTimeInterval				
					vivo	supportedInformationResour ce	iao:InfrormationContentE ntity				
		roh	Perso	nContract	roh	hasHRClassification	roh:HRClassification				
		roh	Proje	ctContract							
	vivo	Position	1			relates	foaf:Organization	vivo	rank	xsd:int	
					vivo	relates	foaf:Person	vivo	hrJobTitle		
					vivo	dateTimeInterval	vivo:DateTimeInterval				
		vivo	FacultyAdministrativ ePosition								
		vivo		tyPosition							
			rohes	CuerpoDocente							
				rohes: CatedraticoEsc							
				uelaUniversitari							
				rohes: CatedraticoDeU							
				niversidad rohes:							
				ProfesorTitular DeEscuelaUnive							
				rsitaria rohes:							
				ProfesorTitular DeUniversidad							
			rohes	PDIContratado							
				rohes: Ayudante							
				rohes: ProfesorAsocia							
				do rohes:							
				ProfesorAyuda nteDoctor							
				rohes: ProfesorContra							
				tadoDoctor rohes:							
				ProfesorEmerit o							
				rohes: ProfesorVisitan							
				te							
		vivo		rianPosition	roh	produces	roh:DegreeThesis				
		vivo	n	cademicPositio							
		vivo	NonF Positi	acultyAcademic ion							
		vivo	Prima	aryPosition							
		roh	Resea	archerPosition							
	roh	Supervi	singRe	elationship	vivo	dateTimeInterval	vivo:DateTimeInterval				
			upervisingRelationship							1	

			roh	produces	roh:Thesis		
			vivo		roh:SupervisorRole or roh:SuperviseeRole or foaf:Person		
		DegreeSupervisingRel ationship		produces	roh:DegreeThesis		
	roh	MasterSupervisingRel ationship	roh	produces	roh:MasterThesis		
		PhDSupervisingRelati onship	roh	produces	roh:PhDThesis		

3.15. roh:ResearchObject

Prefix	Class				Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Researc	hObject			roh	hasKnowledgeArea	skos:Concept				
					roh	correspondingAuthor	foaf:Person				
					roh	producedBy	roh:Project				
	bibo	Collecti	on					bibo	oclcnum	rdfs:Literal	
		roh	Dossier		vivo	relates	roh:ProjectContract or bibo:Report or roh:Project	vivo	identifier	xsd:string	
					vivo	dateTimeInterval	vivo:DateTimeInterval	roh	title		
								vivo	description		
		bibo	Periodi	cal	vivo	publisher	foaf:Organization	bibo	eissn	rdfs:Literal	
								bibo	issn	rdfs:Literal	
			bibo	Journal	vivo	dateIssued	vivo:DateTimeValue	vivo	abbreviation	rdfs:Literal	
			bibo Magazine								
	bibo	Docum	ent		vivo	publishedIn	bibo:Collection or bibo:Book	bibo	doi	xsd:string	
					bibo	authorList	rdf:Seq	bibo	abstract	xsd:string	
					vivo	dateIssued	vivo:DateTimeValue	bibo	pageStart		
					bibo	editorList	rdf:Seq	bibo	pageEnd		
								bibo	volume	rdfs:Literal	
		vivo	Abstrac	t							
		bibo	Article					bibo	issue		
			bibo	AcademicArti cle							
				obo-iao: JournalArticle	roh	hasMetric	roh:PublicationMetric				
			vivo	ConferencePa per	bibo	presentedAt	bibo:Conference				
				roh: WorkshopPap							
				er EditorialArticl							
			vivo	e							
		bibo	Book		vivo	publisher	-	bibo	edition	rdfs:Literal	
								bibo	isbn	rdfs:Literal	
								vivo	placeOfPublication	rdfs:Literal	
								bibo	iccn	rdfs:Literal	
			bibo	Proceedings							
		vivo	Confere	encePoster							
		vivo	Dataset	1	cito	isCitedAsDataSourceBy	foaf:Document				
		bibo	Docum	entPart	vivo	publisher	foaf:Organization	vivo	placeOfPublication	rdfs:Literal	
			bibo	BookSection							
				bibo: Chapter							
		bibo	Patent		vivo	publisher	foaf:Organization	vivo	identifier	xsd:string	
					gn	locatedIn	gn:Feature	roh	modality	xsd:string	
					vivo	datelssued	vivo:DateTimeValue				

				roh	ownerOrganization	foaf:Organization				
	bibo	Report		vivo	distributor	foaf:Organization	roh	status	xsd:string	{"ACCEPTE D", "REJECTED "}
				vivo	publisher	foaf:Organization				
		roh	EthicalReport							
			roh: EthicalAudit							
			roh: EthicalValidati on							
		roh	EvaluationSu mmary				roh	evaluationStatus	xsd:string	{"FINAL", "PROVISIO NAL"}
		roh	Justification	vivo	relates	roh:Project				
		vivo	ResearchProp osal	vivo	relates	roh:Justification or roh:ProjectContract or roh:Project or roh:ResearchProposal				
	bibo	Thesis					vivo	abbreviation	rdfs:Literal	
							vivo	placeOfPublication	rdfs:Literal	
		roh	DegreeThesis							
		roh	h MasterThesis							
		roh	oh PhDThesis							
	bibo	Webpa								

3.16. obo-bfo:Role

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
obo-bfo	Role		vivo	dateTimeInterval	vivo:DateTimeInterval	roh	dedication	xsd:string	{"PARTIAL" , "TOTAL"}
				inheresIn	foaf:Agent	vivo	description	xsd:string	
			vivo	relatedBy	roh:Project or vivo:Relationship				
				has Knowledge Area	skos:Concept				
			obo- bfo	realizedIn	roh:Activity				
			roh	roleOf	foaf:Agent				
	vivo	AdministratorRole							
	vivo	AdviseeRole							
	vivo	AdvisorRole							
	vivo	AttendeeRole							
	vivo	AuditeeRole							
	vivo	AuditorRole							
	vivo	EditorRole							
	vivo	EducatorRole							
	vivo	EmployeeRole							
	vivo	ExternalMemberRole							
	vivo	FundingRole							
	vivo	LeaderRole							
	vivo	MemberRole							
	vivo	OrganizerRole							
	vivo	PresenterRole							
	vivo	ResearcherRole							
	vivo	ReviewerRole							
	vivo	StudentRole							
	vivo	SuperviseeRole							

vivo	SupervisorRole				
vivo	TeacherRole				
vivo	ThirdPartyContractorRole				

3.17. obo-ero:Service

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
obo-ero	Service		roh	isProvidedBy	foaf:Organization	vivo	identifier	xsd:string	
						roh	title	xsd:string	
						vivo	description	xsd:string	
	vivo	AccessService							
	vivo	AnalysisService							
	roh ExternalMemberRole								
	vivo								

3.18. rohes:Tax

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix		Range Datatype (if typed)	Range values
rohes	Tax					rohes	rate	xsd:float	
	rohes	IVA							
	rohes	IRPF							
	rohes	IRNR					_		

3.19. obo-bfo:TemporalRegion

Prefix	Class			Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
obo-bfo	TemporalRegion									
	obo-bfo OneDimensionalTemporalRegion									
		vivo	DateTimeInterval	vivo	start	vivo:DateTimeValue				
					end	vivo:DateTimeValue				
	obo-bfo ZeroDimensionTemporalRegio n vivo DateTimeValue									
						vivo	dateTime	xsd:dateTime		