





FONDO EUROPEO DE DESARROLLO REGIONAL (FEDER)

Una manera de hacer Europa

ROH Ontology Classes, Object Properties and DataType Properties

Ι.	A	ADSTract	2
2.	C	Ontologies used	2
3.	C	Concepts modelled.	3
	3.1.	. vivo:AcademicDegree	3
	3.2.	. roh:Accreditation	4
	3.3.	. roh:Activity	4
	3.4.	foaf:Agent	5
	3.5.	skos:Concept & skos:ConceptScheme	6
	3.6.	. roh:CurriculumVitae	7
	3.7.	roh:Expense	7
	3.8.	gn:Feature	7
	3.9.	. roh:Funding, roh:FundingAmount, roh:FundingProgram & roh:FundingSource	8
	3.10	0. vcard:Kind	8
	3.1	1. roh:Invention	8
	3.12	2. roh:Metric	9
	3.13	3. roh:Product	9
	3.14	4. vivo:Project	9
	3.15	5. vivo:Relationship	10
	3.16	6. roh:ResearchResult	11
	3.17	7. roh:Reservable	14
	3.18	8. obo-bfo:BFO_0000023 (Role)	14
	3.19	9. obo-ero:ERO_0000005 (Service)	15
	3.20	0. roh:Status	16
	3.2	1. obo-bfo:TemporalRegion	17
	3.22	2. roh: ExperimentalProtocol	17

าาา	also and Coffee and	4 -	7
3.23.	obo-ero:Software	1	/

1. Abstract


The aim of this document is to provide a bird's eye view on the entities modelled within ROH. The document includes an overview in tabular form for each of the core entities of the network of ontologies ROH, giving details on the object and data properties supported by each of them. This document is meant to be useful when instances of ROH want to be created, since it clearly explains what entity types a given entity type relates with through an object property and what data properties are supported by a given entity type, including details about its associated object types.

This document should be read as a complement to the <u>ROH Tutorial document</u> which describes more verbosely the purpose of the core entities of ROH and their relationships with other entities in the ontology.

2. Ontologies used

The following table lists all ontologies created, which combine entities defined specifically in our core ontology under prefix roh with those reused from other well-known and extensively adopted ontologies. Notice that ROH network of ontologies is divided into 2 main parts as depicted in the following figure:

- The generic ontology, core module, contains the most important entities and properties to
 model information in the academic domain. It contains the central part of the network of
 ontologies. It covers the academic domain, being agnostic to the country or the research
 organization whose information wants to be modelled with.
- A set of vertical modules which include, on one hand, specializations of some academic concepts for a given country domain. For instance, the figure Associate Professor in the Spanish academic domain would be encountered in the vertical module university—HR-es and is assigned the URI http://purl.org/roh/university—hr/es#ProfesorTitularDeUniversidad. On the other hand, these vertical modules, include controlled vocabularies, according to SKOS ontology, for different important areas in the academic domain, namely, geographical locations (geopolitical), knowledge areas (including concepts for scientific—domains, subject—areas or unesco—codes), classification of project types (project—classification), resource positions in universities (university—HR for Spain, UK or Portugal), controlled vocabulary with all universities in Spain (university—structure) or some extensions for the Spanish university system (extensions—es).



The following table illustrates the name spaces of the ontologies used within ROH:

Prefix	Ontology name	Ontology namespace	Ontology website
bibo	Bibliographic Ontology	http://purl.org/roh/mirror/bibo#	http://bibliontology.com/
cito	CiTO, the Citation Typing Ontology	http://purl.org/spar/cito#	https://sparontologies.github.io/cito/current/cito.html
foaf	FOAF: Friend of a Friend Ontology	http://purl.org/roh/mirror/foaf#	http://xmlns.com/foaf/spec/
gn	GeoNames Ontology	http://purl.org/roh/mirror/geonames#	http://www.geonames.org/ontology/documentation.html
obo-bfo	OBO Foundry, Basic Formal Ontology	http://purl.org/roh/mirror/obo/bfo#	http://www.obafoundry.org/antalogy/bfo.html
obo-ero	OBO Foundry, eagle-i Research Resource Ontology (ERO)	http://purl.org/roh/mirror/obo/ero#	https://epen.catalvat.harvard.edu/wik/display/earle/Ontaiony
obo-iao	OBO Foundry, Information Artifact Ontology	http://purl.org/roh/mirror/obo/iao#	https://kithub.com/information-artifact-ontology/IAO/
obo-ro	OBO Foundry, Relations Ontology	http://purl.org/roh/mirror/abo/ro#	hito //www.obofoundry.org/ontology/ro.html
owl	OWL Web Ontology Language	http://www.w3.org/2002/07/owl#	https://www.w3.org/TR/owl-features/
rdf	The RDF Concepts Vocabulary (RDF)	http://www.w3.org/1999/02/22-rdf-syntax-ns#	https://www.w3.org/TR/rdf-concepts/
rdfs	RDF Schema 1.1	http://www.w3.org/2000/01/rdf-schema#	https://www.w3.org/TR/rdf-schema/
roh	Red de Ontologías Hércules / Hercules Network of Ontologies	http://purl.org/roh#	https://github.com/HerculesCRUE/ROH/tree/main/sigmaaie/modules/core/doc
roh-es	Extensions of ROH for Spanish academic system	http://purl.org/roh/es#	https://github.com/HerculesCRUE/ROH/tree/main/sigmaaie/modules/extensions-es/doc
skos	SKOS Simple Knowledge Organization System	http://www.w3.org/2004/02/skos/core#	https://www.w3.org/TR/2008/WD-skos-reference-20080829/skos.html
terms	DCMI Metadata Terms	http://purl.org/dc/terms	https://www.dublincore.org/specifications/dublin-core/dcmi-terms/
vcard	vCard Ontology - for describing People and Organizations	http://purl.org/roh/mirror/vcard#	https://www.w3.org/TR/vcard-rdf/
vivo	VIVO core ontology	http://purl.org/roh/mirror/vivo#	https://wiki.lyrasis.org/display/VIVO/The+core+ontology+and+its+annotations
oa	The Web Annotation Data Model		https://www.w3.org/ns/oa

3. Concepts modelled.

3.1. vivo:AcademicDegree

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	indicates explicit domain:		Range values
vivo	AcademicDegree				vivo	abbreviation	rdfs:Literal	
					roh	title	xsd:string	
	roh BacherlorsDegree							

roh	DoctoralDegree				
roh	MastersDegree				

3.2. roh:Accreditation

Prefix	Class			Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Accredita	ition		vivo	hasGoverningActivity	foaf:Organization	roh	title	xsd:string	
				vivo	has Subject Area	skos:Concept	vivo	description	xsd:string	
				roh	accreditationOf	foaf:Agent				
				roh	issuedBy	roh:AccreditationIssuer				
				vivo	dateIssued	vivo:DateTimeValue				
	roh	Acader	micAccreditation				roh	title	xsd:string	
	vivo	Certific	ate				roh	title	xsd:string	
		roh	Award							
		roh	CourseCertificate							
		roh	LanguageCertificate				roh	language	xsd:string	
							roh	listeningSkill	xsd:string	{"A1", "A2", "B1", "B2", "C1", "C2"}
							roh	readingSkill	xsd:string	{"A1", "A2", "B1", "B2", "C1", "C2"}
							roh	speakingSkill	xsd:string	{"A1", "A2", "B1", "B2", "C1", "C2"}
							roh	spokenInteractionSkill	xsd:string	{"A1", "A2","B1", "B2", "C1","C2"}
							roh	writingSkill	xsd:string	{"A1", "A2", "B1", "B2", "C1", "C2"}
	roh	DegreeHomologation		vivo	relates	vivo:AwardedDegree				
	vivo	License	2							
	roh	Resear	chAccreditation							
		roh-es	Sexennial	vivo	dateTimeInterval	vivo:DateTimeInterval				
	roh	SealOf	Quality							

3.3. roh:Activity

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Activity		roh	hasContactInfo	vcard:Kind	vivo	identifier	xsd:string	
			vivo	hasKnowledgeArea	skos:Concept	vivo	description	xsd:string	
			roh	participatedBy	foaf:Agent or vivo:Project	vivo	freeTextKeyword	xsd:string	
			bibo	presents	bibo:Document	roh	title	xsd:string	
			vivo	relates	roh:Expense or obo- bfo:BFO_0000023 (Role)				
			vivo	dateTimeInterval	vivo:DateTimeInterval				
			gn	locatedIn	gn:Feature				
	vivo	Competition							
	bibo	Conference				vivo	abbreviation	rdfs:Literal	
	vivo	Course	obo-ro	partOf	vivo:AcademicDegree	vivo	courseCredits	xsd:int	

			vivo	courseHours	xsd:string	
vivo	Exhibit					
bibo	Hearing					
vivo	Internship					
vivo	Interview					
vivo	Meeting					
bibo	Performance					
vivo	Presentation					
vivo	InvitedTalk					
roh	PanelTalk					
roh	ThesisViva					
bibo	Workshop					·

3.4. foaf:Agent

Prefix	Class			Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
foaf	Agent			roh	hasContactInfo	vcard:Kind	vivo	freeTextKeyword	xsd:string	
				roh	hasAccreditation	roh:Accreditation				
				roh	hasRole	obo-bfo:BFO_0000023 (Role)				
				foaf	тВох	owl:Thing				
				vivo	relatedBy	vivo:Relationship				
				roh	hasReservable	roh:Reservable				
	foaf Group									
	foaf Organization		roh	has Knowledge Area	(skos:Concept and (skos:inScheme some roh:KnowledgeArea))	vivo	identifier	xsd:string		
			vivo	affiliatedOrganization	foaf:Organization	vivo	abbreviation	rdfs:Literal		
				roh	correspondingOrganizationOf	roh:ResearchObject				
				roh	foundationDate	vivo:DateTimeValue	vivo	description	xsd:string	
				vivo	hasSuccessorOrganization	foaf:Organization	roh	title	xsd:string	
				vivo	hasPredecessorOrganization	foaf:Organization				
				obo-ro	BFO_0000051 (hasPart)	foaf:Organization				
				roh	hasReservable	roh:Reservable				
				roh	hasSpinOff	vivo:Company				
				foaf	homePage	bibo:Document				
				roh	ownerOrganizationOf	roh:PatentApplication or bibo:Patent				
				roh	participates	roh:Activity				
				roh	produces	roh:ResearchObject				
				roh	provides	obo-ero:ERO_0000005 (Service)				
				roh	grantedBy	roh:FundingAmount				
				vivo	dateTimeInterval	vivo:DateTimeInterval				
				gn	locatedIn	gn:Feature				
		roh	AccreditationIssuer ¹	roh	issues	roh:Accreditation				
		vivo	Center							

_

 $^{^{1}}$ Defined class attending the following restriction Organization and (issues some Accreditation) and (issues only Accreditation)

No							(skos:Concept and				
column largementprise column co		vivo	Com	pany	roh	hasCompanyClassification	(skos:inScheme some	roh	isStartup	xsd:boolean	
roh MicroEnterprise roh SmallEnterprise roh EthicsCommittee roh EthicsCommittee roh FundingOrganization roh roh FundingOrganization roh roh FundingOrganization roh roh Managementinstitute roh Managementinstitute roh Managementinstitute roh Managementinstitute roh Company roh hasCompanyCategorization roh roh Company roh hasKnowledgeArea (laks)inScheme same roh publicCompany sud-boolean roh nasKnowledgeArea (laks)inScheme same roh publicCompany sud-boolean roh spends roh-PersonExpense roh publicCompany sud-boolean roh nasKonvict roh-PersonExpense roh publicCompany roh sockarded gegere roh Startup sud-boolean roh publicCompany sud-boolean roh publicCompany sud-boolean roh publicCompany sud-boolean roh spends roh-PersonExpense roh publicCompany sud-string roh nasKonvict roh-PersonExpense roh publicCompany roh-EthicalReport roh-Ethic					roh	isSpinfoffOf	foaf:Organization	roh	publicCompany	xsd:boolean	
roh MicroEnterprise Toh MicroEnterprise			roh	LargeEnterprise							
vivo consortium vivo condition vi			roh								
vivo Consortium vivo Department vivo Department vivo Department vivo Foundation vivo Founding/organization vivo Foundation vivo Foundation vivo Institute vivo Institute vivo Institute vivo Institute vivo Vivo Institute vivo			roh	MicroEnterprise							
vivo Department vivo Produces vivo vivo Foundation vivo Foundation vivo Foundation vivo Foundation vivo Foundation vivo Foundation vivo GovernmentAgency vivo Institute vivo Institute vivo Institute vivo Vivo Institute vivo			roh	SmallEnterprise							
roh EthicsCommittee roh produces roh:EthicalReport vivo Foundation roh promotes roh:FundingProgram or roh:FundingSource		vivo	Cons	sortium							
vivo foundation roh promotes roh-FundingProgram or roh-FundingSource vivo GovernmentAgency FundingSource vivo Institute For ManagementInstitute Fo		vivo	Depa	artment							
roh FundingOrganization roh promotes roh:FundingProgram or roh:FundingSource roh:Fun		roh	Ethic	csCommittee	roh	produces	roh:EthicalReport				
vivo GovernmentAgency vivo Institute vivo vivo		vivo	Four	ndation							
vivo Institute roh Managementinstitute roh ResearchGroup roh Company roh Company roh Company roh hasCompanyCategorization roh Company roh hasKnowledgeArea (skos:Concept and (skos:inScheme some roh:KnowledgeArea)) vivo relates vivo:AwardedDegree vivo researcherId roh spends roh hasContract roh:PersonExpense roh birthdate xsd:string roh hasCV roh:CompanyVclassificati roh isStartup xsd:boolean roh publicCompany xsd:boolean vivo identifier xsd:string researcherId roh spends roh:PersonExpense roh birthdate xsd:string roh hasCV roh:PersonContract vivo description xsd:string roh hasCV roh:CurriculumVitae vivo description xsd:string roh hasPosition vivo:Position roh firstName xsd:string roh participates roh:AuthorMetric roh researchLine xsd:string roh roh participates roh:AuthorMetric roh researchLine xsd:string xsd:string roh participates roh:AuthorMetric roh researchLine xsd:string		roh	Func	dingOrganization	roh	promotes					
roh Managementinstitute roh ResearchGroup vivo University roh awards roh Company roh Company roh AssCompanyCategorization roh Company roh AssCompanyCategorization roh Goaf Person roh hasKnowledgeArea (skos:Concept and (skos:inScheme some roh:KnowledgeArea)) vivo relates vivo:AwardedDegree vivo researcherid roh spends roh:PersonExpense roh birthdate xsd:string roh hasCV roh:CurriculumVitae vivo description xsd:string roh hasPosition roh hasPosition roh hasMeric roh:AuthorMetric roh researchLine xsd:string		vivo	Gove	ernmentAgency							
roh ResearchGroup vivo University roh awards vivo:AwardedDegree roh Company roh hasCompanyCategorization roh companyCategorization roh publicCompany roh identifier roh:RowledgeArea) roh:PersonExpense roh birthdate roh publicCompany roh publicCompany roh publicCompany roh roh:RowledgeArea) roh:RowledgeArea) roh pirthdate roh pirthdate roh:PersonExpense roh birthdate roh:PersonContract roh:PersonContract roh:PersonContract vivo description roh hasCo roh hasCo roh:CurriculumVitae vivo description roh firstName roh participates roh:Activity roh gender roh researchLine roh researchLine roh researchLine roh researchLine roh researchLine roh surname roh roh researchLine		vivo	Insti	tute							
vivo University roh awards vivo:AwardedDegree		roh ManagementInstitute									
roh Company roh hasCompanyCategorization roh companyClassificati on roh publicCompany xsd:boolean roh publicCompany xsd:boolean roh publicCompany roh publicCompany xsd:boolean roh publicCompany roh publicCompany xsd:boolean roh publicCompany roh publicCompany xsd:string roh:KnowledgeArea (skos:inScheme some roh:KnowledgeArea)) roh:KnowledgeArea) roh:KnowledgeArea) roh:KnowledgeArea) roh:KnowledgeArea) roh:KnowledgeArea) roh:Company roh publicCompany xsd:string roh:KnowledgeArea) roh:Company roh publicCompany roh publicCompany roh roh:KnowledgeArea) roh:Company roh roh:Company roh publicCompany xsd:string roh publicCompany roh roh:Company roh roh:Company roh publicCompany roh roh:Company roh researcherd roh:Company roh publicCompany roh publicCompany roh publicCompany roh publicCompany roh publicCompany roh roh:Company roh publicCompany roh researcherd roh:Company roh publicCompany roh researcherd roh:Company roh:Company roh publicCompany roh publicCompany roh publicCompany roh publicCompany roh researcherd roh:Company roh:Company roh:Company roh publicCompany roh researcherd roh:Company roh:Co		roh	Rese	earchGroup				roh	excellenceLabel	xsd:boolean	
Company Comp		vivo	Univ	ersity	roh	awards	vivo:AwardedDegree				
foaf Person roh hasKnowledgeArea (skos:Concept and (skos:inScheme some roh:KnowledgeArea)) vivo relates vivo:AwardedDegree vivo researcherid roh spends roh:PersonExpense roh birthdate xsd:string roh hasContract roh:PersonContract vivo eRACommonsId roh hasCV roh:CurriculumVitae vivo description xsd:string roh participates roh:Activity roh gender xsd:string roh participates roh:Activity roh gender xsd:string roh hasMetric roh:AuthorMetric roh researchLine xsd:string roh foaf homePage foaf:Document foaf surname xsd:string		roh	Com	pany	roh	hasCompanyCategorization		roh	isStartup	xsd:boolean	
foaf Person roh hasKnowledgeArea (skossinScheme some roh:KnowledgeArea)) vivo identifier xsd:string								roh	publicCompany	xsd:boolean	
roh spends roh:PersonExpense roh birthdate xsd:string roh hasContract roh:PersonContract vivo eRACommonsId roh hasCV roh:CurriculumVitae vivo description xsd:string roh hasPosition vivo:Position roh firstName xsd:string roh participates roh:Activity roh gender xsd:string roh hasMetric roh:AuthorMetric roh researchLine xsd:string foaf homePage foaf:Document foaf surname xsd:string	foaf	Person			roh	hasKnowledgeArea	(skos:inScheme some	vivo	identifier	xsd:string	
roh hasContract roh:PersonContract vivo eRACommonsId roh hasCV roh:CurriculumVitae vivo description xsd:string roh hasPosition vivo:Position roh firstName xsd:string roh participates roh:Activity roh gender xsd:string roh hasMetric roh:AuthorMetric roh researchLine xsd:string foaf homePage foaf:Document foaf surname xsd:string					vivo	relates	vivo:AwardedDegree	vivo	researcherId		
roh hasCV roh:CurriculumVitae vivo description xsd:string roh hasPosition vivo:Position roh firstName xsd:string roh participates roh:Activity roh gender xsd:string roh hasMetric roh:AuthorMetric roh researchLine xsd:string foaf homePage foaf:Document foaf surname xsd:string					roh	spends	roh:PersonExpense	roh	birthdate	xsd:string	
roh hasPosition vivo:Position roh firstName xsd:string roh participates roh:Activity roh gender xsd:string roh hasMetric roh:AuthorMetric roh researchLine xsd:string foaf homePage foaf:Document foaf surname xsd:string					roh	hasContract	roh:PersonContract	vivo	eRACommonsId		
roh participates roh:Activity roh gender xsd:string roh hasMetric roh:AuthorMetric roh researchLine xsd:string foaf homePage foaf:Document foaf surname xsd:string					roh	hasCV	roh:CurriculumVitae	vivo	description	xsd:string	
roh hasMetric roh:AuthorMetric roh researchLine xsd:string foaf homePage foaf:Document foaf surname xsd:string					roh	hasPosition	vivo:Position	roh	firstName	xsd:string	
foaf homePage foaf:Document foaf surname xsd:string				roh	participates	roh:Activity	roh	gender	xsd:string		
				roh	hasMetric	roh:AuthorMetric	roh	researchLine	xsd:string		
foot image foot many					foaf	homePage	foaf:Document	foaf	surname	xsd:string	
toat mage toat mane Xsosstring					foaf	image	foaf:Image	foaf	name	xsd:string	
roh correspondingAuthorOf foaf nickname xsd:string					roh	correspondingAuthorOf		foaf	nickname	xsd:string	
roh supervisorOf bibo:Thesis roh taxID xsd:string					roh	supervisorOf	bibo:Thesis	roh	taxID	xsd:string	
roh teaches roh:AcademicSubject roh title xsd:string					roh	teaches	roh:AcademicSubject	roh	title	xsd:string	
					roh	reviews	bibo:Document	roh	ORCID	xsd:string	
								vivo	scopusId		
roh reviews bibo:Document roh ORCID xsd:string								roh	dedication	xsd:string	{"PARTIAL" , "TOTAL"}

3.5. skos:Concept & skos:ConceptScheme

Prefix	Class			Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
skos	Concep	t		roh	codeOf	skos:Concept				
				roh	hasCode	skos:Concept				
				roh	has Knowledge Area					
skos	Concep	tSchem	ie							
	roh	Acade	micSubject							
		roh	BachelorsDegreeSubject							
		roh	MastersDegreeSubject							

roh	AdministrativeEntity				
roh	CompanyClassification				
roh	Country				
roh	ExpenseClassification				
roh	FundingProgramClassification				
roh	HRClassification				
roh	KnowledgeArea				
roh	Project Classification				
roh	PropertyClassification				
roh	ResearchProblem				

3.6. roh:CurriculumVitae

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	indicates explicit domain:	• ,, ,	Range values
roh	CurriculumVitae	roh	cvof	foaf:Person	roh	cites	xsd:string	
					roh	factorH	xsd:string	
					roh	summary	xsd:string	

3.7. roh:Expense

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class		Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Expense	•	vivo	dateTimeValue	vivo:DateTimeValue	roh	currency	xsd:string	
			roh	has Expense Classification	(skos:Concept and (skos:inScheme some roh:ExpenseClassification))	vivo	description	xsd:string	
			roh	spentBy		roh	expenseModality	xsd:string	
						roh	monetaryAmoung	xsd:float	
						roh	title	xsd:string	
	roh	PatentExpense							
	roh	PersonExpense							
	roh	ProjectExpense							
	roh	roh ResearchObjectExpense							

3.8. gn:Feature

Prefix	Class		Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class		Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
gn	Feature	gn	featureClass		gn	geonamesID	rdfs:Literal	
		gn	featureCode	gn:Code	gn	countryCode	rdfs:Literal	
		gn	parentAMD1	gn:featureCode	gn	name	xsd:string	
		gn	parentAMD2	gn:featureCode	gn	population	xsd:integer	
		gn	parentAMD3	gn:featureCode				
		gn	parentAMD4	gn:featureCode				

3.9. roh:Funding, roh:FundingAmount, roh:FundingProgram & roh:FundingSource

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Funding		obo-ro	BFO_0000051 (has part)	roh:FundingAmount	vivo	identifier	xsd:string	
			vivo	dateTimeInterval	vivo:DateTimeInterval	vivo	description		
			roh	fundedBy	roh:FundingProgram	vivo	freeTextKeyword		
			roh	hasContract	vivo:Contract	roh	publicFunding	xsd:boolean	
			roh	hasKnowledgeArea	(skos:Concept and (skos:inScheme some roh:KnowledgeArea))				
			roh	supports	roh:PersonContract or roh:Project				
	roh Grant								
	roh Loan								
	roh Outsourcing								
	roh RefundableAdvance								
roh	Funding	Amount	obo-ro	BFO_0000050 (part of)	roh:Funding	roh	currency	xsd:string	
			vivo	dateTimeInterval	vivo:DateTimeInterval	roh	monetaryAmoung	xsd:float	
			roh	grants	foaf:Organization				
roh	Funding	Program	obo-ro	BFO_0000051 (has part)	roh:FundingProgram	vivo	description	xsd:string	
			vivo	dateTimeInterval	vivo:DateTimeInterval	vivo	identifier	xsd:string	
			roh	hasFundingProgramClassification	(skos:Concept and (skos:inScheme some roh:FundingProgramClassi fication))	roh	title	xsd:string	
			gn	locatedIn	gn:Feature				
			roh	promotedBy	vivo:FundingOrganization				
			roh	funds	roh:Funding				
			vivo	relatedBy	roh:Dossier				
roh	Funding	Source	roh	funds	roh:FundingProgram				
			roh	promotedBy	vivo:FundingOrganization				

3.10. vcard:Kind

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix		Range values
vcard	Kind		roh	contactInfoOf	foaf:Agent			
	vcard	Group						
	vcard	Individual						
	vcard	Location						
	vcard	Organization						

3.11. roh:Invention

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Indicates explicit domain:		Range values
roh	Invention	roh	fundedBy	roh:FundingProgram	vivo	abbreviation	rdfs:Literal	
		roh	hasKnowledgeArea	(skos:Concept and (skos:inScheme some roh:KnowledgeArea))	vivo	description	xsd:string	
		obo-ro	BFO_0000051 (hasPart)	roh:PatentApplication	vivo	freeTextKeyword	xsd:string	

		roh	hasPatent	bibo:Patent	vivo	identifier	rdfs:Literal	
		roh	has Property Classification	(skos:Concept and (skos:inScheme some roh:PropertyClassification))	roh	title	xsd:string	
		roh	isSupportedBy	roh:Funding				
		geona mes	locatedIn	geonames:Feature				
		roh	patentStatus	roh:Submitted or roh:Accepted or roh:Rejected				
		roh	produces	roh:ResearchObject				
		vivo	relatedBy	roh:Dossier				
		vivo	relates	obo-bfo:BFO_0000023 (Role)				
		roh	spends	roh:PatentExpense				
roh PatentApplication		roh	ownerOrganization	foaf:Organization				
		roh	patentStatus	roh:Submitted or roh:Accepted or roh:Rejected				

3.12. roh:Metric

Prefix	Class				Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Metric				vivo	dateTimeValue	vivo:DateTimeValue	roh	metricName	xsd:string	
					roh	metricOf					
	roh	AuthorN	AuthorMetric		roh	metricOf	foaf:Agent	roh	citationCount	xsd:integer	
								roh	h-index	xsd:integer	
	roh	DegreeMetric									
		roh ThesisMetric		isMetric				roh	cumLaude	xsd:boolean	
								roh	mark	xsd:string	
			roh	PhDThesisMetric							
	roh	Publicat	ionM	etric				roh	citationCount	xsd:integer	
								roh	impactFactor	xsd:float	
							roh	quartile	xsd:string	{"Q1" , "Q2" , "Q3" , "Q4"}	
								roh	ranking	xsd:string	
	roh	Researc	esearchGroupMetric								

3.13. roh:Product

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	indicates explicit domain:	· // /	Range values
roh	Product	:				roh	hasTRL	xsd:integer	
	roh	Prototype							

3.14. vivo:Project

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	lindicates explicit domain:	·	Range values	
--------	-------	--------	---	-------------	--------	-----------------------------	---	-----------------	--

vivo	Project	roh	hasKnowledgeArea	skos:Concept and (skos:inScheme some roh:Knowledge Area)	roh	identifier	xsd:string	
		vivo	relates	obo-bfo:BFO_0000023 (Role)	vivo	abbreviation	rdfs:Literal	
		roh	hasContract	vivo:ProjectContract	vivo	description	rdfs:Literal	
		obo-ro	BFO_0000051 (hasPart)	vivo:Project	roh	title	xsd:string	
		vivo	participates	roh:Activity	vivo	freeTextKeyword	xsd:string	
		roh	spends	roh:ProjectExpense	roh	modality	xsd:string	
		roh	produces	roh:ResearchObject	roh	needsEthicalValidation	xsd:boolean	
		vivo	relatedBy	roh:Dossier or roh:Justification or obo- bfo:BFO_0000023 (Role)	roh	isCompetitive	xsd:boolean	
		roh	isSupportedBy	roh:Funding	roh:	projectObjective	xsd:string	
		gn	locatedIn	gn:Feature				
		vivo	dateTimeInterval	vivo:DateTimeInterval				
		roh	hasProjectCategorization	(skos:Concept and (skos:inScheme some roh:ProjectClassification)				
		roh	hasHRClassification	(skos:Concept and (skos:inScheme some roh:HRClassification))				
		roh	projectStatus	roh:Status (roh:Closed or roh:Open or roh:ProposalSubmitted or roh:Rejected)				
		roh	coordinatedBy	foaf:Agent				
		roh	foreseenJustificationDate	vivo:DateTimeValue				_

3.15. vivo:Relationship

Prefix	Class			Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
vivo	Relation	nship								
	vivo	Advisi	ingRelationship	vivo	dateTimeInterval	vivo:DateTimeInterval				
				vivo	degreeCandidacy	vivo:AcademicDegree				
				vivo	hasSubjectArea	skos:Concept				
				vivo	relates	vivo:AdvisorRole or vivo:AdviseeRole or foaf:Person				
		vivo	FacultyMentoringRelati onship							
		vivo	GraduateAdvisingRelati onship							
		vivo	PostdocOrFellowAdvisi ngRelationship							
		vivo	UndergraduateAdvising Relationship							
	vivo	Auditi	ingRelationship	vivo	dateTimeInterval	vivo:DateTimeInterval				
				vivo	dateTimeValue	vivo:DateTimeValue				
				vivo	relates	roh:AuditeeRole or vivo:AuditorRole or foaf:Agent				
	vivo	Award	dedDegree	roh	awardedBy	vivo:University				
				vivo	dateTimeValue	vivo:DateTimeValue				
				vivo	relates	foaf:Person or roh:AcademicDegree				
	vivo	Contra	act	vivo	assignedBy	foaf:Organization	bibo	abstract	xsd:string	
				roh	attachment	owl:Thing				
				roh	contractSigningDate	vivo:DateTimeValue				
				vivo	dateTimeInterval	vivo:DateTimeInterval				
				vivo	has Subject Area	skos:Concept				
				vivo	relates	roh:Funding or bibo:Patent or foaf:Agent or obo-bfo:BFO_0000023 (Role)				

			vivo	supportedInformationResour ce	obo-iao: IAO_0000030 (InformationContentEntity)				
	roh	PatentContract							
	roh	PersonContract							
	roh	ProjectContract							
	roh	ServiceContract							
vivo	Position	1	vivo	dateTimeInterval	vivo:DateTimeInterval	vivo	rank	xsd:int	
			roh	positionOf	foaf:Person	vivo	hrJobTitle		
			vivo	relates	foaf:Organization				
			vivo	relates	foaf:Person				
	vivo	FacultyAdministrative Position							
	vivo	FacultyPosition							
	vivo	LibrarianPosition							
	vivo	NonAcademicPosition							
	vivo	NonFacultyAcademicPosition							
		vivo PostdocPosition							
	vivo	PrimaryPosition							
	roh	ResearcherPosition							
roh	Reserva	ationRelationship	vivo	dateTimeInterval	vivo:DateTimeInterval				
			vivo	hasSubjectArea	skos:Concept				
			vivo	relates	roh:ReservableConsumer Role				
roh	Supervi	singRelationship	vivo	dateTimeInterval	vivo:DateTimeInterval				
			roh	produces	bibo:Thesis				
			vivo	relates	roh:SupervisorRole or roh:SuperviseeRole or foaf:Person				
	roh	BachelorsSupervising Relationship		produces	roh:DegreeThesis				
	roh	MastersSupervisingRe lationship	roh	produces	roh:MasterThesis				
	roh	PhDSupervisingRelati onship	roh	produces	roh:PhDThesis				

Notice that in vertical modules you can find human resource positions associated to different countries.

3.16. roh:ResearchResult

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Researc	hResult	roh	has Knowledge Area	skos:Concept and (skos:inScheme some roh:Knowledge Area)	roh	identifier	xsd:string	
			roh	roh:ExperimentalProtocol or roh:Repository of bibo:Document or ero:ERO_0000071 or vivo:Project		roh	title	xsd:string	
			roh	seqOfAuthors	rdf:Seq	vivo	abbreviation	rdfs:Literal	
			roh	hasSucessor	roh:ResearchResult	vivo	description	rdfs:Literal	
			roh	correspondingAuthor	foaf:Person	vivo	freeTextKeyword	xsd:string	
			vivo	dateTimeInterval	vivo:DateTimeInterval	roh	needsEthicalValidation	xsd:boolean	
	roh	ResearchObject ²	roh	correspondingOrganization	foaf:Organization	roh	language	xsd:string	
				hasPartOfResearchResult	roh:ResearchResult				_
			roh	producedBy	roh:Project	·			

Pref ix	Class				Prefi x	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Pr efi x	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
obo -iao		000030 (nt Entity		ition	roh	correspondingOrganiz ation	foaf:Organization	ro h	language	xsd:string	
	roh	Repos	itory		roh	correspondingAuthor	foaf:Person	ro h	title	xsd:string	
					roh	hasKnowledgeArea	(skos:Concept and (skos:inScheme some roh:KnowledgeArea))	viv o	description	xsd:string	
					roh	hasReadme	roh:README	bib o	abstract	xsd:string	
					cito	cites	roh:ExperimentalProt ocol or ero: ERO_0000071 or roh:Repository or bibo:Document	viv o	freeTextKeyword	xsd:string	
					roh	repositoryHasPart	ExperimentalProtocol or bibo:Document or ero: ERO_0000071				
					roh	hasPredecessor	roh:Repository				
					roh	seqOfAuthors	rdf:Seq				
					roh	hasLicense	vivo:License				
					roh	repositoryStatus	roh:Closed or roh:Open				
					vivo	dateTimeValue	vivo:DateTimeValue				
					foaf	homePage	bibo:Webpage				
		roh	BitBut ory	cketReposit	roh	hasPredecessor	roh: BitBucketRepository				
		roh	GitHu	bRepository	roh	hasPredecessor	roh:GitHubRepository				
		roh	Zenoc	doRepositor	roh	hasPredecessor	roh: ZenodoRepository	bib o	doi	xsd:integer	
								viv o	identifier	xsd:integer	
	bib o	Collec	tion					bib o	oclcnum	rdfs:Literal	
		roh	Dossie	er	vivo	dateTimeInterval	vivo:DateTimeInterval	viv o	description	rdfs:Literal	
					vivo	relates	roh:FundingProgram or roh:ProjectContract or bibo:Report or vivo:Project	viv o	identifier	xsd:string	
								ro h	title	xsd:string	
		bib o	Period	dical	vivo	publisher	foaf:Organization	bib o	eissn	rdfs:Literal	
								bib o	issn	rdfs:Literal	
			bib o	Journal				viv o	abbreviation	rdfs:Literal	
			bib o	Magazine							
	bib o	Docur			bibo	authorList	rdf:Seq	bib o	abstract	xsd:string	

_

Notice that roh: Research Object is a defined class, which follows these restrictions: Research or ('part of research result' some 'Research Result') or ('produced by' only vivo: Project)
This is, an instance in ROH belongs to class roh: Research Object if it meets these restrictions.

							bib			
				roh	correspondingAuthor correspondingOrganiz	foaf:Person	0	doi	xsd:string	
				roh	ation	foaf:Organization				
				roh	partOfRepository	roh:Repository	ro h	title	xsd:string	
				roh	partOfResearchResult	roh:ResearchResult				
				vivo	dateTimeValue	vivo:DateTimeValue	viv o	freeTextKeyword	xsd:string	
				bibo	editorList	rdf:Seq	bib o	pageStart	rdfs:Literal	
				vivo	has Publication Venue	bibo:Collection or bibo:Book	bib o	pageEnd	rdfs:Literal	
				vivo	publisher	foaf:Agent				
				cito	cites	roh:ExperimentalProt ocol or ero: ERO_0000071 or roh:Repository or bibo:Document				
				roh	documentStatus	roh:Accepted or roh:Rejected				
	roh	READ	ME	roh	readmeOf	roh:Repository or ero:				
	roh	roh ExperimentalProt				ERO_0000071				
	viv	viv Abstract								
	o bib	Articl					bib	issua		
	0	bib	e Academic		1.01		o bib	issue	.16.19	
		0	Article obo-iao:	vivo	hasPublicationVenue	bibo:Journal	0	eanucc13	rdfs:Literal	
			IAO_0000 013 (JournalA rticle)	vivo	dateTimeValue	vivo:DateTimeValue				
				roh	hasMetric	roh:PublicationMetric				
			roh:PeerR eviewedA							
		ro	rticle BlogPost							
		h viv	Conferen	bibo	presentedAt	bibo:Conference				
		0	cePaper roh:	Odid	presenteuat	bibo.comerence				
			Worksho pPaper							
		viv o	EditorialA rticle							
		ro	PeerRevie wedArticl							
		h ro	e PressArtic							
	bib	h	le VisualDocu							
	0	ment ro								
		h	gram							
	Lit	ro h	TvProgra m				La			
	bib o	Book		vivo	publisher	foaf:Organization	bib o	edition	rdfs:Literal	
							bib o	isbn	rdfs:Literal	
							bib o	iccn	rdfs:Literal	
							viv o	placeOfPublication	rdfs:Literal	
		bib o	Proceedi ngs							
	roh	CaseS								
	roh	Catalo	og							
	bib	Collec	ctedDocume							
	0	nt ro	Database							
		h bib	EditedBo							
		o bib	ok	obo-	BFO_0000051	hib and and the	bib	:	adfailte	
	viv	0	Issue	ro	(hasPart)	bibo:Article	0	issue	rdfs:Literal	
	0		erencePoster				ro			
	roh		culumVitae	roh	CVOf	foaf:Person	h	summary	xsd:string	
	viv o	Datas	et	cito	isCitedAsDataSourceB y	bibo:Document				
	bib o		mentPart	vivo	publisher	foaf:Organization	viv o	placeOfPublication	rdfs:Literal	
		bib o	BookSecti on				bib o	edition	rdfs:Literal	

						ı			ı	
			bibo: Chapter							
	roh	Edited	dPublication							
	foa	Image	е							
	f roh	Invoid	ce							
			Proforma							
		roh	Invoice							
	bib o	Manu	ıal							
	bib o	Paten	nt	vivo	assignee	foaf:Organization	viv o	identifier	xsd:string	
				vivo	dateIssued	vivo:DateTimeValue	ro h	modality	xsd:string	
				roh	expirationDate	vivo:DateTimeValue				
				roh	hasKnowledgeArea	(skos:Concept and (skos:inScheme some roh:KnowledgeArea))				
				gn	locatedIn	gn:Feature				
				roh	ownerOrganization	foaf:Organization				
				roh	patentCountry	(skos:Concept and (skos:inScheme some roh:Country))				
				roh	patentInventor	foaf:Person				
	bib o	Repor	rt	bibo	distributor	foaf:Organization				
				vivo	publisher	foaf:Organization				
		ro h	EthicalRe port							
			roh: EthicalAu dit							
			roh: EthicalVal idation							
		ro h	Evaluatio nSummar y	roh	evaluationStatus	roh:Final or roh:Provisional				
		ro h	Justificati on	vivo	relates	roh:Project				
		viv o	Research Proposal	vivo	relates	roh:Justification or roh:ProjectContract or roh:Project or vivo:ResearchProposal				
		ro h	Technical Report							
	bib o	Thesi		roh	supervisedBy	foaf:Person	viv o	abbreviation	rdfs:Literal	
							viv o	placeOfPublication	rdfs:Literal	
		ro h	Bachelors Thesis							
		ro h	MastersT hesis							
		ro h	PhDThesi							
	bib	n Webp	s							
	0		0-							

3.17. roh:Reservable

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Reservable		vivo	dateTimeInterval	vivo:DateTimeInterval	vivo	description	xsd:string	
			roh	reservableOf	foaf:Agent	vivo	freetextKeyword	xsd:string	
						roh	title	xsd:string	
	roh	ReserbableSoftware							
	vivo Equipment								
	vivo Facility		pbo-ro	BFO_0000051 (hasPart)	roh:Facility				

3.18. obo-bfo:BFO_0000023 (Role)

Prefix	Class		Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
obo-bfo	BFO_00	00023 (Role) ³	vivo	dateTimeInterval	vivo:DateTimeInterval	roh	dedication	xsd:string	{"PARTIAL" , "TOTAL"}
			roh	RO_0000052 (inheresIn)	foaf:Agent	vivo	dedicationPercentage	xsd:float	
						vivo	description	xsd:string	
			roh	hasKnowledgeArea	(skos:Concept and (skos:inScheme some roh:KnowledgeArea))	roh	referencedLaw	xsd:string	
			vivo	relatedBy	roh:PatentApplication or vivo:Project or vivo:Relationship				
			obo- bfo	realizedIn	roh:Activity				
			roh	roleOf	foaf:Agent				
	vivo	AdministratorRole							
	vivo	AdviseeRole							
	vivo	AdvisorRole							
	vivo	AttendeeRole							
	vivo	AuditeeRole							
	vivo	AuditorRole							
	vivo	EditorRole							
	obo-ero	ERO_0000225 (EducatorRole)							
	obo-ero	ERO_0000787 (EmployeeRole)							
	roh	ExternalMemberRole							
	obo-ero	ERO_0000224 (FundingRole)							
	vivo	LeaderRole							
	vivo	MemberRole							
	vivo	OrganizerRole							
	vivo	PresenterRole							
	vivo	ResearcherRole							1
	roh	ReservableConsumerRole							1
	roh	ReservableProviderRole							
	vivo	ReviewerRole							1
	obo-ero	ERO_0000783 (StudentRole)							
	roh	SuperviseeRole							1
	roh	SupervisorRole							1
	vivo	TeacherRole							1
	roh	TechnicalSupport							1
	roh	ThirdPartyContractorRole							1

3.19. obo-ero:ERO_000005 (Service)⁴

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Indicates explicit domain:		Range values
obo-ero	ERO_0000005 (Service)	roh	isProvidedBy	foaf:Organization	vivo	description	xsd:string	
					vivo	identifier	xsd:string	
					roh	title	xsd:string	

³ Notice that the actual name of this class is opaque, i.e. BFO_0000023, its associated URI is http://purl.org/roh/obo/bfo#BFO_0000023

⁴ Associated to IRI http://purl.org/roh/mirror/obo/ero#ERO_0000005. These classes from obo-ero use opaque IDs, for their instantiation the alphanumeric IDs declared under parenthesis should be used.

	1	1		
obo-ero	ERO_0000391 (AccessService)			
obo-ero	ERO_0001261 (AnalysisService)			
	obo- ERO_0001262 ero (DataAnalysiService)			
	obo- ero (MaterialAnalysisServic e)			
obo-ero	ERO_0001261 (AnalysisService)			
	obo- ERO_0001262 ero (DataAnalysisService)			
	obo- ero ERO_0000395 (MaterialMaintenanceS ervice)			
obo-ero	ERO_0001258 (MaitenanceService)			
	obo- ero (DataMaintenanceServi ce)			
	obo- ero ERO_0001259 (MaterialManteinanceS ervcie)			
obo-ero	ERO_0000394 (MaterialProcessingService)			
	obo- ero ERO_0001263 (MaterialModificationS ervice)			
	obo- ero ERO_0000396 (MaterialProductionSer vice)			
obo-ero	ERO_0000392 (StorageService)			
	obo- ERO_0001257 ero (DataStorageService)			
	obo- ero ERO_0001256 (MaterialStorageServic e)			
obo-ero	(SupportService)			
obo-ero	ERO_0000393 (TrainingService)			
obo-ero	ERO_0001254 (TransportService)			

3.20. roh:Status

Prefix	Class			Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
roh	Status		vivo	dateTimeInterval	vivo:DateTimeInterval				
	roh	Accepted							
	roh	Cancelled							
	roh	Closed							
	roh	Final							
	roh	Funded							
	roh	Open							
	roh	ProposalSubmitted							
	roh	Provisional							
	roh	Rejected							
	roh	Signed							
	roh	Submitted							
	roh	Terminated							
	roh	oh Unfunded							

3.21. obo-bfo:TemporalRegion⁵

Prefix	Class			Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
obo-bfo	BFO_000	00008 (T	emporalRegion)							
	obo-bfo	BFO_0000038 (OneDimensionalTemporalRe								
		vivo	DateTimeInterval	vivo	start	vivo:DateTimeValue				
				vivo	end	vivo:DateTimeValue				
	obo-bfo	BFO_0000158 bbo-bfo (ZeroDimensionTemporalRegi on)								
	vivo DateTimeValue					vivo	dateTime	xsd:dateTime		

3.22. roh: ExperimentalProtocol

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
Roh	ExperimentalProtocol	roh	correspondingAuthor	foaf:Person	roh	language	xsd:string	
		roh	hasKnowledgeArea	(skos:Concept and (skos:inScheme some roh:KnowledgeArea))	vivo	description	xsd:string	
		roh	produces	roh:ExperimentalProtoc olResult	bibo	abstract	xsd:string	
		cito	cites	roh:ExperimentalProtoc ol or ero:ERO_0000071 or roh:Repository or bibo:Document	vivo	freeTextKeyword	xsd:string	
		roh	partOfResearchResult	roh:ResearchResult	roh	title	xsd:string	
		rog	partOfRepository	roh: Repository				
		roh	hasPredecessor	roh:ExperimentalProtico				
		roh	seqOfAuthors	rdf:Seq				
		roh	hasLicense	vivo:License				
		vivo	dateTimeValue	vivo:DateTimeValue				
		foaf	homePage	vivo:Webpage				

3.23. obo-ero:Software

Prefix	Class	Prefix	Object property (bold indicates explicit Domain, otherwise a Restriction)	Range Class	Prefix	Datatype Property (bold indicates explicit domain; otherwise a restriction)	Range Datatype (if typed)	Range values
ero	ERO_000071	roh	correspondingAuthor	foaf:Person	roh	language	xsd:string	
		roh	hasKnowledgeArea	(skos:Concept and (skos:inScheme some roh:KnowledgeArea))	vivo	description	xsd:string	
		roh	hasReadme	roh:README	bibo	abstract	xsd:string	
		cito	cites	roh:ExperimentalProtoc ol or ero:ERO_0000071 or roh:Repository or bibo:Document	vivo	freeTextKeyword	xsd:string	
		roh	partOfResearchResult	roh:ResearchResult	roh	title	xsd:string	
		roh	partOfRepository	roh:Repository				
		roh	hasPredecessor	ero:ERO_0000071	roh	programmingLanguage	xsd:string	
		roh	seqOfAuthors	rdf:Seq				
		roh	hasLicense	vivo:License				
		roh	softwareStatus	roh:Final or roh:Provisional				

⁵ The actual URI associated to this concept is: http://purl.org/roh/mirror/obo/bfo#BFO_0000008

			vivo	dateTimeValue	vivo:DateTimeValue		
		fo		homePage	vivo:Webpage		
	roh	ReservableSoftware					